



AIN Management System User Guide



AIN Tag Manufacturers,
Managers, and Resellers;
Government Agencies;
and Health Officials



Version 1.7.1a
February 11, 2010



AIN MANAGEMENT SYSTEM USER GUIDE

1. INTRODUCTION TO THE AIN MANAGEMENT SYSTEM.....	1
1.1. AIN TAG MANUFACTURERS	2
1.2. AIN TAG MANAGERS	3
1.3. AIN TAG RESELLERS	4
2. PUBLIC TOOLS.....	5
2.1. LIST ID DEVICES.....	5
2.1.1. When to Use	5
2.1.2. Applicable Roles and Functions	5
2.1.3. Performing the Action	5
3. ACTION ITEMS.....	9
3.1. VALIDATE PIN/NPN.....	9
3.1.1. When to Use	9
3.1.2. Applicable Roles and Functions	9
3.1.3. Performing the Action	9
3.2. REQUEST AIN ALLOCATION	12
3.2.1. When to Use	12
3.2.2. Applicable Roles and Functions	12
3.2.3. Performing the Action	12
3.3. REPORT AIN SHIPMENT	15
3.3.1. When to Use	15
3.3.2. Applicable Roles and Functions	15
3.3.3. Performing the Action	15
3.3.4. Report AIN Shipment from Current AIN Holdings	30
3.3.5. Report AIN Shipment from Validate PIN/NPN.....	34
3.3.6. Report AIN Shipment from Nonproducer Participant Contact.....	36
3.4. MANAGE RELATIONSHIPS — MANUFACTURER	38
3.4.1. When to Use	38
3.4.2. Applicable Roles and Functions	38
3.4.3. Performing the Action	38
3.5. MANAGE RELATIONSHIPS — MANAGER.....	56
3.5.1. When to Use	56
3.5.2. Applicable Roles and Functions	56
3.5.3. Performing the Action	56
3.6. MANAGE RELATIONSHIPS — RESELLER	66
3.6.1. When to Use	66
3.6.2. Applicable Roles and Functions	66
3.6.3. Performing the Action	66
3.7. SCRAPIE PROGRAM ACTIONS	70
3.7.1. When to Use	70
3.7.2. Applicable Roles and Functions	70
3.7.3. Performing the Action	70
3.8. NEW SCRAPIE PROGRAM ORDER	73
3.8.1. When to Use	73
3.8.2. Applicable Roles and Functions	73
3.8.3. Performing the Action	73
3.9. SHIP SCRAPIE AINS	74
3.9.1. When to Use	74
3.9.2. Applicable Roles and Functions	74
3.9.3. Performing the Action	74
3.10. NEW PROGRAM ORDER.....	75
3.10.1. When to Use	75

3.10.2.	<i>Applicable Roles and Functions</i>	75
3.10.3.	<i>Performing the Action</i>	75
3.11.	SHIP PROGRAM AINS	83
3.11.1.	<i>When to Use</i>	83
3.11.2.	<i>Performing the Action</i>	83
4.	OTHER TASKS	92
4.1.	MANAGE AIN PACKAGES	92
4.1.1.	<i>When to Use</i>	92
4.1.2.	<i>Applicable Roles and Functions</i>	92
4.1.3.	<i>Performing the Action</i>	92
4.2.	AIN PACKAGE	96
4.3.	REPORT AIN DISTRIBUTION	105
4.3.1.	<i>When to Use</i>	105
4.3.2.	<i>Applicable Roles and Functions</i>	105
4.3.3.	<i>Performing the Action</i>	105
4.4.	FIX AIN BROKEN EVENTS	113
4.4.1.	<i>When to Use</i>	113
4.4.2.	<i>Applicable Roles and Functions</i>	113
4.4.3.	<i>Performing the Action</i>	113
4.5.	UNDERSTANDING BROKEN EVENTS	118
4.6.	REPORT AIN RETURNS	125
4.6.1.	<i>When to Use</i>	125
4.6.2.	<i>Applicable Roles and Functions</i>	125
4.6.3.	<i>Performing the Action</i>	125
4.7.	REPORT AIN TRANSFER	129
4.7.1.	<i>When to Use</i>	129
4.7.2.	<i>Applicable Roles and Functions</i>	129
4.7.3.	<i>Performing the Action</i>	129
5.	RESOURCE INFO	135
5.1.	CURRENT AIN HOLDINGS	135
5.1.1.	<i>When to Use</i>	135
5.1.2.	<i>Applicable Roles and Functions</i>	135
5.1.3.	<i>Performing the Action</i>	135
5.2.	LOOK UP AIN HISTORY	137
5.2.1.	<i>When to Use</i>	137
5.2.2.	<i>Applicable Roles and Functions</i>	137
5.2.3.	<i>Performing the Action</i>	137
5.3.	AIN EVENT ACTIONS	141
5.3.1.	<i>When to Use</i>	141
5.3.2.	<i>Applicable Roles and Functions</i>	141
5.3.3.	<i>Performing the Action</i>	141
5.4.	AIN EVENT ACTION DETAIL	142
5.4.1.	<i>When to Use</i>	142
5.4.2.	<i>Applicable Roles and Functions</i>	142
5.4.3.	<i>Performing the Action</i>	142
5.5.	AIN EVENT REPORT	145
5.5.1.	<i>When to Use</i>	145
5.5.2.	<i>Applicable Roles and Functions</i>	145
5.5.3.	<i>Performing the Action</i>	145
5.6.	STATE REPORTS	148
5.6.1.	<i>When to Use</i>	148
5.6.2.	<i>Applicable Roles and Functions</i>	148
5.6.3.	<i>Performing the Action</i>	148
5.7.	STATE PRODUCER SHIP REPORT	149

5.7.1.	When to Use	149
5.7.2.	Applicable Roles and Functions	149
5.7.3.	Performing the Action	149
5.8.	FIND PROGRAM ORDERS	152
5.8.1.	When to Use	152
5.8.2.	Applicable Roles and Functions	152
5.8.3.	Performing the Action	152
5.9.	FULFILL SCRAPIE ORDERS	158
5.9.1.	When to Use	158
5.9.2.	Applicable Roles and Functions	158
5.9.3.	Performing the Action	159
5.10.	SCRAPIE SUMMARY REPORT	165
5.10.1.	When to Use	165
5.10.2.	Applicable Roles and Functions	165
5.10.3.	Performing the Action	165
6.	ADMINISTRATION	167
6.1.	NPN DETAILS	167
6.1.1.	When to Use	167
6.1.2.	Applicable Roles and Functions	167
6.1.3.	Performing the Action	167
6.2.	NPN DETAILS (ENTITY DETAILS)	169
6.2.1.	When to Use	169
6.2.2.	Applicable Roles and Functions	169
6.2.3.	Performing the Action	169
6.3.	NPN STATES SERVICED	173
6.3.1.	When to Use	173
6.3.2.	Applicable Roles and Functions	173
6.3.3.	Performing the Action	173
6.4.	NPN USERS	178
6.4.1.	When to Use	178
6.4.2.	Applicable Roles and Functions	178
6.4.3.	Performing the Action	178
6.5.	USER	180
6.5.1.	When to Use	180
6.5.2.	Applicable Roles and Functions	180
6.5.3.	Performing the Action	180
6.6.	USER ROLES	186
6.6.1.	When to Use	186
6.6.2.	Applicable Roles and Functions	186
6.6.3.	Performing the Action	187
6.7.	USER ROLE PERMISSIONS	193
6.7.1.	When to Use	193
6.7.2.	Applicable Roles and Functions	193
6.7.3.	Performing the Action	193
6.8.	GRANTABLE ROLES	195
6.8.1.	When to Use	195
6.8.2.	Applicable Roles and Functions	195
6.8.3.	Performing the Action	195
6.9.	PERMISSION INFORMATION	196
6.9.1.	When to Use	196
6.9.2.	Applicable Roles and Functions	196
6.9.3.	Performing the Action	196
6.10.	USER PHONES	197
6.10.1.	When to Use	197
6.10.2.	Applicable Roles and Functions	197

6.10.3.	Performing the Action	198
6.11.	PHONE	200
6.11.1.	When to Use	200
6.11.2.	Applicable Roles and Functions	200
6.11.3.	Performing the Action	200
6.12.	DISABLE NPN	203
6.12.1.	When to Use	203
6.12.2.	Applicable Roles and Functions	203
6.12.3.	Performing the Action	203
6.13.	NPN LOCATIONS	204
6.13.1.	When to Use	204
6.13.2.	Applicable Roles and Functions	204
6.13.3.	Performing the Action	204
6.14.	LOCATION	206
6.14.1.	When to Use	206
6.14.2.	Applicable Roles and Functions	206
6.14.3.	Performing the Action	206
6.15.	MANAGE LOCATION CONTACTS	209
6.15.1.	When to Use	209
6.15.2.	Applicable Roles and Functions	209
6.15.3.	Performing the Action	209
6.16.	CONTACT	211
6.16.1.	When to Use	211
6.16.2.	Applicable Roles and Functions	211
6.16.3.	Performing the Action	211
6.17.	CONTACT PHONES	215
6.17.1.	When to Use	215
6.17.2.	Applicable Roles and Functions	215
6.17.3.	Performing the Action	215
6.18.	REGISTER NPN AS MANUFACTURER	219
6.18.1.	When to Use	219
6.18.2.	Applicable Roles and Functions	219
6.18.3.	Performing the Action	219
6.19.	MANUFACTURER ALLOCATION PARAMETERS	221
6.19.1.	When to Use	221
6.19.2.	Applicable Roles and Functions	221
6.19.3.	Performing the Action	221
6.20.	ALLOCATION PARAMETER	222
6.20.1.	When to Use	222
6.20.2.	Applicable Roles and Functions	222
6.20.3.	Performing the Action	222
6.21.	SYSTEM ADMINISTRATION	223
6.21.1.	When to Use	223
6.21.2.	Applicable Roles and Functions	223
6.21.3.	Performing the Action	223
6.22.	MANAGE LOOKUP VALUES	224
6.22.1.	When to Use	224
6.22.2.	Applicable Roles and Functions	224
6.22.3.	Performing the Action	224
6.23.	LOOKUP VALUE	225
6.23.1.	When to Use	225
6.23.2.	Applicable Roles and Functions	225
6.23.3.	Performing the Action	225
6.24.	USER ADMIN	226
6.24.1.	When to Use	226
6.24.2.	Applicable Roles and Functions	226

6.24.3.	Performing the Action	226
6.25.	USER ACTION LOGS	228
6.25.1.	When to Use	228
6.25.2.	Applicable Roles and Functions	228
6.25.3.	Performing the Action	228
6.26.	USER ACTION LOG PARAMETER	230
6.26.1.	When to Use	230
6.26.2.	Applicable Roles and Functions	230
6.26.3.	Performing the Action	230
6.27.	LIST REFRESH TOOL	232
6.27.1.	When to Use	232
6.27.2.	Applicable Roles and Functions	232
6.27.3.	Performing the Action	232
6.28.	AIN EVENT ACTIONS	233
6.28.1.	When to Use	233
6.28.2.	Applicable Roles and Functions	233
6.28.3.	Performing the Action	233
6.29.	MANAGE TEXT MASK	234
6.29.1.	When to Use	234
6.29.2.	Applicable Roles and Functions	234
6.29.3.	Performing the Action	234
6.30.	TEST TEXT MASK	235
6.30.1.	When to Use	235
6.30.2.	Applicable Roles and Functions	235
6.30.3.	Performing the Action	235
6.31.	MANAGE APPLICATION CONFIGURATION	236
6.31.1.	When to Use	236
6.31.2.	Applicable Roles and Functions	236
6.31.3.	Performing the Action	237
6.32.	APPLICATION LOG FILE	238
6.32.1.	When to Use	238
6.32.2.	Applicable Roles and Functions	238
6.32.3.	Performing the Action	238
6.33.	MANUAL LOG ENTRY	239
6.33.1.	When to Use	239
6.33.2.	Applicable Roles and Functions	239
6.33.3.	Performing the Action	239
6.34.	ENTER APPROVED DEVICES	240
6.34.1.	When to Use	240
6.34.2.	Applicable Roles and Functions	240
6.34.3.	Performing the Action	240
6.35.	DEVICE	241
6.35.1.	When to Use	241
6.35.2.	Applicable Roles and Functions	241
6.35.3.	Performing the Action	241
6.36.	DEVICE CHARACTERISTIC	243
6.36.1.	When to Use	243
6.36.2.	Applicable Roles and Functions	243
6.36.3.	Performing the Action	243
6.37.	MANAGE SCRAPIE CUSTOMER ELIGIBILITY	244
6.37.1.	When to Use	244
6.37.2.	Applicable Roles and Functions	244
6.37.3.	Performing the Action	244
6.38.	SCRAPIE TEXT MASK	245
6.38.1.	When to Use	245
6.38.2.	Applicable Roles and Functions	245

6.38.3.	Performing the Action	245
6.39.	RECALL/INVALIDATE AIN	246
6.39.1.	When to Use	246
6.39.2.	Applicable Roles and Functions	246
6.39.3.	Performing the Action	246
6.40.	ALLOCATE NON-840 AINS	248
6.40.1.	When to Use	248
6.40.2.	Applicable Roles and Functions	248
6.40.3.	Performing the Action	248

1. INTRODUCTION TO THE AIN MANAGEMENT SYSTEM

The AIN Management System is a Web-based program that administers AINs. The AINs are allocated to companies that manufacture official identification devices or technologies. Other individuals and organizations may perform roles that support the distribution of official identification devices to producers. The complete and accurate recording of the AINs distributed and assigned to each premises is imperative. The AIN Management System allows for many participants in various roles and provides the means to record AIN allocations to manufacturers and distribution to premises.

Key roles in the initial roll-out of the AIN Management System include AIN tag manufacturers, managers, and resellers. Manufacturers have specific roles and responsibilities regarding the manufacturing of AIN tags; managers and resellers have roles that support the distribution of AIN tags to producers' premises.

The manufacturers, managers, and resellers (distributors) are referred to as nonproducer participants. Each nonproducer participant will obtain a nonproducer participant number (NPN) through the premises registration system in the State in which the company's headquarters is located. For example, if the company's corporate office is in Kansas, the company will obtain an NPN through the Kansas premises registration system. All NPNs are unique seven-character numbers similar to PINs.

Manufacturers, managers and resellers must obtain a Level 2 eAuthentication account to have access to the authorized user options of the AIN Management System. eAuthentication is an identity verification system used by USDA to provide a single authorization for multiple USDA accounts. To begin the process, go to the eAuth website at <http://www.eauth.egov.usda.gov/eauthWhatIsAccount.html>.

1.1. AIN Tag Manufacturers

AIN tag manufacturers are companies authorized by APHIS to manufacture approved identification devices and are responsible for the overall production and quality of the official identification devices that contain the AIN. Potential AIN tag manufacturers must submit an AIN tag manufacturer application to USDA. AIN tag manufacturers may only produce AIN tags with the AINs that have been allocated to them by APHIS. AIN tag manufacturers may also be AIN tag managers.

Note: For the purposes of the program, companies that acquire the ID tag from another source and are responsible for imprinting the devices are considered the manufacturers and assume all responsibility for the product. In such cases, the company that imprints the tag submits the AIN tag manufacturer application and is the sole contact for APHIS regarding tag quality issues.

AIN tag manufacturers must:

1. Abide by the terms and conditions set forth in the AIN tag manufacturer agreement;
2. Complete the AIN tag manufacturer training program provided by USDA;
3. Imprint the “840” AINs allocated to them with the U.S. Shield on identification devices approved by APHIS*;
4. Maintain the uniqueness of the AINs allocated to them;
5. Imprint approved tags according to the specifications listed in table 1 of this document;
6. Report the shipment of all AIN tags to the AIN Management System according to established protocols within 24 hours of shipment;
7. Have an operational computerized system that communicates with the AIN Management System and is compatible with program standards to maintain the necessary information, including a database of the manufacturer product codes for all devices that contain an AIN;
8. Furnish official identification devices to AIN tag managers;
9. Have a means to support the distribution of AIN devices through marketing agreements with AIN tag managers or be AIN tag managers themselves;
10. Provide a record (if applicable) to APHIS of all “transitional” AINs produced with a “USA” prefix (this format is referred to as the American ID numbering system) and their ICAR manufacturer number;
11. Agree to discontinue the printing of any identification numbering system as directed to do so by USDA if USDA terminates and phases out an official numbering system;
12. Maintain a record of inventoried AIN tags and have such records available to the USDA upon request; and
13. Enter the names of nonproducer participants that they wish to utilize as AIN managers into the AIN Management System, advising them that such designation requires participation in AIN manager training provided by USDA.

Note: One AIN tag is required to meet the definition/criteria for official identification. A second AIN tag for the same animal with the same AIN may be used when double tagging is preferred. Regarding AIN/RF tags, only one tag with the AIN encoded in the transponder is permissible.

1.2. AIN Tag Managers

AIN tag managers are individuals, organizations, or companies that provide AIN tags to another AIN tag manager or reseller, or to a premises. The AIN tag manager must have an AIN tag distribution agreement with an AIN tag manufacturer(s).

In order to be an authorized AIN tag manager, the individual or firm must agree to abide by the following:

1. Complete the AIN tag manager training provided by USDA;
2. Distribute AIN tags only to a premises or entity that has either a PIN or NPN and validate the accuracy of the PIN or NPN;
3. Provide the validated PIN or NPN to the entity that ships the AIN tags when not completing the delivery themselves;
4. Maintain a record of inventoried AIN tags received from an authorized AIN tag manufacturer or another authorized AIN tag manager or returned from a premises, and have such records available to USDA upon request;
5. Submit to the AIN Management System within 24 hours (or close of next business day), in accordance with prescribed protocols, a record of all AINs shipped or delivered; and
6. Educate producers receiving AIN tags on the proper use of official animal identification devices.

The AIN tag manager confirm on-line, using the AIN Management System, that they have a marketing agreement with a specific AIN tag manufacturer(s). USDA will recognize the individual or entity as an AIN tag manager upon confirmation of the marketing agreement(s) and upon the AIN tag manager completing training.

1.3. AIN Tag Resellers

The AIN tag reseller has a marketing agreement with an AIN tag manager instead of the manufacturer. He or she assumes the same responsibility as an AIN tag manager, validating PINs and reporting the distribution of the AIN tags he or she ships or delivers to a premises. In order to be an authorized AIN tag reseller, the individual or firm must agree to abide by the following:

1. Complete the AIN tag reseller training provided by USDA;
2. Distribute AIN tags only to a premises or entity that has either a PIN or NPN and validate the accuracy of the PIN or NPN;
3. Provide the validated PIN or NPN to the entity that ships the AIN tags when not completing the delivery themselves;
4. Maintain a dated record of inventoried AIN tags received from an authorized AIN tag manager or another authorized AIN Tag Reseller, or returned from a premises, and have such records available to USDA upon request;
5. Submit to the AIN Management System within 24 hours (or close of next business day), in accordance with prescribed protocols, a record of all AINs shipped or delivered; and
6. Educate producers receiving AIN tags on the proper use of official animal identification devices.

The AIN tag reseller must confirm on-line, using the AIN Management System, that they have a marketing agreement with a specific AIN tag manager(s). USDA will recognize the individual or entity as an AIN tag reseller upon confirmation of the marketing agreement(s) and upon the AIN tag reseller completing training.

2. PUBLIC TOOLS

2.1. List ID Devices

2.1.1. When to Use


Any user can view which tags are approved for use in the AINM system. Tags can be searched by approval status, manufacturer, and/or species. The search may also include or be limited to tags approved for the Scrapie disease program.

2.1.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4	4	4	4	4	4	4

2.1.3. Performing the Action

<p><i>Sys/Pgm Admin</i></p> <div style="border: 1px solid gray; padding: 5px;"> <p>User Info Alex Stone</p> <p>Public Tools</p> <p>List ID Devices</p> <p>Action Items ▲</p> <p>Validate PIN/NPN Request AIN Allocation Report AIN Shipment Manage Relationships Scrapie Program Actions New Program Order Ship Program AINs</p> <p>Other Tasks ▲</p> <p>Manage AIN Package Report AIN Distribution Fix AIN Broken Events Report AIN Returns Report AIN Transfer</p> <p>Resource Info ▲</p> <p>Current AIN Holdings Lookup AIN History AIN Event Actions AIN Event Report State Reports Find Program Orders Scrapie Summary Report</p> <p>Administration ▲</p> <p>NPN Details System Administration Enter Approved Devices Recall/Invalidate AIN Allocate non-840 AINs Help Logout</p> </div>	<p><i>Mfr Admin</i></p> <div style="border: 1px solid gray; padding: 5px;"> <p>User Info Rob Petrie</p> <p>Public Tools</p> <p>List ID Devices</p> <p>Action Items ▲</p> <p>Validate PIN/NPN Request AIN Allocation Report AIN Shipment Manage Relationships Scrapie Program Actions New Program Order</p> <p>Other Tasks ▲</p> <p>Manage AIN Package Report AIN Distribution Fix AIN Broken Events Report AIN Returns</p> <p>Resource Info ▲</p> <p>Current AIN Holdings Lookup AIN History AIN Event Actions AIN Event Report Find Program Orders Scrapie Summary Report</p> <p>Administration ▲</p> <p>NPN Details Help Logout</p> </div>	<p><i>Mfr User</i></p> <div style="border: 1px solid gray; padding: 5px;"> <p>User Info Buddy Sorrell</p> <p>Public Tools</p> <p>List ID Devices</p> <p>Action Items ▲</p> <p>Scrapie Program Actions New Program Order</p> <p>Other Tasks ▲</p> <p>Manage AIN Package</p> <p>Resource Info ▲</p> <p>Find Program Orders Scrapie Summary Report</p> <p>Administration ▲</p> <p>Help Logout</p> </div>	<p><i>NPN Admin</i></p> <div style="border: 1px solid gray; padding: 5px;"> <p>User Info Ward Cleaver</p> <p>Public Tools</p> <p>List ID Devices</p> <p>Action Items ▲</p> <p>Validate PIN/NPN Report AIN Shipment Manage Relationships</p> <p>Other Tasks ▲</p> <p>Report AIN Distribution Fix AIN Broken Events Report AIN Returns</p> <p>Resource Info ▲</p> <p>Current AIN Holdings Lookup AIN History AIN Event Actions AIN Event Report</p> <p>Administration ▲</p> <p>NPN Details Help Logout</p> </div>
---	--	---	---



To display available ID devices, click on List ID Devices.

• **Success! Products Found.**

You are here: AIN Management / List ID Devices

Manufacturer

Approval Status:

Manufacturer ID:

Species:

Include Scrapie Program Tags:

Approved Devices

Manufacturer NPN	Mfr Label NAIS Device #	Device Type	Approval Status	Device Information and Characteristics	Species (Recommended by Mfr.)
Texas Tag Company	Beef-Gard NAIS 0004	RFID Tag	Full	ICAR Code #: 982 44444 Technology: HDX Frequency: 134.2 kHz Material: Polyurethane Color: White Diameter: 30 mm Depth: 7 mm Weight: 8 grams	Bison Cattle
Ram Tags	Cattle Tag 7 NAIS0021	RFID Tag	Full	ICAR Code #: 985 0009 Frequency: 134 Material: Plastic Color: White Length: 23 mm Width: 33 mm Weight: 12	Bison Cattle
ACME Tags	ACT-105 NAIS 0017	RFID Tag	Full	ICAR Code #: 985 0003 Technology: FDX -B Frequency: 134.2 kHz Material: Polyurethane Color: White Diameter: 30 mm Depth: 7 mm Weight: 8 grams	Bison Cattle

The List ID Devices screen will be displayed.

By default, all devices which meet the criterion of Approval Status = Full are displayed.

Select the desired criteria from the drop-down menus. If “Scrapie Program Tags” is not selected in the Approval Status field, check the [Include Scrapie Program Tags](#) checkbox to include them in the search

results. Otherwise, they are excluded from the search results. Then click on the  button. All devices which meet the selected criteria will be displayed.

If no devices meet the selected criteria, the following error message will be displayed:

- **No Products Found.**

3. ACTION ITEMS

3.1. Validate PIN/NPN

3.1.1. When to Use

When an AIN tag order or request is received, the AIN manager or reseller is responsible for validating the premises identification number (PIN) or Nonproducer Participant Number (NPN). The PIN or NPN must be validated to ensure that the ID number is valid and that the ID number identifies the appropriate premises or Nonproducer Participant before making the shipment or delivery of the AINs. The PIN or NPN must be reported to the AIN Management System with the shipment report of the AINs.

3.1.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4	4	4		

3.1.3. Performing the Action

Mfr Admin

NPN Admin

Health Official

Scrapie Official

To validate a PIN or an NPN, click on [Validate PIN/NPN](#).

You are here: [AIN Management](#) / [Validate PIN/NPN](#)

Request	
PIN/NPN:	<input type="text" value="003RNRC"/> 
<input type="button" value="Validate Number"/>	
Response Information	
PIN/NPN:	003RNRC
Street:	
City, State, ZIP:	
Operation Description:	

The Validate PIN/NPN screen will be displayed.

The User’s NPN will be automatically entered in the [PIN/NPN](#) field of the Request section, and will be displayed in the [PIN/NPN](#) field of the Response Information section.

Type the PIN of the Producer Premises or the NPN of the Nonproducer Participant you want to validate in the [PIN/NPN](#) field. Then click on the button.

- **The Producer Premises/Nonproducer Participant was retrieved from the database.**
- **If the Response Information is not correct, please contact your state premises registration official to make changes.**

You are here: [AIN Management](#) / [Validate PIN/NPN](#)

Request	
PIN/NPN:	<input type="text" value="003RNRC"/>
<input type="button" value="Validate Number"/>	
Response Information	
PIN/NPN:	003RNRC
Street:	East 61st Street
City, State, ZIP:	NEW YORK, NY 10021-3201
Operation Description:	Nonproducer Participant
Available Actions:	
Ship AINs to This PIN/NPN	

If the PIN or NPN is valid, the Response Information section will display the premises or Nonproducer Participant information. The information will include the business address of the entity, and the type of operation. This information is retrieved from the National Premises Information Repository (NPIR), and was entered when the entity was registered through its State SPRS or CPRS.

After validating the PIN or NPN, you may choose to ship AINs to the entity by clicking on the [Ship AINs to This PIN/NPN](#) link. The Report AIN Shipment will be displayed with the entity’s shipping information filled in. (See the Report AIN Shipment section.)

- **The Producer Premises/Nonproducer Participant was retrieved from the database.**
- **If the Response Information is not correct, please contact your state premises registration official to make changes.**

You are here: [AIN Management](#) / [Validate PIN/NPN](#)

Request

PIN/NPN:

Response Information

PIN/NPN: 003RNRC

Street: East 61st Street

City, State, ZIP: NEW YORK, NY 10021-3201

Operation Description: Nonproducer Participant

Available Actions:

[Ship AINs to This PIN/NPN](#)

Nonproducer Participant Contacts

Contact	Type	City	State	Email
Mel Cooley	Primary	New Rochelle	NY	mel.cooley@barracudaltd.com
Buddy Sorrell	Sales	New Rochelle	NY	buddy.sorrell@barracudaltd.com

If the Nonproducer Participant has set up contacts for one or more of its locations, the contacts will be listed in the Nonproducer Participant Contacts section. You may choose to ship AINs directly to a contact by clicking on the contact’s name. The Report AIN Shipment will be displayed with the contact’s shipping information filled in. (See the Report AIN Shipment section.)

If no PIN/NPN is entered or an invalid PIN/NPN is entered, the following error message will be displayed:

- **No Producer Premises/Nonproducer Participant was found for the specified PIN/NPN.**

3.2. Request AIN Allocation

3.2.1. When to Use

AINs are allocated by USDA to manufacturers authorized to produce official identification devices with the AIN affixed. Only numbers allocated to the manufacturer are to be used on their approved devices. The AINs are requested by the AIN tag manufacturer as needed. The maximum number of AINs that can be requested is determined by USDA.

3.2.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4						

3.2.3. Performing the Action

Mfr Admin



To request an allocation of AINs, click on [Request AIN Allocation](#).

You are here: [AIN Management / Request AIN Allocation](#)

Allocation Info

Manufacturer ID: 003RMRC

Requested Number: *

Allocation History

Date	Start AIN	End AIN	Total
------	-----------	---------	-------

The Request AIN Allocation screen will be displayed.

To display how many and which AINs have been previously allocated to the entity, click on the button.

You are here: [AIN Management / Request AIN Allocation](#)

Allocation Info

Manufacturer ID: 003RMRC

Requested Number: *

Allocation History


Date	Start AIN	End AIN	Total
06-30-2005	840003000010361	840003000015360	5000

The Allocation History section will display the dates that AINs were allocated, the beginning and ending AINs of the series that were allocated, and the total number of AINs in the allocations.

You are here: [AIN Management / Request AIN Allocation](#)

Allocation Info

Manufacturer ID: 003RMRC

Requested Number: * 

Allocation History

Date	Start AIN	End AIN	Total
06-30-2005	840003000010361	840003000015360	5000

To make a new AIN Allocation request, type in the number of AINs desired in the Requested Number field. Then click on the button.

- **The AIN allocation request was successfully fulfilled.**

You are here: [AIN Management](#) / [Request AIN Allocation](#)

Allocation Info

Manufacturer ID: 003RNRC

Requested Number: *

Allocation History

Date	Start AIN	End AIN	Total
09-19-2005	840003000016428	840003000021427	5000
06-30-2005	840003000010361	840003000015360	5000

If the number of AINs requested is within the maximum number of AINs that is allowed, the AIN Allocation request will be processed. The AINs will be added to the Allocation History table, showing the date of the request, the beginning and ending AINs of the series that were allocated, and the total number of AINs in the allocation.

If no number is entered in the Requested Number field, the following error message will be displayed:

- **Requested Number must be greater than 0 and not null.**

3.3. Report AIN Shipment

3.3.1. When to Use

Whenever AINs are shipped from your entity to a Producer Premises or to a Nonproducer Participant, the shipment must be recorded, including the PIN/NPN of the recipient of the AINs, and which AINs have been shipped. Failure to report the shipment violates the agreement with USDA and will result in a broken event. (See the *Fix AIN Broken Events* section.)

Note: It is the responsibility of the NPN that has possession of the AIN tags to report its shipment and/or delivery. It is also the responsibility of the AIN tag manufacturer, when recording the first shipment and AINs, to indicate which type of tag (product name) the AINs have been applied to.

3.3.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4	4			

3.3.3. Performing the Action

You are here: [AIN Management](#) / [Current AIN Holdings](#)

Nonproducer Participant Information

NPN: 002RNRC Get Current Holdings

AINs

Mfr. Package Num	Start AIN	End AIN	# of AINs
002RNRCRFA0001	840003000010361	840003000010385	25
002RNRCRFA0002	840003000010386	840003000010410	25
002RNRCRFA0002	840003000010411	840003000010460	50
003FKB4PBK0607	840003000016428	840003000016577	150

Note: AIN tag manufacturers, managers, and resellers can only ship AINs which are in their possession. You can identify these AINs by viewing the Current AIN Holdings screen. The Current AIN Holdings screen displays which AINs are in your possession and can therefore be shipped by you to a Producer Premises or to a Nonproducer Participant. (See the *Current AIN Holdings* section.)

Report AIN Shipment from the Menu

<i>Mfr Admin</i>	<i>NPN Admin</i>	<i>Health Official</i>	<i>Scrapie Official</i>
<p>User Info Rob Petrie</p> <p>Public Tools List ID Devices</p> <p>Action Items ▲</p> <p>Validate PIN/NPN Request AIN Allocation Report AIN Shipment Manage Relationships Scrapie Program Actions New Program Order</p> <p>Other Tasks ▲</p> <p>Manage AIN Package Report AIN Distribution Fix AIN Broken Events Report AIN Returns</p> <p>Resource Info ▲</p> <p>Current AIN Holdings Lookup AIN History AIN Event Actions AIN Event Report Find Program Orders Scrapie Summary Report</p> <p>Administration ▲</p> <p>NPN Details Help Logout</p>	<p>User Info Ward Cleaver</p> <p>Public Tools List ID Devices</p> <p>Action Items ▲</p> <p>Validate PIN/NPN Report AIN Shipment Manage Relationships</p> <p>Other Tasks ▲</p> <p>Report AIN Distribution Fix AIN Broken Events Report AIN Returns</p> <p>Resource Info ▲</p> <p>Current AIN Holdings Lookup AIN History AIN Event Actions AIN Event Report</p> <p>Administration ▲</p> <p>NPN Details Help Logout</p>		

To report a shipment of AINs, click on Report AIN Shipment.

You are here: [AIN Management / Report AIN Shipment](#)

AIN Shipment Information

AINs
Package
AIN Collection

Starting AIN:	<input type="text" value="840003"/>	
Number of AINs Shipped:	<input type="text"/>	
Ending AIN (calculated):	<input type="text"/>	

Event Date: *	<input type="text" value="9-27-2008"/>	
Source NPN:	<input type="text" value="002RNRC"/>	

Partner NPN Info:

Partner NPN:	<input type="text" value=""/>
--------------	-------------------------------

Ship To Information

PIN/NPN: *	<input type="text" value=""/>	<input type="button" value="Validate Number"/>
------------	-------------------------------	--

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:	<input type="text" value=""/>
First Name:	<input type="text" value=""/>
Last Name: *	<input type="text" value=""/>
Street: *	<input type="text" value=""/>
City: *	<input type="text" value=""/>
State: *	<input type="text" value="Alabama"/>
ZIP: *	<input type="text" value=""/> - <input type="text" value=""/>

Available Actions

Other Actions

(*) indicates a required field

The Report AIN Shipment screen will be displayed.

There are three ways to enter which AINs you are reporting as shipped, indicated by the three tabs at the top of the AIN Shipment Information section: AINs, Package, and AIN Collection.

- “AINs” is for recording shipments of consecutive numbers, and which can be reported with a start and an end number.
- “Package” is for recording shipments of AINs which have been combined in a package at the manufacturer’s facility.

- “AIN Collection” is for recording shipments of non-consecutive numbers. These numbers must be listed individually and/or as ranges of numbers.

Shipping AINs

You are here: [AIN Management / Report AIN Shipment](#)

AIN Shipment Information

AINs

Package

AIN Collection

Starting AIN:	<input style="width: 90%;" type="text" value="840003"/>
Number of AINs Shipped:	<input style="width: 90%;" type="text"/>
Ending AIN (calculated):	<input style="width: 90%;" type="text"/>

Event Date: *

Source NPN: 002RNRC

Partner NPN Info:

Partner NPN: ←

Ship To Information

PIN/NPN: * Validate Number ←

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:

First Name:

Last Name: *

Street: *

City: *

State: *

ZIP: * -

Available Actions

Other Actions

(*) indicates a required field

With the AINs tab selected, you will need to enter the range of AINs you are shipping. To record AINs, type in the first AIN in the [Starting AIN](#) field. The AIN will begin with 840003. Type in the number of

AINs being shipped in the **Number of AINs Shipped** field. The **Ending AIN** will be automatically calculated.



The **Event Date** will default to today’s date. Type in the shipping date in the **Event Date** field, if different from today’s date. Alternately, click on the calendar icon to select the shipping date from the Date Picker.

Note: You may choose a date earlier than today’s date, but you may not choose a date later than today’s date.

If AINs are being shipped for an order taken by another NPN, select the NPN of the entity which took the order from the **Partner NPN** dropdown menu. Selecting a Partner NPN indicates that the partner was responsible for validating the ship-to PIN/NPN for the order.

Type in the PIN of the Producer Premises or the NPN of the Nonproducer Participant to which the AINs are being shipped. Then click on the button to validate the PIN or the NPN.

Note: The NPN that obtains the AIN tag order, or who is the direct contact with the Producer Premises or NPN, is responsible for validating the PIN or NPN (see Validate PIN/NPN section). The validated PIN or NPN is to be provided by this entity (referred to as the Partner) to the NPN that actually makes the shipment of the AINs. In this case, typing in the ship-to PIN/NPN provides a second opportunity to validate the PIN or NPN. The address, city, and state information is automatically filled in the appropriate fields for consideration when completing the shipment report.

- The destination PIN/NPN was retrieved from the database.

You are here: [AIN Management](#) / [Report AIN Shipment](#)

AIN Shipment Information

Starting AIN:	840003000010361
Number of AINs Shipped:	10
Ending AIN (calculated):	840003000010370

Event Date: * 9-27-2005 

Source NPN: 002RNRC

Partner NPN Info:

Partner NPN:

Ship To Information

PIN/NPN: * 000LITB

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:

First Name:

Last Name: *

Street: * 211 PINE ST

City: * MAYFIELD

State: * Ohio

ZIP: * 44133 - 4324

Available Actions

Other Actions

If the PIN or NPN is a valid ID, address information for the Producer Premises or Nonproducer Participant will be entered into the appropriate fields.

- The destination PIN/NPN was retrieved from the database.

You are here: [AIN Management](#) / [Report AIN Shipment](#)

AIN Shipment Information

AINs
Package
AIN Collection

Starting AIN:	840003000010361
Number of AINs Shipped:	10
Ending AIN (calculated):	840003000010370

Event Date: *

Source NPN:

Partner NPN Info:

Partner NPN:

Ship To Information

PIN/NPN: *

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:	
First Name:	
Last Name: *	
Street: *	211 PINE ST
City: *	MAYFIELD
State: *	Ohio
ZIP: *	44133 - 4324

Available Actions

Other Actions

If you are shipping AINs on behalf of another entity (an entity with which you have established a relationship – see *Manage Relationships* section), select the entity from the [Partner NPN](#) dropdown menu. This will report that the partner is responsible for verifying that the Ship To PIN/NPN is correct.

Type in the contact's [Last Name](#). Then click on the button. The shipment will be recorded in the next step – Verify Shipment.

You are here: [AIN Management](#) / [Report AIN Shipment](#) / [Verify Shipment](#)

AIN Shipment Information	
<input type="button" value="Edit Shipment Info"/>	
Starting AIN:	840003000010361
Number of AINs Shipped:	10
Ending AIN:	840003000010371
Mfr Package Number:	
Non-Consecutive AINs:	
Event Date:	9-27-2008
Source NPN:	002RNRC
Partner NPN:	
PIN/NPN:	000LITB
Company:	
First Name:	
Last Name:	Cleaver
Street:	211 PINE ST
City:	MAYFIELD
State:	OH
ZIP:	44133-4324
<input type="button" value="Edit Shipment Info"/>	

Available Actions
Please do not double-click!
<input type="button" value="Submit"/>

The Verify Shipment screen will be displayed.

If you are a Nonproducer Participant—

If the ship to information is different from the PIN or NPN address (this would be the case, for example, if AINs are shipped to a business office which is located at a different address than the farm or ranch), if the ship-to PIN/NPN is incorrect, or if the wrong AINs were entered, click on the button to make corrections. If the shipment information is correct, click on the button.

If you are an AIN tag manufacturer—

AINs cannot be shipped from an AIN tag manufacturer unless they are applied to AIN ID tags. Since there are no AIN Products to select on this screen, notify the System Administrator in Riverdale, MD, to determine the status of AIN Product Codes and Names.

You are here: [AIN Management](#) / [Report AIN Shipment](#) / [Verify Shipment](#)

AIN Shipment Information	
<input type="button" value="Edit Shipment Info"/>	
Starting AIN:	840003000010361
Number of AINs Shipped:	10
Ending AIN:	840003000010371
Mfr Package Number:	
Non-Consecutive AINs:	
Event Date:	9-27-2008
Source NPN:	002RNRC
Partner NPN:	
PIN/NPN:	000LITB
Company:	
First Name:	
Last Name:	Cleaver
Street:	211 PINE ST
City:	MAYFIELD
State:	OH
ZIP:	44133-4324
<input type="button" value="Edit Shipment Info"/>	
AIN Device Selection	
Jones RFID 100	
Available Actions	
Please do not double-click!	
<input type="button" value="Submit"/>	

If you are an AIN tag manufacturer—

When AIN product names are assigned to your NPN, you will be able to select the product to which you are applying the AINs. Select the appropriate AIN product name from the AIN Device Selection drop-down menu.

If there are errors in the shipment information, click on the button to make corrections. If the shipment information is correct, click on the button.

Note: The AIN Device Selection section will not be displayed unless the source NPN is an active AIN tag manufacturer, and the AINs have been allocated but not previously shipped.

- **Success! The shipment event was recorded.**

You are here: [AIN Management](#) / [Report AIN Shipment](#)

AIN Shipment Information

AINs

Package

AIN Collection

Starting AIN:	<input type="text" value="840003"/>	
Number of AINs Shipped:	<input type="text"/>	
Ending AIN (calculated):	<input type="text"/>	

Event Date: *	<input type="text" value="9-27-2005"/>	
Source NPN:	<input type="text" value="002RNRC"/>	

Partner NPN Info:

Partner NPN:	<input type="text" value=""/>
--------------	-------------------------------

Ship To Information

PIN/NPN: *	<input type="text" value=""/>	<input type="button" value="Validate Number"/>
------------	-------------------------------	--

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:	<input type="text" value=""/>
First Name:	<input type="text" value=""/>
Last Name: *	<input type="text" value=""/>
Street: *	<input type="text" value=""/>
City: *	<input type="text" value=""/>
State: *	<input type="text" value="Alabama"/>
ZIP: *	<input type="text" value=""/> - <input type="text" value=""/>

Available Actions

Other Actions

After you submit the AIN Shipment Report, the AIN Shipment will be recorded, and the Report AIN Shipment screen will again be displayed so you can report additional shipments.

You are here: [AIN Management](#) / [Current AIN Holdings](#)

Nonproducer Participant Information

NPN: 002RNRC Get Current Holdings

AINs

Mfr. Package Num	Start AIN	End AIN	# of AINs
002RNRCRFA0001	840003000010371	840003000010385	15
002RNRCRFA0002	840003000010386	840003000010410	25
002RNRCRFA0002	840003000010411	840003000010460	50
003FKB4PBK0607	840003000016428	840003000016577	150

After the shipment is recorded, your Current AIN Holdings screen will show that the shipped AINs are no longer in your possession.

Shipping Packages

Note: Only AIN tag manufacturers can create a package. AIN tag managers and resellers will report the shipment of packages when applicable.

You are here: [AIN Management](#) / [Report AIN Shipment](#)

AIN Shipment Information

AINs
Package
AIN Collection

Mfr Package Number:

Event Date: *

Source NPN:

Partner NPN Info

 Partner NPN:

Ship To Information

 PIN/NPN: *

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

 Company:
 First Name:
 Last Name: *
 Street: *
 City: *
 State: *

Available Actions

Other Actions

(*) indicates a required field

Clicking on the Package tab to report the shipment of a package of AINs will display this screen.

You are here: [AIN Management](#) / [Report AIN Shipment](#)

AIN Shipment Information

AINs
Package
AIN Collection

Mfr Package Number:

Event Date: *

Source NPN:

Partner NPN Info:

Partner NPN:

Ship To Information

PIN/NPN: *

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:

First Name:

Last Name: *

Street: *

City: *

State: *

ZIP: *

-

Available Actions

Other Actions

(*) indicates a required field

Type the package number in the [Mfr Package Number](#) field.
 Complete the reporting process by following the steps for shipping AINs above.

Shipping AIN Collections

You are here: [AIN Management](#) / [Report AIN Shipment](#)

AIN Shipment Information

AINs
Package
AIN Collection

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Event Date: *

Source NPN:

Partner NPN Info:

Partner NPN:

Ship To Information

PIN/NPN: *

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:

First Name:

Last Name: *

Street: *

City: *

State: *

ZIP: * -

Available Actions

Other Actions

(*) indicates a required field

Clicking on the AIN Collection tab to report the shipment of a collection of non-consecutive AINs will display this screen.

Type the AINs being shipped in the [Non-Consecutive AINs](#) field. Indicate a series of AINs with a hyphen, and separate AINs and series of AINs with a comma.

Alternately, you can upload a file containing the non-consecutive AINs being shipped. Click on the button, select the file containing the AINs being shipped, then click the button. The file should be a text (.txt) file, and the AINs in the file should follow the same rules as for entering AINs manually.

Complete the reporting process by following the steps for shipping AINs above.

3.3.4. Report AIN Shipment from Current AIN Holdings

You are here: [AIN Management](#) / [Current AIN Holdings](#)

Nonproducer Participant Information

NPN: 002RNRC

AINs

Mfr. Package Num	Start AIN	End AIN	# of AINs
	840003000010371	840003000010385	15
002RNRCRFA0001	840003000010386	840003000010410	25
002RNRCRFA0002	840003000010411	840003000010460	50
003FKB4PBK0607	840003000016428	840003000016577	150

You can report an AIN shipment from the Current AIN Holdings screen.

To report a shipment of AINs, click on the [Start AIN](#) link for the AINs you want to ship.

You are here: [AIN Management](#) / [Report AIN Shipment](#)

AIN Shipment Information

AINs	Package	AIN Collection
Starting AIN:	<input type="text" value="840003000010371"/>	
Number of AINs Shipped:	<input type="text"/>	
Ending AIN (calculated):	<input type="text"/>	

Event Date: *

Source NPN:

Partner NPN Info:

Partner NPN:

Ship To Information

PIN/NPN: *

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:

First Name:

Last Name: *

Street: *

City: *

State: *

ZIP: * -

Available Actions

Other Actions

(*) indicates a required field

The AINs tab of the Report AIN Shipment screen will be displayed and the [Start AIN](#) that you clicked on in the Current AIN Holdings screen will be entered in the [Starting AIN](#) field.

Complete the reporting process by following the steps for shipping AINs above.

You are here: [AIN Management](#) / [Current AIN Holdings](#)

Nonproducer Participant Information

NPN: 002RNRC [Get Current Holdings](#)

AINs

Mfr. Package Num	Start AIN	End AIN	# of AINs
	840003000010371	840003000010385	15
002RNRCRFA0001	840003000010386	840003000010410	25
002RNRCRFA0002	840003000010411	840003000010460	50
003FKB4PBK0607	840003000016428	840003000016577	150

You can also report a package shipment from the Current AIN Holdings screen.

To report a shipment of a package of AINs, click on the [Mfr. Package Num](#) link for the package of AINs you want to ship.

You are here: [AIN Management](#) / [Report AIN Shipment](#)

AIN Shipment Information

AINs
Package
AIN Collection

Mfr Package Number:

Event Date: *

Source NPN:

Partner NPN Info:

Partner NPN:

Ship To Information

PIN/NPN: *

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:

First Name:

Last Name: *

Street: *

City: *

State: *

ZIP: * -

Available Actions

Other Actions

(*) indicates a required field

The Package tab of the Report AIN Shipment screen will be displayed and the [Mfr. Package Num](#) that you clicked on in the Current AIN Holdings screen will be entered in the [Mfr. Package Number](#) field. Complete the reporting process by following the steps for shipping AINs above.

3.3.5. Report AIN Shipment from Validate PIN/NPN

- **The Producer Premises/Nonproducer Participant was retrieved from the database.**
- **If the Response Information is not correct, please contact your state premises registration official to make changes.**

You are here: [AIN Management](#) / [Validate PIN/NPN](#)

Request	
PIN/NPN:	<input type="text" value="003RNRC"/>
	<input type="button" value="Validate Number"/>
Response Information	
PIN/NPN:	003RNRC
Street:	East 61st Street
City, State, ZIP:	NEW YORK, NY 10021-3201
Operation Description:	Nonproducer Participant
Available Actions:	
Ship AINs to This PIN/NPN	

You can report an AIN shipment from the Validate PIN/NPN screen.
 To report a shipment of AINs, click on the [Ship AINs to This PIN/NPN](#) link.

You are here: [AIN Management](#) / [Report AIN Shipment](#)

AIN Shipment Information

AINs	Package	AIN Collection
Starting AIN:	<input type="text" value="840003"/>	
Number of AINs Shipped:	<input type="text"/>	
Ending AIN (calculated):	<input type="text"/>	

Event Date: *

Source NPN:

Partner NPN Info:

Partner NPN:

Ship To Information

PIN/NPN: *

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:

First Name:

Last Name: *

Street: *

City: *

State: *

ZIP: * -

Available Actions

Other Actions

(*) indicates a required field

The AINs tab of the Report AIN Shipment screen will be displayed and the Ship To Information for the Producer Premises or Nonproducer Participant that was displayed in the Validate PIN/NPN screen will be entered in the appropriate fields.

Complete the reporting process by following the steps for shipping AINs above.

3.3.6. Report AIN Shipment from Nonproducer Participant Contact

- **The Producer Premises/Nonproducer Participant was retrieved from the database.**
- **If the Response Information is not correct, please contact your state premises registration official to make changes.**

You are here: [AIN Management](#) / [Validate PIN/NPN](#)

Request

PIN/NPN:

Response Information

PIN/NPN: 003RNRC

Street: East 61st Street

City, State, ZIP: NEW YORK, NY 10021-3201

Operation Description: Nonproducer Participant

Available Actions:

[Ship AINs to This PIN/NPN](#)

Nonproducer Participant Contacts

Contact	Type	City	State	Email
Mel Cooley	Primary	New Rochelle	NY	mel.cooley@barracudaltd.com
Buddy Sorrell	Sales	New Rochelle	NY	buddy.sorrell@barracudaltd.com

You can report an AIN shipment to a Nonproducer Participant Contact, if displayed on the Validate PIN/NPN screen.

Click on the [Contact](#) link.

You are here: [AIN Management](#) / [Validate PIN/NPN](#) / [Mel Cooley](#)

Contact Information

Type: Primary

Full Name: Mel Cooley

Street: 148 Bonny Meadow Road

City, State, ZIP: New Rochelle, NY 10805

Email Address: mel.cooley@barracudaltd.com

Contact Phones

Type	Number
------	--------

Available Actions:

[Ship AINs to This Contact](#)

The Contact screen will be displayed.

To report a shipment of AINs, click on the [Ship AINs to This Contact](#) link.

You are here: [AIN Management](#) / [Report AIN Shipment](#)

AIN Shipment Information

AINs	Package	AIN Collection
Starting AIN:	<input type="text" value="840003"/>	
Number of AINs Shipped:	<input type="text"/>	
Ending AIN (calculated):	<input type="text"/>	

Event Date: *

Source NPN:

Partner NPN Info:

Partner NPN:

Ship To Information

PIN/NPN: *

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:

First Name:

Last Name: *

Street: *

City: *

State: *

ZIP: * -

Available Actions

Other Actions

(*) indicates a required field

The AINs tab of the Report AIN Shipment screen will be displayed and the Ship To Information for the Producer Premises or Nonproducer Participant that was displayed in the Contact screen will be entered in the appropriate fields.

Complete the reporting process by following the steps for shipping AINs above.

3.4. Manage Relationships – Manufacturer

3.4.1. When to Use

Manage Relationships is used by Manufacturers to initiate the role of AIN tag manager with another entity. Manufacturers that also ship AINs will nominate themselves for the role of AIN tag manager.

3.4.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4						

3.4.3. Performing the Action

Mfr Admin

NPN Admin

Health Official

Scrapie Official

The screenshot shows a vertical menu for a user named Rob Petrie. The menu is organized into several sections: 'User Info', 'Public Tools', 'Action Items', 'Other Tasks', 'Resource Info', and 'Administration'. The 'Action Items' section contains the following options: 'Validate PIN/NPN', 'Request AIN Allocation', 'Report AIN Shipment', 'Manage Relationships', 'Scrapie Program Actions', and 'New Program Order'. The 'Manage Relationships' option is highlighted with a red rectangular border. The 'Other Tasks' section includes 'Manage AIN Package', 'Report AIN Distribution', 'Fix AIN Broken Events', and 'Report AIN Returns'. The 'Resource Info' section includes 'Current AIN Holdings', 'Lookup AIN History', 'AIN Event Actions', 'AIN Event Report', 'Find Program Orders', and 'Scrapie Summary Report'. The 'Administration' section includes 'NPN Details', 'Help', and 'Logout'.

To manage relationships with other NPNs, click on [Manage Relationships](#).

Manufacturer Registration (Completing Company Information)

The screenshot shows a vertical menu with several sections. The 'NPN Details' item is highlighted with a red border. The menu items are as follows:

- User Info**
 - Ward Cleaver
 - Change Personal Info
- Public Tools**
 - List ID Devices
- Action Items**
 - Validate PIN/NPN
 - Report AIN Shipment
 - Manage Relationships
- Other Tasks**
 - Report AIN Distribution
 - Fix AIN Broken Events
 - Report AIN Returns
- Resource Info**
 - Current AIN Holdings
 - Lookup AIN History
 - AIN Event Report
- Administration**
 - NPN Details** (highlighted)
 - Help
 - Logout

To view details about your NPN, click on [NPN Details](#).

You are here: [AIN Management](#) / [NPN Details](#)

The screenshot displays the 'NPN Details' page. It is divided into two main sections:

Nonproducer Participant Information

NPN:	000LITB
Name:	WARD CLEAVER
Street:	211 PINE ST
City, State, ZIP:	MAYFIELD, OH 44122-4324
County:	CUYAHOGA
Status:	Enabled

Available Actions

NPN States Serviced	NPN Users
NPN Relationships	NPN Locations

The NPN Details screen will be displayed. Nonproducer Participant Information includes name and address information and the status of the NPN. Available Actions includes maintaining information about

States Serviced, NPN Users, and NPN Locations. It also includes maintaining information about NPN Relationships – relationships with other NPNs within the AIN Management System.

Click on [NPN Relationships](#) on this screen, or [Manage Relationships](#) on the menu to view and edit relationships.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 003RNRC

Available Actions

Relationships Initiated		Relationships Accepted				
My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity	Active
	NPN	Name	Role Requested	Approved		

The NPN Relationships screen will be displayed. There are two kinds of relationships which can be displayed on this screen – relationships which have been originated by your NPN (under the [Relationships Initiated](#) tab), and relationships which have been originated by another NPN (under the [Relationships Accepted](#) tab).

Click on the [Relationships Accepted](#) tab.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 003RNRC

Available Actions

Relationships Initiated

Relationships Accepted

Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company	Active
NPN	Name	Role Nominated	Approved	Approved	

Relationships are established in the following way:

USDA will “nominate” an NPN to be an AIN tag manufacturer when an AIN tag manufacture application is received. Once the manufacturer has devices that are authorized for use and the manufacturer’s agreement has been signed, USDA will activate the relationship. Then the NPN will be able to exercise the rights and responsibilities of an AIN tag manufacturer.

An AIN tag manufacturer can then “nominate” an NPN to be an AIN tag manager. In this case, the NPN must also access [Manage Relationships](#) in the AIN Management System to activate the relationship. Once the relationship is established, the NPN is able to exercise the rights and responsibilities of an AIN tag manager.

An AIN tag manager can then “nominate” an NPN to be an AIN tag reseller. The NPN must also access [Manage Relationships](#) in the AIN Management System to activate the relationship. Once the relationship is established, the NPN is able to exercise the rights and responsibilities of an AIN tag reseller.

Note: All relationships are established from a tier hierarchy: USDA nominates manufacturers; manufacturers nominate managers; managers nominate resellers. No NPN, other than an AIN tag manufacturer nominating itself as an AIN tag manager, can nominate itself for a particular role. NPNs can only respond to nominations to become active in a particular role.

On the screens displayed above, the NPN has not been nominated for any role ([Relationships Accepted](#)), and consequently cannot nominate any other NPN for a role ([Relationships Initiated](#)).

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 000LITB

Available Actions

[Create Relationship](#)

Relationships Initiated			Relationships Accepted			
Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company		A c t i v e
NPN	Name	Role Nominated	Approved	Approved		
003RNRC	Barracuda, Ltd.	Manager	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Yes	

When an NPN has been approved by USDA for the role of AIN tag manufacturer, the nominated role will be displayed under the [Relationships Accepted](#) tab. The relationship has been approved by the nominating entity (USDA), as well as by the nominated entity (you). Consequently, the relationship is active.


Note: Any relationship can be discontinued at any time by either the nominating or nominated entity by unchecking the Approved check box for the relationship.

You are here: [AIN Management](#) / [NPN Details](#)

Nonproducer Participant Information	
NPN:	003RNRC
Name:	ROB PETRIE
Street:	148 BONNY MEADOW RD
City, State, ZIP:	NEW ROCHELLE, NY 10805-3201
County:	WESTCHESTER
Number of AINs Shipped:	2050
Manufacturer Name:	BARRACUDA, LTD.
NPN Homepage Url:	http://www.barracudaltd.com
Status:	Enabled

Available Actions	
NPN States Serviced	NPN Users
NPN Relationships	NPN Locations
Manufacturer Packages	

Once an NPN has been established as an AIN tag manufacturer, the [NPN Details](#) will display additional information: Number of AINs Shipped, Manufacturer Name, and NPN Homepage URL. An Available Action link, [Manufacturer Packages](#), has also been added.



In addition, several new options have been added to the menu bar.

The NPN is now established as an AIN tag manufacturer and is able to establish manufacturer-manager relationships with other NPNs.

Creating a Manufacturer-Manager Relationship - Other NPN



To create a manufacturer-manager relationship with another NPN, click on [Manage Relationships](#).

Note: AIN tag managers are NPN entities with which you have a marketing agreement for the distribution of AIN tags. They will need to provide the AIN tag manufacturer with their NPN.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 003RNRC

Available Actions

Create Relationship 

Relationships Initiated | Relationships Accepted

My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity	Active
	NPN	Name	Role Requested	Approved	Approved	
Manufacturer	003RNRC	Barracuda, L	Manager	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Yes

The NPN Relationships screen will be displayed. To create a new relationship, click on [Create Relationship](#).

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#) / [Create Relationship](#)

Entity Relationship Info

NPN: 003RNRC

NPN Role:

Partner NPN:

Partner NPN Role:

The Create Relationship screen will be displayed.

As an AIN tag manufacturer, you will only be able to select [Manufacturer](#) from the [NPN Role](#) drop-down menu. And, since manufacturers can only create relationships with AIN tag managers, you will only be able to select [Manager](#) from the [Partner NPN Role](#) drop-down menu.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#) / [Create Relationship](#)

Entity Relationship Info

NPN: 003RNRC

NPN Role: Manufacturer

Partner NPN: 000LITB 

Partner NPN Role: Manager

Request New Relationship

Type in the NPN of the entity you are nominating for the role of AIN tag manager in the [Partner NPN](#) field. Then click on the Request New Relationship button to create the relationship.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 003RNRC

Available Actions

[Create Relationship](#)

Relationships Initiated		Relationships Accepted				
My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity	Active
	NPN	Name	Role Requested	Approved	Approved	
Manufacturer	000LITB	Beaver Distri.	Manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No
Manufacturer	003RNRC	Barracuda, L	Manager	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Yes

The NPN Relationships screen will be displayed. The new relationship has been created, but it must be approved (accepted) by the nominated entity before it is active.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 000LITB

Available Actions

Relationships Initiated				Relationships Accepted	
Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company	
NPN	Name	Role Nominated	Approved	Approved	Active
003RNRC	Barracuda, Ltd.	Manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No

The nominated entity’s NPN Relationships screen (which is shown here for explanation—you will not see this screen) shows that you have nominated them for the role of AIN tag manager, but that the relationship is not active until they approve (accept) the relationship.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information
 NPN: 000LITB

Available Actions
 Create Relationship

Relationships Initiated				Relationships Accepted		
Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company		Active
NPN	Name	Role Nominated	Approved	Approved		
003RNRC	Barracuda, Ltd.	Manager	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Yes	

The nominated entity’s NPN Relationships screen (which is shown here for explanation—you will not see this screen) shows that they have approved (accepted) the relationship, which is now active.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information
 NPN: 003RNRC

Available Actions
 Create Relationship

Relationships Initiated		Relationships Accepted				
My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity	Active
	NPN	Name	Role Requested	Approved	Approved	
Manufacturer	000LITB	Beaver Distri.	Manager	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Yes
Manufacturer	003RNRC	Barracuda, L	Manager	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Yes


Your NPN Relationships screen now shows that the relationship has been accepted by the nominated entity, and is active.

In this example, Barracuda, Ltd., has an active manager relationship with themselves and one with Beaver Distribution.

Note: Any relationship can be discontinued at any time by either the nominating or nominated entity by unchecking the Approved check box for the relationship.

Creating a Manufacturer-Manager Relationship - Same NPN

It will frequently be the case that the entity which manufactures AIN ID devices (AIN tags) will also manage the distribution of the tags. In these cases, the entity will function both as an AIN tag manufacturer and an AIN tag manager. Even though the two roles are performed by one entity, a relationship must be created within the AIN Management System to reflect the two roles.



To assign the role of AIN tag manager for yourself as an AIN tag manufacturer, you must establish a relationship with yourself. Click on [Manage Relationships](#).

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 003RNRC

Available Actions

[Create Relationship](#)

Relationships Initiated		Relationships Accepted				
My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity	Active
	NPN	Name	Role Requested	Approved	Approved	ive

The NPN Relationships screen will be displayed. To create a new relationship, establishing the additional role of AIN tag manager, click on [Create Relationship](#).

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#) / [Create Relationship](#)

Entity Relationship Info

NPN: 003RNRC

NPN Role: Manufacturer ▼

Partner NPN:

Partner NPN Role: Manager ▼

Request New Relationship

The Create Relationship screen will be displayed.

Manufacturer ▼	Manager ▼
Manufacturer	Manager

As an AIN tag manufacturer, you will only be able to select [Manufacturer](#) from the [NPN Role](#) drop-down menu. And, since manufacturers can only create relationships with AIN tag managers, you will only be able to select [Manager](#) from the [Partner NPN Role](#) drop-down menu.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#) / [Create Relationship](#)

Entity Relationship Info

NPN: 003RNRC

NPN Role: Manufacturer

Partner NPN: 003RNRC

Partner NPN Role: Manager

Request New Relationship

Since you are establishing yourself as an AIN tag manager, type your own NPN in the [Partner NPN](#) field. Then click on the [Request New Relationship](#) button to create the relationship.

- **The relationship has been enabled from your end; to complete the enabling process the relationship entity must also enable the relationship.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 003RNRC

Available Actions

Create Relationship

Relationships Initiated		Relationships Accepted				
My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity	Active
	NPN	Name	Role Requested	Approved	Approved	
Manufacturer	003RNRC	Barracuda, L	Manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No

The NPN Relationships screen will be displayed. Since the relationship has been established with yourself, it appears under both tabs. The [Relationships Initiated](#) tab indicates that you created the relationship.

- Your role ([My Company's Role](#)) is [Manufacturer](#).
- The entity for which you are creating a relationship ([Entity Nominated by My Company](#)) is yourself. Your NPN and Name are displayed.
- The role you have requested (for yourself) is [Manager](#) ([Role Requested](#)).
- From your role as [Manufacturer](#), the relationship is [Approved](#).

- From your role as Manager, the relationship is *not* Approved.
- The relationship is *not* active.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 003RNRC

Available Actions

[Create Relationship](#)

Relationships Initiated
Relationships Accepted

Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company		Active
NPN	Name	Role Nominated	Approved	Approved		
USDA	null	Manufacturer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Yes
003RNRC	Barracuda, Ltd.	Manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>		No

The [Relationships Accepted](#) tab indicates that the relationship was created for you.

- The entity which created the relationship ([Entity and Information that Nominated My Company](#)) is yourself. Your NPN and Name are displayed.
- The role which is being created for you ([Role Nominated](#)) is Manager.
- From your role as Manufacturer, the relationship is [Approved](#).
- From your role as Manager, the relationship is *not* [Approved](#).
- The relationship is *not* active.

- **The relationship has been enabled from your end; to complete the enabling process the relationship entity must also enable the relationship.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 003RNRC

Available Actions

Create Relationship

Relationships Initiated				Relationships Accepted		
Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company		Active
NPN	Name	Role Nominated	Approved	Approved		
USDA	null	Manufacturer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Yes
003RNRC	Barracuda, Ltd.	Manager	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		Yes

In order for the relationship to be active, both the entity which created the relationship and the entity for which the relationship was created have to approve the relationship. As manufacturer, you created the relationship with the manager, and the relationship defaulted to Approved when the relationship was initiated. As manager, you have to approve the relationship to activate it. To approve the relationship, click the [Approved](#) check box. The relationship will then be shown to be active.

Note: Any relationship can be discontinued at any time by either the nominating or nominated entity by unchecking the Approved check box for the relationship.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information
 NPN: 003RNRC

Available Actions
[Create Relationship](#)

Relationships Initiated			Relationships Accepted			
My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity	Active
	NPN	Name	Role Requested	Approved	Approved	
Manufacturer	003RNRC	Barracuda, L	Manager	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Yes

Under the [Relationships Initiated](#) tab as well, the relationship is shown to be active.

3.5. Manage Relationships – Manager

3.5.1. When to Use

Manage Relationships is used by Managers to accept the role of AIN tag manager when they have been nominated by an AIN tag manufacturer, and to initiate a relationship with another entity as AIN tag reseller.

3.5.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4			4				


3.5.3. Performing the Action

Mfr Admin

NPN Admin

Health Official

Scrapie Official



To manage relationships with other NPNs, click on [Manage Relationships](#).

Accepting a Relationship from a Manufacturer

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 000LITB

Available Actions

Create Relationship

Relationships Initiated		Relationships Accepted			
My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity
	NPN	Name	Role Requested	Approved	

The NPN Relationships screen will be displayed. To accept a relationship, click on the Relationships Accepted tab.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 000LITB

Available Actions

Relationships Initiated				Relationships Accepted		
Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company		Active
NPN	Name	Role Nominated	Approved	Approved		
003RNRC	Barracuda, Ltd.	Manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No	

The screen shows that you have been nominated for the role of AIN tag manager. The nominating entity's NPN and Name are displayed. However, the relationship is not active until you approve the relationship.

- **The relationship has been enabled from your end; to complete the enabling process the relationship entity must also enable the relationship.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 000LITB

Available Actions


Create Relationship

Relationships Initiated				Relationships Accepted	
Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company	
NPN	Name	Role Nominated	Approved	Approved	A c t i v e
003RNRC	Barracuda, Ltd.	Manager	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Yes

To approve the relationship, click the [Approved](#) check box. The relationship will then be shown to be active.

Note: Any relationship can be discontinued at any time by either the nominating or nominated entity by unchecking the [Approved](#) check box for the relationship.

Creating a Manager-Reseller Relationship



To create a manager-reseller relationship with another NPN, click on [Manage Relationships](#).

Note: AIN tag resellers are NPN entities that have marketing agreements with AIN tag managers. They will need to provide the AIN tag manager with their NPN.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 000LITB

Available Actions

[Create Relationship](#) 

Relationships Initiated

Relationships Accepted

My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity	Active
	NPN	Name	Role Requested	Approved	Approved	

The NPN Relationships screen will be displayed. Once you have accepted a manager role from an AIN tag manufacturer, you will be able to create relationships with AIN tag resellers. To create a new relationship, click on [Create Relationship](#).

Note: Create Relationship will not be available until a relationship with an AIN tag manufacturer has been accepted.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#) / [Create Relationship](#)

Entity Relationship Info

NPN: 000LITB

NPN Role: Manager ▼

Partner NPN:

Partner NPN Role: Reseller ▼

Request New Relationship

The Create Relationship screen will be displayed.



As an AIN tag manager, you will only be able to select Manager from the [NPN Role](#) drop-down menu. And, since managers can only create relationships with AIN tag resellers, your will only be able to select Reseller from the [Partner NPN Role](#) drop-down menu.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#) / [Create Relationship](#)

Entity Relationship Info

NPN: 000LITB

NPN Role: Manager ▼

Partner NPN: 00ZZIEN ←

Partner NPN Role: Reseller ▼

Request New Relationship

Type in the NPN of the entity you are nominating for the role of AIN tag reseller in the [Partner NPN](#) field. Then click on the Request New Relationship button to create the relationship.

- **The relationship has been enabled from your end; to complete the enabling process the relationship entity must also enable the relationship.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 000LITB

Available Actions

[Create Relationship](#)

Relationships Initiated		Relationships Accepted				
My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity	A c t i v e
	NPN	Name	Role Requested	Approved	Approved	
Manufacturer	00ZZIEN	D&R Supply	Reseller	✓	<input type="checkbox"/>	No

The NPN Relationships screen will be displayed. The new relationship has been created, but it must be approved (accepted) by the nominated entity before it is active.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 00ZZIEN

Available Actions

Relationships Initiated				Relationships Accepted		
Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company		Active
NPN	Name	Role Nominated	Approved	Approved		
000LITB	Beaver Distribution	Reseller	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No	

The nominated entity's NPN Relationships screen (which is shown here for explanation—you will not see this screen) shows that you have nominated them for the role of AIN tag reseller, but that the relationship is not active until they approve (accept) the relationship.

- **The relationship has been enabled from your end; to complete the enabling process the relationship entity must also enable the relationship.**

You are here: AIN Management / NPN Details / NPN Relationships

Nonproducer Participant Information
NPN: 00ZZIEN

Available Actions

Relationships Initiated				Relationships Accepted	
Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company	
NPN	Name	Role Nominated	Approved	Approved	Active
000LITB	Beaver Distribution	Reseller	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Yes

The nominated entity's NPN Relationships screen (which is shown here for explanation—you will not see this screen) shows that they have approved (accepted) the relationship, which is now active.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information
 NPN: 000LITB

Available Actions
[Create Relationship](#)

Relationships Initiated		Relationships Accepted				
My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity	Active
	NPN	Name	Role Requested	Approved	Approved	
Manufacturer	00ZZIEN	D&R Supply	Reseller	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Yes

Your NPN Relationships screen now shows that the relationship has been accepted by the nominated entity, and is active.

Note: Any relationship can be discontinued at any time by either the nominating or nominated entity by unchecking the Approved check box for the relationship.

3.6. Manage Relationships – Reseller

3.6.1. When to Use

To accept the relationship as an AIN tag reseller that was nominated by an AIN tag manager.

3.6.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4			4				


3.6.3. Performing the Action

Mfr Admin

NPN Admin

Health Official

Scrapie Official



To accept relationships from other NPNs, click on [Manage Relationships](#).

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 00ZZIEN

Available Actions

Relationships Initiated		Relationships Accepted				
My Company's Role	Entity Nominated by My Company		Administration of the Relationship Defined by My Company		Relationship Status per Other Entity	Active
	NPN	Name	Role Requested	Approved	Approved	ive

The NPN Relationships screen will be displayed. To accept a relationship, click on the [Relationships Accepted](#) tab.

- **Success! The relationships were found.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Relationships](#)

Nonproducer Participant Information

NPN: 00ZZIEN

Available Actions

Relationships Initiated				Relationships Accepted		
Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company		Active
NPN	Name	Role Nominated	Approved	Approved		
000LITB	Beaver Distribution	Reseller	<input checked="" type="checkbox"/>	<input type="checkbox"/>	No	

The screen shows that you have been nominated for the role of AIN tag reseller. The nominating entity's NPN and Name are displayed. However, the relationship is not active until you approve the relationship.

- **The relationship has been enabled from your end; to complete the enabling process the relationship entity must also enable the relationship.**

You are here: AIN Management / NPN Details / NPN Relationships

Nonproducer Participant Information
NPN: 00ZZIEN

Available Actions

Relationships Initiated				Relationships Accepted	
Entity and Information that Nominated My Company				Administration of Relationship Nominated by Other Company	
NPN	Name	Role Nominated	Approved	Approved	Active
000LITB	Beaver Distribution	Reseller	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Yes

To approve the relationship, click the **Approved** check box. The relationship will then be shown to be active.

*Note: Any relationship can be discontinued at any time by either the nominating or nominated entity by unchecking the **Approved** check box for the relationship.*



3.7. Scrapie Program Actions

3.7.1. When to Use

3.7.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4	4				4	

3.7.3. Performing the Action

<i>Mfr Admin</i>	<i>NPN Admin</i>	<i>Health Official</i>	<i>Scrapie Official</i>
			

You are here: [AIN Management / Scrapie Program Actions](#)

Program Contact Information

Tag Recipient: *	<input type="text" value="Non-SFCP flock"/>
Flock/Person ID: *	<input type="text"/>
Tag State: *	<input type="text" value="Connecticut"/>
Let AINM Guess Prem ID:	<input checked="" type="checkbox"/>
<input type="button" value="Verify Contact Information"/>	

- I Want To:
- | | |
|--|--|
| Create a New Scrapie Tag Order | Click Here:New Scrapie Program Order |
| Distribute Scrapie Tags | Click Here:Ship Scrapie AINs |
| Lookup a Scrapie Order | Click Here:Find Program Orders |
| Scrapie Tag Summary Reports | Click Here:Scrapie Summary Report |

- **Success! Scrapie Customer found.**

You are here: [AIN Management](#) / [Scrapie Program Actions](#)

Program Contact Information

Tag Recipient: *	<input type="text" value="Non-SFCP flock"/>
Flock/Person ID: *	<input type="text" value="CT25"/>
Tag State: *	<input type="text" value="Connecticut"/>
Let AINM Guess Prem ID:	<input checked="" type="checkbox"/>
<input type="button" value="Verify Contact Information"/>	
Contact Name:	Larry Tate
Address:	1164 Morning Glory Drive
City, State, ZIP:	Westport, CT 06880-0105

I Want To:

Create a New Scrapie Tag Order	Click Here:New Scrapie Program Order
Distribute Scrapie Tags	Click Here:Ship Scrapie AINs
Lookup a Scrapie Order	Click Here:Find Program Orders
Scrapie Tag Summary Reports	Click Here:Scrapie Summary Report
Refresh Scrapie Customer	Click Here: <input type="button" value="Refresh Contact"/>

3.8. New Scrapie Program Order

3.8.1. When to Use

Use New Program Order to order AIN ID Tags for animals in the Scrapie program. (Other programs will be added in the future.)

3.8.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4	4				4	

3.8.3. Performing the Action

3.9. Ship Scrapie AINs

3.9.1. When to Use

3.9.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4	4				4	

3.9.3. Performing the Action

3.10. New Program Order



3.10.1. When to Use

Use New Program Order to order AIN ID Tags for animals in the Scrapie program. (Other programs will be added in the future.)

3.10.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4	4				4	

3.10.3. Performing the Action

<p><i>Mfr Admin</i></p> 	<p><i>NPN Admin</i></p>	<p><i>Health Official</i></p>	<p><i>Scrapie Official</i></p> 
--	-------------------------	-------------------------------	---

To create a new program order, click on [New Program Order](#).

You are here: [AIN Management / New Program Order](#)

Nonproducer Participant Information

NPN: 004SAM7

Disease Program: Scrapie

Available Actions

Create Program Order

The New Program Order screen will be displayed.

Your Nonproducer Participant Number is displayed in the [NPN](#) field.

The default selected [Disease Program](#) is Scrapie.

To create a new order within the selected program, click on the Create Program Order button.

You are here: [AIN Management / New Scrapie Program Order](#)

Nonproducer Participant Information

Submitter NPN: 004SAM7

Program Contact Info [-]

Order Status: New

Tag Recipient: * Regulatory Official/Vet

Flock/Person ID: *

State: * Alabama

Let AINM Guess Prem ID:

Verify Contact Information

Program Order Information [+]

Available Actions

Submit New Order

The New Scrapie Program Order will be displayed.

Since you are submitting the Program Order, your NPN appears in the [Submitter NPN](#) field.

Since this is a new order, the [Order Status](#) is set to New.

Regulatory Official/Vet

SFCP Participant

Non-SFCP flock

All Others (Market, Dealer, Etc)

From the [Tag Recipient](#) drop-down menu, select the type of entity that will be receiving the AIN Tags. If you are ordering tags for yourself, the [Tag Recipient](#) will describe who you are. If you are ordering tags for someone else, the [Tag Recipient](#) will describe the entity for whom you are ordering the tags.

You are here: [AIN Management](#) / [New Scrapie Program Order](#)

Nonproducer Participant Information

Submitter NPN: 004SAM7

Program Contact Info

Order Status: New

Tag Recipient: *

Flock/Person ID: * ←

State: *

Let AINM Guess Prem ID:

Program Order Information

Available Actions

Type in the identification number for the entity that will be receiving the tags in the [Flock/Person ID](#) field. Select the state where the customer is located from the [State](#) drop-down menu. Then click on the button.

- **Success! Scrapie Customer found.**
- **Note. Destination National Prem ID may be derived from address. Please validate.**

You are here: AIN Management / New Scrapie Program Order

Nonproducer Participant Information

Submitter NPN: 004SAM7

Program Contact Info

Order Status: New

Tag Recipient: * SFCP Participant

Flock/Person ID: * CT25

State: * Connecticut

Let AINM Guess Prem ID:

Verify Contact Information

Destination Information

Contact Type: BRD-MAIL1

Contact Name: Larry Tate

Company: McMahon & Tate

Address: 1164 Morning Glory Drive

City, State, ZIP: Westport, CT 06880-0105

Phone: 203-555-1164

Email Address: NA

National Prem ID:

Program Participation: Participating

Validate Number

Program Order Information

Manufacturer *

Device: *

Order Quantity: *

Quantity Fulfilled:

Due Date:

Tagging Devices:

(non 840) Sequence Start:

Print Flock ID: False

Product Color:

Remarks (255 characters max):

Available Actions

Submit New Order

The New Scrapie Program Order will display the Contact Information for the Tag Recipient.



Select the type of contact from the [Contact Type](#) drop-down menu.

You are here: AIN Management / New Scrapie Program Order

Nonproducer Participant Information

Submitter NPN: 004SAM7

Program Contact Info

Order Status: New

Tag Recipient: * SFCP Participant

Flock/Person ID: * CT25

State: * Connecticut

Let AINM Guess Prem ID:

Verify Contact Information

Destination Information

Contact Type: Custom

First Name: Larry

Last Name: Tate

Company: McMahan & Tate

Address: 1164 Morning Glory Driv

City: Westport

State: Connecticut

ZIP: * 06880 - 0105

Phone: 203-555-1164

National Prem ID: **Validate Number**

Program Participation: NA

Program Order Information

Manufacturer *

Device: *

Order Quantity: *

Quantity Fulfilled:

Due Date:

Tagging Devices:

(non 840) Sequence Start:

Print Flock ID: False

Product Color:

Remarks (255 characters max):

Available Actions

Submit New Order

If you select CUSTOM as the [Contact Type](#), type in the contact information in the appropriate fields.

- **Success! Scrapie Customer found.**
- **Note. Destination National Prem ID may be derived from address. Please validate.**

You are here: AIN Management / New Scrapie Program Order

Nonproducer Participant Information	
Submitter NPN:	004SAM7
Program Contact Info	
Order Status:	New
Tag Recipient: *	SFCP Participant
Flock/Person ID: *	CT25
State: *	Connecticut
Let AINM Guess Prem ID:	<input checked="" type="checkbox"/>
<input type="button" value="Verify Contact Information"/>	
Destination Information	
Contact Type:	BRD-MAIL1
Contact Name:	Larry Tate
Company:	McMahon & Tate
Address:	1164 Morning Glory Drive
City, State, ZIP:	Westport, CT 06880-0105
Phone:	203-555-1164
Email Address:	NA
National Prem ID:	004SAM7
<input type="button" value="Validate Number"/>	
Program Participation:	Participating
Program Order Information	
Manufacturer *	BARRACUDA, LTD.
Device: *	003RNRC-21
Order Quantity: *	25
Quantity Fulfilled:	
Due Date:	<input type="text"/>
Tagging Devices:	<input type="text"/>
(non 840) Sequence Start:	203000101
Print Flock ID:	False
Product Color:	<input type="text"/>
Remarks (255 characters max):	<input type="text"/>
Available Actions	
<input type="button" value="Submit New Order"/>	

Select the Manufacturer whose tags you want to order from the **Manufacturer** drop-down menu. The **Device** drop-down menu will list tags for the **Manufacturer** you selected. Select the type of tag you want to order from the **Device** drop-down menu. Type in the number of tags you want to order in the **Order Quantity** field. You may optionally enter the AINs you want applied to the AIN Tags in the **Tag Sequence** field.

When you have completed all fields, click on the button to submit the order.

- **Success! Scrapie Order created.**

You are here: AIN Management / New Scrapie Program Order

Nonproducer Participant Information	
Submitter NPN:	004SAM7
Program Contact Info <input type="checkbox"/>	
Order Status:	Open
Tag Recipient: *	SFCP Participant
Flock/Person ID: *	CT25
State: *	Connecticut
Let AINM Guess Prem ID:	<input checked="" type="checkbox"/>
<input type="button" value="Verify Contact Information"/>	
Destination Information <input type="checkbox"/>	
Contact Type:	BRD-MAIL1
Contact Name:	Larry Tate
Company:	McMahon & Tate
Address:	1164 Morning Glory Drive
City, State, ZIP:	Westport, CT 06880-0105
Phone:	203-555-1164
Email Address:	NA
National Prem ID:	004SAM7
Program Participation:	Participating
<input type="button" value="Validate Number"/>	
Program Order Information <input type="checkbox"/>	
Manufacturer *	BARRACUDA, LTD.
Device: *	003RNRC-21
Order Quantity: *	25
Quantity Fulfilled:	
Due Date:	
Tagging Devices:	
(non 840) Sequence Start:	203000101
Print Flock ID:	False
Product Color:	
Remarks (255 characters max):	
Available Actions	
<input type="button" value="Update Order"/>	<input type="button" value="Cancel Order"/>

The order will be created and the Edit Scrapie Order screen will be displayed. Since this is a new order, the [Order Status](#) has been changed from NEW to OPEN.

To make changes to the order, type in the new information in the appropriate fields or make new selections from the appropriate drop-down menus. Then click on the button to save the changes to the order.

To cancel the order, click on the button.


Note: An AIN Tag Manufacturer will not see the Scrapie Order Created screen. Clicking on the on the New Scrapie Program Order screen will advance to the Fulfill Scrapie Order screen.

3.11. Ship Program AINs

3.11.1. When to Use

Use Ship Program AINs to report the shipment of Scrapie Animal ID Tags. (Other programs will be added in the future.)

3.11.2. Performing the Action



To process a program order, click on [Ship Program AINs](#).

You are here: [AIN Management](#) / [Ship Program AINs](#)

Nonproducer Participant Information

NPN: 004SAM7

Disease Program:

Available Actions

[Ship Program AINs](#)

The Ship Program AINs screen will be displayed.

Your Nonproducer Participant Number is displayed in the NPN field.

The default selected Disease Program is Scrapie.

To ship AINs within the selected program, click on the  button.

You are here: AIN Management / Ship Scrapie AINs

Scrapie AIN Shipment Information

AIN ID Prefix:

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).



Event Date: *

Source Information

Source NPN: 004SAM7

VS Customer Info

VS Customer Type:

VS Customer ID:*

Customer State:

Available Actions

The Ship Scrapie AINs screen will be displayed.

You are here: AIN Management / Ship Scrapie AINs

Scrapie AIN Shipment Information

AIN ID Prefix:

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Event Date: *

Source Information
Source NPN: 004SAM7

VS Customer Info
VS Customer Type:
VS Customer ID:*
Customer State:

Available Actions

If there is an AIN ID Prefix added to the AINs, check the **AIN ID Prefix** box, and type the prefix in the **AIN ID Prefix** field.

Type the AINs being shipped in the **Non-Consecutive AINs** field. Indicate a series of AINs with a hyphen, and separate AINs and series of AINs with a comma. *Note: Only AINs consisting of all numbers, with no letters or spaces, can be included in a series with hyphens. AINs with letters and/or spaces must be separated with commas.*

Alternately, you can upload a file containing the non-consecutive AINs being shipped. Click on the button, select the file containing the AINs being shipped, then click the button. The file should be a text (.txt) file, and the AINs in the file should follow the same rules as for entering AINs manually.

Note: Only AINs which have been previously associated with a Scrapie order can be used on AIN Tags. It is necessary that the AINs entered in the Non-Consecutive AINs field have been fulfilled for a New Scrapie Order.



The **Event Date** will default to today's date. Type in the shipping date in the **Event Date** field, if different from today's date. Alternately, click on the calendar icon to select the shipping date from the Date Picker.

You are here: AIN Management / Ship Scrapie AINs

Scrapie AIN Shipment Information

AIN ID Prefix:

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Event Date: *

Source Information

Source NPN:

VS Customer Info

VS Customer Type:

VS Customer ID:*

Customer State:

Available Actions

From the **VS Customer Type** drop-down menu, select the type of customer to whom the AIN Tags will be shipped.

Type in the customer identification number for the entity to whom the tags will be shipped in the **VS Customer ID** field.

Select the state where the customer is located from the **Customer State** drop-down menu.

Then click on the button.

- **Success! Scrapie Customer found.**

You are here: [AIN Management](#) / [Ship Scrapie AINs](#)

Scrapie AIN Shipment Information

AIN ID Prefix:

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Event Date: *

Source Information

Source NPN:

VS Customer Info

VS Customer Type:

VS Customer ID:*

Customer State:

Contact Information:

Contact Type:*

Contact Name:

Company:

Address:

City, State, ZIP:

Phone:

Program Participation:

National Prem ID:*

Available Actions

The customer Contact Information will be displayed.

- **Success! Scrapie Customer found.**

You are here: [AIN Management](#) / [Ship Scrapie AINs](#)

Scrapie AIN Shipment Information

AIN ID Prefix:

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Event Date: *

Source Information

Source NPN: 004SAM7

WS Customer Info

VS Customer Type:

VS Customer ID:*

Customer State:

Contact Information:

Contact Type:*

Contact Name: Larry Tate

Company: McMahon & Tate

Address: 1164 Morning Glory Drive

City, State, ZIP: Westport, CT 06880-0105

Phone: 203-555-1164

Program Participation: Participating

National Prem ID:*

Available Actions

Select the type of contact from the [Contact Type](#) drop-down menu.

Type the national Premises ID Number for the entity in the [National Prem ID](#) field. Then click on the button. (This is required only for "840" AINs.)

- The destination PIN/NPN was retrieved from the database.

You are here: [AIN Management / Ship Scrapie AINs](#)

Scrapie AIN Shipment Information

AIN ID Prefix:

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Event Date: *

Source Information

Source NPN:

VS Customer Info

VS Customer Type:

VS Customer ID:*

Customer State:

Contact Information:

Contact Type:*

Contact Name:

Company:

Address:

City, State, ZIP:

Phone:

Program Participation:

National Prem ID:*

National Premises Info

Name:

Street:

City, State, ZIP:

Operation Type:

Available Actions

The Premises information will be displayed. To record the shipment, click on the button.

- **Success! The shipment event was recorded.**

You are here: [AIN Management](#) / [Ship Scrapie AINs](#)

Scrapie AIN Shipment Information

AIN ID Prefix:

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Event Date: *

Source Information

Source NPN:

VS Customer Info

VS Customer Type:

VS Customer ID:*

Customer State:

Contact Information:

Contact Type:*

Contact Name:

Company:

Address:

City, State, ZIP:

Phone:

Program Participation:

National Prem ID:*

Available Actions

The Shipment will be recorded.

4. OTHER TASKS

4.1. Manage AIN Packages

4.1.1. When to Use

AINs are tracked in the AIN Management System as individual numbers. However, to ship and track groups of AINs to an entity more efficiently, you can create a package of consecutive or non-consecutive AINs, or a package of packages.

4.1.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4	4					

4.1.3. Performing the Action

Before you can create a package of AINs, you need to know what AINs are in your possession, and whether there are sufficient AINs to make up the package(s) you want. See *Current AIN Holdings* section.

Mfr Admin
NPN Admin
Health Official
Scrapie Official

The screenshot shows a vertical menu for a user named Rob Petrie. The menu is organized into several sections: 'User Info', 'Public Tools', 'Action Items', 'Other Tasks', 'Resource Info', and 'Administration'. The 'Other Tasks' section is expanded, and the 'Manage AIN Package' option is highlighted with a red rectangular border. Other options in the 'Other Tasks' section include 'Report AIN Distribution', 'Fix AIN Broken Events', and 'Report AIN Returns'. The 'Resource Info' section includes 'Current AIN Holdings', 'Lookup AIN History', 'AIN Event Actions', 'AIN Event Report', 'Find Program Orders', and 'Scrapie Summary Report'. The 'Administration' section includes 'NPN Details', 'Help', and 'Logout'.

To create a package of AINs, click on Manage AIN Package.

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Packages](#)

Manufacturer

Manufacturer ID: Owner ID: 002RNRC

Package Name: AIN ID:

Begin Date: End Date:

Totals Only: Page Size: 50

Available Actions

[Create New Package](#)

Packages

The Manufacturer Packages screen will be displayed.

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Packages](#)

Manufacturer

Manufacturer ID: Owner ID: 002RNRC

Package Name: AIN ID:

Begin Date: End Date:

Totals Only: Page Size: 50

Available Actions

[Create New Package](#)

Packages

Enter search criteria for the package(s) you want to find in the appropriate fields. Then click on the button.

- **Success! Packages found.**

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Packages](#)

Manufacturer

Manufacturer ID: Owner ID: 002RNRC

Package Name: AIN ID:

Begin Date: End Date:

Totals Only: Page Size: 50

Available Actions

[Create New Package](#)

Packages

Mfr. Package Num	Status	Parent Package	Action
002RNRCRFA0002	Intact	na	break
002RNRCRFA0001	Broken	na	Broken

Available Actions

[Create New Package](#)

The packages which meet the search criteria will be displayed.

The [Mfr. Package Num](#) is the number which you have assigned to the package of AINs. The first part of the number is your NPN, and the second part is a unique number which you have created. This numbering format ensures the manufacturer package numbers are unique across all manufacturers.

The [Status](#) of the package may be either Intact or Broken. When a package has been created, it can later be broken by clicking on the [break](#) link. If AINs within a package are shipped independently from shipping the entire package, the package will automatically be broken. Once a package has been broken, it cannot be repackaged.

The [Parent Package](#) indicates which larger package this package is a part of, if applicable.

You are here: AIN Management / NPN Details / Manufacturer Packages

Manufacturer

Manufacturer ID: Owner ID: 002RNRC

Package Name: AIN ID:

Begin Date: End Date:

Totals Only: Page Size: 50

[Get Packages](#)

Available Actions

[Create New Package](#)

Packages

If you only want to find the quantity of packages within the search parameters, click the **Totals Only** check box.

- **Success! Packages found.**

You are here: AIN Management / NPN Details / Manufacturer Packages

Manufacturer

Manufacturer ID: Owner ID: 002RNRC

Package Name: AIN ID:

Begin Date: End Date:

Totals Only: Page Size: 50

[Get Packages](#)

Available Actions

[Create New Package](#)

Packages

Total	2
--------------	---

Available Actions

[Create New Package](#)

The number of packages which meet the search criteria will be displayed.
To create a new package of AINs, click on [Create New Package](#).

4.2. AIN Package

Create Package – Consecutive AINs

You are here: AIN Management / NPN Details / Manufacturer Packages / New Package

Package Information

Manufacturer ID: 002RNRC

If packaging a consecutive range of AINs, use the AINs tab. If packaging a non-consecutive set of AINs, use the AIN Collection tab. If assembling a package from other packages, use the Child Packages tab.

AINs Child Packages AIN Collection

Starting AIN:

Number of AINs in Package:

Ending AIN (calculated):

Turn off Validation:

Mfr Package Number: 002RNRC

Save Package Info

Available Actions

New Package

The New Package screen will be displayed. AIN packages can be created from consecutive AINs (AINs tab), other packages (Child Packages tab), or non-consecutive AINs (AIN Collection tab).

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Packages](#) / [New Package](#)

Package Information

Manufacturer ID: 002RNRC

If packaging a consecutive range of AINs, use the AINs tab. If packaging a non-consecutive set of AINs, use the AIN Collection tab. If assembling a package from other packages, use the Child Packages tab.

AINs

Child Packages

AIN Collection

Starting AIN:

Number of AINs in Package:

Ending AIN (calculated):

Turn off Validation:

Mfr Package Number: 002RNRC

Available Actions

[New Package](#)

Type the beginning AIN for the series of AINs you want to include in the package in the Starting AIN field. This number must be in your possession. (See *Current AIN Holdings* section.) Type the number of AINs you want to include in the package in the [Number of AINs in Package](#) field. The [Ending AIN](#) will be automatically calculated.

Type a unique package identifying number in the [Mfr Package Number](#) field. Your NPN will be appended to the beginning of the Mfr Package Number to identify the source of the package. If this field is left blank, a sequence number will be automatically generated to create a unique package number.

After all information has been entered, click on the button to create the package.

- **Success! The AIN bag was created.**

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Packages](#)

Manufacturer

Manufacturer ID: 002RNRC

Packages

Mfr.Package Num	Status	Start AIN	End AIN	# of AINs	Action
002RNRCRFA0001	Intact	840003000010361	840003000010385	25	break

Available Actions

[Create New Package](#)

If there is a sufficient number of AINs in your possession to create the package, the package number and its contents will be added to the list of packages. If there are not enough AINs in your possession to complete the series you have specified, an error message will be displayed.

Click on the [Mfr Package Num](#) link to display the package information.

- **Success! Package Found.**

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Packages](#) / [RFA0001](#)

Package Information	
Manufacturer ID:	002RNRC
Status:	Intact
AIN IDs:	840003000010361-840003000010385
Mfr Package Number:	002RNRC <input type="text" value="RFA0001"/>
<input type="button" value="Save Package Info"/>	
. Available Actions	
<input type="button" value="New Package"/>	

Once a package has been created, the contents of the package cannot be changed. However, you can change the package number. To do so, type in the new package number in the Mfr Package Number field. Then click on the button to change the package number.

Create Package – Child Packages

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Packages](#) / [New Package](#)

Package Information

Manufacturer ID: 002RNRC

If packaging a consecutive range of AINs, use the AINs tab. If packaging a non-consecutive set of AINs, use the AIN Collection tab. If assembling a package from other packages, use the Child Packages tab.

AINs **Child Packages** **AIN Collection**

Child Packages:

Use this to put child packages in to this package. Enter child packages separated by commas. Note, a child package can only exist in at most one parent package. Packages can not have both AINs and packages. Also, the contents of the package can not be changed once set, so please make sure you have all the child packages put together before putting them into this package.

Turn off Validation:

Mfr Package Number: 002RNRC

Available Actions

[New Package](#)

To create a package from other packages, click on the [Child Packages](#) tab.

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Packages](#) / [New Package](#)

Package Information

Manufacturer ID: 002RNRC

If packaging a consecutive range of AINs, use the AINs tab. If packaging a non-consecutive set of AINs, use the AIN Collection tab. If assembling a package from other packages, use the Child Packages tab.

AINs
Child Packages
AIN Collection

Child Packages:

Use this to put child packages in to this package. Enter child packages separated by commas. Note, a child package can only exist in at most one parent package. Packages can not have both AINs and packages. Also, the contents of the package can not be changed once set, so please make sure you have all the child packages put together before putting them into this package.

Turn off Validation:

Mfr Package Number: 002RNRC

Available Actions

[New Package](#)

Type in the numbers of the packages you want to include in this package. Separate the package numbers by commas. *Note: Only packages can be included in a new package under the Child Packages tab. Also, packages and AINs cannot be included in the same package.*

Type a unique package identifying number in the [Mfr Package Number](#) field. Your NPN will be appended to the beginning of the Mfr Package Number to identify the source of the package.

After all information has been entered, click on the button to create the package.

Create Package – AIN Collections

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Packages](#) / [New Package](#)

Package Information

Manufacturer ID: 002RNRC

If packaging a consecutive range of AINs, use the AINs tab. If packaging a non-consecutive set of AINs, use the AIN Collection tab. If assembling a package from other packages, use the Child Packages tab.

AINs

Child Packages

AIN Collection

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Turn off Validation:

Mfr Package Number: 002RNRC

Available Actions

[New Package](#)

To create a package from non-consecutive AINs, click on the [AIN Collection](#) tab.

Type in the AINs you want to include in the package in the [Non-Consecutive AINs](#) field. Indicate a series of AINs with a hyphen, and separate AINs and series of AINs with a comma.

Alternately, you can upload a file containing the non-consecutive AINs being packaged. Click on the button, select the file containing the AINs, then click the button. The file should be a text (.txt) file, and the AINs in the file should follow the same rules as for entering AINs manually.

Type a unique package identifying number in the [Mfr Package Number](#) field. Your NPN will be appended to the beginning of the Mfr Package Number to identify the source of the package.

After all information has been entered, click on the button to create the package.

Breaking a Package

Mfr Admin

NPN Admin

Health Official

Scrapie Official

The image shows a vertical user menu with several sections. The sections are: 'User Info' (Rob Petrie), 'Public Tools' (List ID Devices), 'Action Items' (Validate PIN/NPN, Request AIN Allocation, Report AIN Shipment, Manage Relationships, Scrapie Program Actions, New Program Order), 'Other Tasks' (Manage AIN Package, Report AIN Distribution, Fix AIN Broken Events, Report AIN Returns), 'Resource Info' (Current AIN Holdings, Lookup AIN History, AIN Event Actions, AIN Event Report, Find Program Orders, Scrapie Summary Report), and 'Administration' (NPN Details, Help, Logout). The 'Manage AIN Package' item is highlighted with a red rectangular border.

After a package has been created, it can be broken at a later time to permit shipping a smaller number of AINs from the package. Click on [Manage AIN Package](#) to break a package of AINs.

- **Success! Packages found.**

You are here: AIN Management / NPN Details / Manufacturer Packages

Manufacturer

Manufacturer ID: Owner ID: 002RNRC

Package Name: AIN ID:

Begin Date: End Date:

Totals Only: Page Size: 50

Available Actions

[Create New Package](#)

Packages

Mfr.Package Num	Status	Parent Package	Action
002RNRCRFA0002	Intact	na	break
002RNRCRFA0001	Broken	na	Broken

Available Actions

[Create New Package](#)

The Manufacturer Packages screen will be displayed.
 Click on [break](#) for the package you want to break.



You will be asked to confirm that you want to break the package. Click on the button to break the package.

- **Success! Packages found.**

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Packages](#)

Manufacturer

Manufacturer ID: Owner ID: 002RNRC

Package Name: AIN ID:

Begin Date: End Date:

Totals Only: Page Size: 50

Available Actions

[Create New Package](#)

Packages

Mfr. Package Num	Status	Parent Package	Action
002RNRCRFA0002	Intact	na	Broken
002RNRCRFA0001	Broken	na	Broken

Available Actions

[Create New Package](#)

The status of the package will be changed to Broken.

If AINs within a package are shipped independently from shipping the entire package, the package will automatically be broken.

Note: The AINs in the broken package cannot be placed in a new package. They must be tracked individually from this point on.

4.3. Report AIN Distribution

4.3.1. When to Use

Whenever you, as a third party, are reporting a shipment of AINs from a Nonproducer Participant to another Nonproducer Participant or a Producer Premises, where the AINs have not been in your possession, but you have processed the AIN order.


Note: This is an optional reporting procedure. The responsibility of reporting the shipping records remains with the entity that has possession of the AIN tag. This option is provided if the third party desires to submit a distribution record. It does NOT fulfill the requirements of the shipping NPN.

4.3.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4	4			

4.3.3. Performing the Action

Mfr Admin



NPN Admin



Health Official

Scrapie Official

To report the distribution of AINs (a shipment of AINs that were not in your possession), click on [Report AIN Distribution](#).

You are here: [AIN Management](#) / [Report AIN Distribution](#)

AIN Distribution Information

Use this form to report an AIN shipment made by another NPN at your request.

AINs
Package
AIN Collection

Starting AIN:

Number of AINs Shipped:

Ending AIN (calculated):

Event Date:

Source NPN: *

Requesting NPN: 000LITB

Requesting NPN Role:

Destination Info

PIN/NPN: *

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:

First Name:

Last Name: *

Street:

City: *

State:

ZIP: * -

(*) indicates a required field

Other Actions

The Report AIN Distribution screen will be displayed.

You are here: [AIN Management](#) / [Report AIN Distribution](#)

AIN Distribution Information

Use this form to report an AIN shipment made by another NPN at your request.

AINs
Package
AIN Collection

Starting AIN:	<input type="text" value="840003000010361"/>
Number of AINs Shipped:	<input type="text" value="10"/>
Ending AIN (calculated):	<input type="text" value="840003000010370"/>

Event Date:	<input type="text" value="12-13-2008"/>		
Source NPN: *	<input type="text" value=""/>	<input type="button" value="Validate Source Number"/>	
Requesting NPN:	<input type="text" value="000LITB"/>		
Requesting NPN Role:	<input type="text" value=""/>		

Destination Info

PIN/NPN: *	<input type="text" value=""/>	<input type="button" value="Validate Number"/>
------------	-------------------------------	--

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:	<input type="text" value=""/>
First Name:	<input type="text" value=""/>
Last Name:*	<input type="text" value=""/>
Street:	<input type="text" value=""/>
City:*	<input type="text" value=""/>
State:	<input type="text" value="Alabama"/>
ZIP:*	<input type="text" value=""/> - <input type="text" value=""/>

(*) indicates a required field

Other Actions

There are three ways to enter which AINs you are reporting as shipped, indicated by the three tabs at the top of the AIN Distribution Information section: AINs, Package, and AIN Collection.

With the AINs tab selected, you will need to enter the range of AINs you are reporting as shipped. To record AINs, type in the first AIN in the [Starting AIN](#) field. The AIN will begin with 840003. Type in the number of AINs being shipped in the [Number of AINs Shipped](#) field. The [Ending AIN](#) will be automatically calculated.

September		≤ 2008 ≥				
September 2008						
Su	Mo	Tu	We	Th	Fr	Sa
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>
<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>	<u>11</u>	<u>12</u>	<u>13</u>
<u>14</u>	<u>15</u>	<u>16</u>	<u>17</u>	<u>18</u>	<u>19</u>	<u>20</u>
<u>21</u>	<u>22</u>	<u>23</u>	<u>24</u>	<u>25</u>	<u>26</u>	<u>27</u>
<u>28</u>	<u>29</u>	<u>30</u>				

The **Event Date** will default to today's date. Type in the shipping date in the **Event Date** field, if different from today's date. Alternately, click on the calendar icon to select the shipping date from the Date Picker.

Note: You may choose a date earlier than today's date, but you may not choose a date later than today's date.

You are here: [AIN Management](#) / [Report AIN Distribution](#)

AIN Distribution Information

Use this form to report an AIN shipment made by another NPN at your request.

AINs

Package

AIN Collection

Starting AIN:	<input type="text" value="840003000010361"/>	
Number of AINs Shipped:	<input type="text" value="10"/>	
Ending AIN (calculated):	<input type="text" value="840003000010370"/>	

Event Date:

Source NPN: *

Requesting NPN: 000LITB

Requesting NPN Role:

Destination Info

PIN/NPN: *

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:	<input type="text"/>
First Name:	<input type="text"/>
Last Name:*	<input type="text"/>
Street:	<input type="text"/>
City:*	<input type="text"/>
State:	<input type="text" value="Alabama"/>
ZIP:*	<input type="text"/> - <input type="text"/>

(*) indicates a required field

Other Actions

Type in the NPN of the Nonproducer Participant which is shipping the AINs. Then click on the button to validate the NPN.

- The source PIN/NPN was retrieved from the database.

You are here: [AIN Management / Report AIN Distribution](#)

AIN Distribution Information

Use this form to report an AIN shipment made by another NPN at your request.

AINs

Package

AIN Collection

Starting AIN:	<input type="text" value="840003000010361"/>	
Number of AINs Shipped:	<input type="text" value="10"/>	
Ending AIN (calculated):	<input type="text" value="840003000010370"/>	

Event Date:	<input type="text" value="12-13-2008"/>		
Source NPN: *	<input type="text" value="002RNRC"/>	<input type="button" value="Validate Source Number"/>	
Requesting NPN:	<input type="text" value="000LITB"/>		
Requesting NPN Role:	<input type="text" value="Manager"/>		

Source Information

NPN:	002RNRC
Name:	
Street:	148 BONNY MEADOW RD
City, State, ZIP:	NEW ROCHELLE, NY 10805
Operation Type:	N

Destination Info

PIN/NPN: *	<input type="text"/>	<input type="button" value="Validate Number"/>
------------	----------------------	--

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:	<input type="text"/>
First Name:	<input type="text"/>
Last Name:*	<input type="text"/>
Street:	<input type="text"/>
City:*	<input type="text"/>
State:	<input type="text" value="Alabama"/>
ZIP:*	<input type="text"/> - <input type="text"/>

(*) indicates a required field

Other Actions

If the NPN is valid, it will be retrieved from the database.

- The source PIN/NPN was retrieved from the database.

You are here: AIN Management / Report AIN Distribution

AIN Distribution Information
Use this form to report an AIN shipment made by another NPN at your request.

AINs | Package | AIN Collection

Starting AIN: 840003000010361
Number of AINs Shipped: 10
Ending AIN (calculated): 840003000010370

Event Date: 12-13-2008
Source NPN: * 002RNRC
Requesting NPN: 000LITB
Requesting NPN Role: Manager

Source Information
NPN: 002RNRC
Name:
Street: 148 BONNY MEADOW RD
City, State, ZIP: NEW ROCHELLE, NY 10805
Operation Type: N

Destination Info
PIN/NPN: * 004BV8H
Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.
Company:
First Name:
Last Name: *
Street:
City: *
State: Alabama
ZIP: *
(* indicates a required field)

Other Actions

Type in the PIN of the Producer Premises or the NPN of the Nonproducer Participant to which the AINs are being shipped. Then click on the button to validate the PIN or the NPN.

- The destination PIN/NPN was retrieved from the database.

You are here: [AIN Management / Report AIN Distribution](#)

AIN Distribution Information

Use this form to report an AIN shipment made by another NPN at your request.

AINs
Package
AIN Collection

Starting AIN:	<input type="text" value="840003000010361"/>	
Number of AINs Shipped:	<input type="text" value="10"/>	
Ending AIN (calculated):	<input type="text" value="840003000010370"/>	

Event Date: Calendar icon

Source NPN: *

Requesting NPN: 000LITB

Requesting NPN Role:

Source Information

NPN: 002RNRC

Name:

Street: 148 BONNY MEADOW RD

City, State, ZIP: NEW ROCHELLE, NY 10805

Operation Type: N

Destination Info

PIN/NPN: *

Note: You should overwrite the Ship-to information if the actual destination information differs from the default information shown.

Company:

First Name:

Last Name:*

Street:

City:*

State: Dropdown arrow

ZIP:* -

(*) indicates a required field

Other Actions

If the PIN or NPN is a valid ID, address information for the Producer Premises of Nonproducer Participant will be entered into the appropriate fields.

Type in the contact's **Last Name**. Then click on the button to report the shipment.

4.4. Fix AIN Broken Events

4.4.1. When to Use

When an entity, whether an AIN tag manufacturer, AIN tag manager, or AIN tag reseller, fails to report a shipment of AINs, and those AINs are later reported as shipped by another entity, a broken event record is created. Notification by e-mail is sent to the last entity in the AIN History prior to the broken event. It is necessary to fix the broken events to ensure that the correct entity is reported as being in possession of the AINs.

4.4.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4	4			

4.4.3. Performing the Action

Mfr Admin

NPN Admin

Health Official

Scrapie Official

To fix a broken event, click on [Fix AIN Broken Events](#).

You are here: [AIN Management](#) / [Fix AIN Broken Events](#)

Nonproducer Participant Information

NPN: 002RNRC Get Broken Events

Broken Event Search Results

Starting AIN	Status	Date	Receiver NPN	Action

The Fix AIN Broken Events screen will be displayed.

Click on the Get Broken Events button to list which AINs have broken event records.

- **Attention. Broken Events Found!**

You are here: [AIN Management](#) / [Fix AIN Broken Events](#)

Nonproducer Participant Information

NPN: 002RNRC Get Broken Events

Broken Event Search Results

Starting AIN	Status	Date	Receiver NPN	Action
840003000010361	BROKEN	08-18-2005	004BV5H	verify/reject

All AINs with broken event records indicating that your entity may not have reported a shipment will be listed. Only broken events with AINs which are or have been in your possession will be listed. To correct the broken event record, click on [verify/reject](#) for the AIN you want to correct.

You are here: AIN Management / Fix AIN Broken Events / Manage Broken Event

AIN Broken Event Information

Non-Consecutive AINs:	8400030000103 61-8400030000103 62	
Source NPN:	002RNRC	
Event Date: *	08-18-2005	
PIN/NPN: *	004BV5H	<input type="button" value="Validate Number"/>
Company:	<input type="text"/>	
First Name:	<input type="text"/>	
Last Name: *	<input type="text"/>	
Street:	<input type="text"/>	
City: *	<input type="text"/>	
State: *	----	
ZIP: *	<input type="text"/>	- <input type="text"/>

The Manage Broken Event screen will be displayed.

The screen will indicate the PIN or NPN for the next entity recorded in the AIN History, along with the date the AIN was shipped from that entity.

To process more than one AIN broken event record, type in the AINs in the Non-Consecutive AINs field. Use hyphens to indicate a consecutive series of AINs, and use commas to separate non-consecutive AINs.

Click on the button to display information about the shipped-to entity.

- The destination PIN/NPN was retrieved from the database.

You are here: AIN Management / Fix AIN Broken Events / Manage Broken Event

AIN Broken Event Information

Non-Consecutive AINs:	840003000010361-840003000010362	
Source NPN:	002RMRC	
Event Date: *	08-18-2005	<input type="button" value="Validate Number"/>
PIN/NPN: *	004BV5H	<input type="button" value="Validate Number"/>
Company:	BHCB Enterprises	
First Name:	Milburn	
Last Name: *	Drysdale	
Street:	518 CRESTVIEW DR	
City: *	BEVERLY HILLS	
State: *	California	
ZIP: *	90210	- 9750

Entity information for the reported PIN/NPN will be displayed.

If the AIN was shipped by you to the next reported PIN/NPN in the AIN History, click on the button to report the AIN as shipped.

If the AIN was shipped by you, but to an entity other than the next one reported in the AIN History, enter the correct PIN/NPN in the PIN/NPN field. Click on the button to display information about the newly entered shipped-to entity. Then click on the button to report the AIN as shipped.

If the AIN was not shipped by you, and remains in your possession, click on the button to indicate that the next shipment in the AIN History was reported in error.

- **Success! The broken shipment was converted into an actual shipment.**

You are here: [AIN Management](#) / [Fix AIN Broken Events](#)

Nonproducer Participant Information				
NPN:	002RNRC	<input type="button" value="Get Broken Events"/>		
Broken Event Search Results				
Starting AIN	Status	Date	Receiver NPN	Action

A verified or corrected broken event will be recorded as Resolved, and will be removed from the broken event list.

- **The broken event was disabled.**


You are here: [AIN Management](#) / [Fix AIN Broken Events](#)

Nonproducer Participant Information				
NPN:	002RNRC	<input type="button" value="Get Broken Events"/>		
Broken Event Search Results				
Starting AIN	Status	Date	Receiver NPN	Action

A rejected broken event will be recorded as Disabled, and will be removed from the broken event list.

4.5. Understanding Broken Events

The AIN History screen displays every time an AIN was reported as shipped. If an AIN was shipped, but the shipment was not reported, a corresponding gap will appear in the AIN History. This gap is a broken event.



Click on [Lookup AIN History](#) in the Menu Bar.

You are here: [AIN Management / Lookup AIN History](#)

AIN History Search

NPN: 002G96V

Animal Identification Number:

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event Type

The Lookup AIN History screen will be displayed.

You are here: [AIN Management / Lookup AIN History](#)

AIN History Search

NPN: 002G96V

Animal Identification Number:

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event Type

Type in the AIN you want to track in the [Animal Identification Number](#) field. Be sure to accurately enter the entire 15-digit AIN. Then click on the button.

You are here: [AIN Management](#) / [Lookup AIN History](#)

AIN History Search

Animal Identification Number:

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event Type
USDA			001TAGW			06-01-2005	Allocated
001TAGW	Brown	IN	002NML6	Orwell	NJ	06-12-2005	Shipped
001TAGW	Brown	IN	00DELL3	O'Derry	KS	06-23-2005	Shipped
00DELL3	O'Derry	KS	001TAGW	Brown	IN	06-30-2005	Returned
002NML6	Orwell	NJ	001TAGW	Brown	IN	07-07-2005	Shipped
001TAGW	Brown	IN	002NML6	Orwell	NJ	07-16-2005	Shipped
001TAGW	Brown	IN	00EIEIO	McDonald	OH	07-25-2005	Shipped
002NML6	Orwell	NJ	00EIEIO	McDonald	OH	08-04-2005	Shipped

1

2

The shipping history of the entered AIN will be displayed. We will examine each event in turn, and identify gaps (broken events) in the AIN History.

- ❶ The AIN was allocated by USDA to Brown, the AIN tag manufacturer (001TAGW).
- ❷ Brown (001TAGW) shipped the AIN to Orwell (002NML6).

You are here: [AIN Management](#) / [Lookup AIN History](#)

AIN History Search

Animal Identification Number:

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event Type
USDA			001TAGW			06-01-2005	Allocated
001TAGW	Brown	IN	002NML6	Orwell	NJ	06-12-2005	Shipped
001TAGW	Brown	IN	00DELL3	O'Derry	KS	06-23-2005	Shipped
00DELL3	O'Derry	KS	001TAGW	Brown	IN	06-30-2005	Returned
002NML6	Orwell	NJ	001TAGW	Brown	IN	07-07-2005	Shipped
001TAGW	Brown	IN	002NML6	Orwell	NJ	07-16-2005	Shipped
001TAGW	Brown	IN	00EIEIO	McDonald	OH	07-25-2005	Shipped
002NML6	Orwell	NJ	00EIEIO	McDonald	OH	08-04-2005	Shipped

3

③ Since Orwell was previously shown to be in possession of the AIN, the next event should show Orwell as the Source. However, Brown is shown again as the Source of the shipment. This time, Brown (001TAGW) shipped the AIN to O’Derry (00DELL3). Obviously, Brown could not have shipped the same AIN simultaneously to two different destinations. This indicates a broken event.

When a broken event occurs, an e-mail is sent, notifying the responsible entity that the broken event needs to be fixed. But who is the responsible entity – Brown, Orwell, or O’Derry?

The responsible entity is assumed to be the last entity which had the AIN just prior to the broken event. Therefore, the e-mail would be sent to Orwell. The AIN Management System assumes, in this case, that both shipments reported by Brown are valid, but that Orwell did not report a shipment back to Brown.

It is now Orwell’s responsibility to fix the broken event (*see the Fix AIN Broken Events section*). Orwell will have two options:

- 1 – Report that the AIN was shipped back to Brown and *verify* the broken event. This would indicate that the AIN was again in Brown’s possession, and would close the gap in the AIN History.
 - 2 – Deny that Brown shipped the AIN to O’Derry and *reject* the broken event. This would indicate that Brown reported the shipment in error and that the gap in the AIN History was a mistake.
- Note: The rejection of a broken event does not appear in the AIN History.*

Even though there is an unresolved broken event, the AIN History shows that the AIN is in O’Derry’s possession at this point.

You are here: [AIN Management / Lookup AIN History](#)

AIN History Search

Animal Identification Number:

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event Type
USDA			001 TAGW			06-01-2005	Allocated
001 TAGW	Brown	IN	002NML6	Orwell	NJ	06-12-2005	Shipped
001 TAGW	Brown	IN	00DELL3	O'Derry	KS	06-23-2005	Shipped
00DELL3	O'Derry	KS	001 TAGW	Brown	IN	06-30-2005	Returned
002NML6	Orwell	NJ	001 TAGW	Brown	IN	07-07-2005	Shipped
001 TAGW	Brown	IN	002NML6	Orwell	NJ	07-16-2005	Shipped
001 TAGW	Brown	IN	00EIEIO	McDonald	OH	07-25-2005	Shipped
002NML6	Orwell	NJ	00EIEIO	McDonald	OH	08-04-2005	Shipped

4

④ O’Derry (00DELL3) submitted a return to Brown (001TAGW). Because O’Derry was the last entity shown to be in possession of the AIN, this event is valid, even though there is still an unresolved prior broken event. No new e-mail is sent.

You are here: [AIN Management / Lookup AIN History](#)

AIN History Search

Animal Identification Number:

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event Type
USDA			001 TAGW			06-01-2005	Allocated
001 TAGW	Brown	IN	002NML6	Orwell	NJ	06-12-2005	Shipped
001 TAGW	Brown	IN	00DELL3	O'Derry	KS	06-23-2005	Shipped
001DELL3	O'Derry	KS	001 TAGW	Brown	IN	06-30-2005	Returned
002NML6	Orwell	NJ	001 TAGW	Brown	IN	07-07-2005	Shipped
001 TAGW	Brown	IN	002NML6	Orwell	NJ	07-16-2005	Shipped
001 TAGW	Brown	IN	00EIEIO	McDonald	OH	07-25-2005	Shipped
002NML6	Orwell	NJ	00EIEIO	McDonald	OH	08-04-2005	Shipped

5

⑤ Orwell has responded to the e-mail received about the broken event (④ above) by reporting that the AIN was shipped back to Brown and verifying the broken event. This closes the gap in the AIN History. The AIN Management System still shows that Brown is in possession of the AIN.

You are here: [AIN Management / Lookup AIN History](#)

AIN History Search

Animal Identification Number:

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event Type
USDA			001 TAGW			06-01-2005	Allocated
001 TAGW	Brown	IN	002NML6	Orwell	NJ	06-12-2005	Shipped
001 TAGW	Brown	IN	00DELL3	O'Derry	KS	06-23-2005	Shipped
00DELL3	O'Derry	KS	001 TAGW	Brown	IN	06-30-2005	Returned
002NML6	Orwell	NJ	001 TAGW	Brown	IN	07-07-2005	Shipped
001 TAGW	Brown	IN	002NML6	Orwell	NJ	07-16-2005	Shipped
001 TAGW	Brown	IN	00EIEIO	McDonald	OH	07-25-2005	Shipped
002NML6	Orwell	NJ	00EIEIO	McDonald	OH	08-04-2005	Shipped

6

⑥ Brown (001TAGW) has again shipped the AIN to Orwell (002NML6). Since Brown was the last entity shown to be in possession of the AIN, this is a valid event. Due to this shipment, Orwell is now shown to be in possession of the AIN.

You are here: [AIN Management / Lookup AIN History](#)

AIN History Search

Animal Identification Number:

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event Type
USDA			001 TAGW			06-01-2005	Allocated
001 TAGW	Brown	IN	002NML6	Orwell	NJ	06-12-2005	Shipped
001 TAGW	Brown	IN	00DELL3	O'Derry	KS	06-23-2005	Shipped
00DELL3	O'Derry	KS	001 TAGW	Brown	IN	06-30-2005	Returned
002NML6	Orwell	NJ	001 TAGW	Brown	IN	07-07-2005	Shipped
001 TAGW	Brown	IN	002NML6	Orwell	NJ	07-16-2005	Shipped
001 TAGW	Brown	IN	00EIEIO	McDonald	OH	07-25-2005	Shipped
002NML6	Orwell	NJ	00EIEIO	McDonald	OH	08-04-2005	Shipped

7

8

This next two events show that the AIN was shipped to McDonald. But who shipped the AIN – Brown or Orwell?

⑦ When Brown reported the shipment to McDonald, Orwell was the last entity shown to be in possession of the AIN. Therefore, Orwell will be sent an e-mail about the broken event.

⑧ When Orwell reported the shipment to McDonald, McDonald was already shown to be in possession of the AIN. Therefore, McDonald will be sent an e-mail about the second broken event.

The AIN Management System shows that McDonald is in possession of the AIN. But who shipped the AIN to McDonald – Brown or Orwell? Either event ⑦ or event ⑧ is in error. If Brown shipped the AIN to McDonald, then event ⑧ is in error. But if Orwell shipped the AIN to McDonald, then event ⑦ is in error.

Remember, both Brown and McDonald have received broken event e-mails.

Scenario 1 – Brown shipped the AIN to McDonald.

Orwell would have shipped the AIN back to Brown before Brown could ship the AIN the McDonald. So Orwell would report that the AIN was shipped back to Brown and *verify* the broken event (event ⑦). This would indicate that the AIN was again in Brown’s possession, and would close the gap in the AIN History.

McDonald would *reject* Orwell’s shipment of the AIN (event ⑧).

Scenario 2 – Orwell shipped the AIN to McDonald.

Since Orwell was still in possession of the AIN, Brown could not have shipped it to McDonald. So Orwell would *reject* the event (event ⑦).

McDonald would *verify* Orwell's shipment of the AIN (event ⑧).
In order to fully resolve this conflict, both broken events must be addressed. Only one of the two can be valid, so one of them must be verified, and one must be rejected.

4.6. Report AIN Returns

4.6.1. When to Use

If AINs are returned to you from a producer premises, it is reported as an AIN Return. If AINs are returned to you from a Nonproducer Participant to which you have previously shipped AINs, the Nonproducer Participant must report that shipment. (Refer to the Report AIN Shipment section.)

4.6.2. Applicable Roles and Functions

Sys/Pgmm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4	4			

4.6.3. Performing the Action

<i>Mfr Admin</i>	<i>NPN Admin</i>	<i>Health Official</i>	<i>Scrapie Official</i>
------------------	------------------	------------------------	-------------------------

User Info
Rob Petrie

Public Tools
List ID Devices

Action Items ▲

Validate PIN/NPN
Request AIN Allocation
Report AIN Shipment
Manage Relationships
Scrapie Program Actions
New Program Order

Other Tasks ▲

Manage AIN Package
Report AIN Distribution
Fix AIN Broken Events
Report AIN Returns

Resource Info ▲

Current AIN Holdings
Lookup AIN History
AIN Event Actions
AIN Event Report
Find Program Orders
Scrapie Summary Report

Administration ▲

NPN Details
Help
Logout

User Info
Ward Cleaver

Public Tools
List ID Devices

Action Items ▲

Validate PIN/NPN
Report AIN Shipment
Manage Relationships

Other Tasks ▲

Report AIN Distribution
Fix AIN Broken Events
Report AIN Returns

Resource Info ▲

Current AIN Holdings
Lookup AIN History
AIN Event Actions
AIN Event Report

Administration ▲

NPN Details
Help
Logout

To report an AIN return, click on [Report AIN Returns](#).

You are here: [AIN Management](#) / [Report AIN Returns](#)

AIN Return

AINs Package AIN Collection

Starting AIN: 840003

Number of AINs Shipped:

Ending AIN (calculated):

Event Date: * 12-13-2005

(From) PIN: *

(To) NPN: 002RNRC

Available Actions

The Report AIN Returns screen will be displayed.

You are here: [AIN Management](#) / [Report AIN Returns](#)

AIN Return

AINs Package AIN Collection

Starting AIN: 840003000010411

Number of AINs Shipped: 10

Ending AIN (calculated): 840003000010420

Event Date: * 12-13-2005

(From) PIN: *

(To) NPN: 002RNRC

Available Actions

There are three ways to enter which AINs you are reporting as returned to you, indicated by the three tabs at the top of the AIN Shipment Information section: AINs, Package, and AIN Collection.

With the AINs tab selected, you will need to enter the range of AINs you are reporting as returned. To record AINs, type in the first AIN in the **Starting AIN** field. The AIN will begin with 840003. Type in the

number of AINs being returned in the **Number of AINs Shipped** field. The **Ending AIN** will be automatically calculated.



The **Event Date** will default to today's date. Type in the shipping date in the **Event Date** field, if different from today's date. Alternatively, click on the calendar icon to select the shipping date from the Date Picker.

Note: You may choose a date earlier than today's date, but you may not choose a date later than today's date.

You are here: [AIN Management / Report AIN Returns](#)

AIN Return

AINs	Package	AIN Collection
Starting AIN:	840003000010411	
Number of AINs Shipped:	10	
Ending AIN (calculated):	840003000010420	
Event Date: *	12-13-2005	
(From) PIN: *	000LITB	
(To) NPN:	002RNRC	
<input type="button" value="Validate Source Number"/>		

Available Actions

Type in the PIN of the producer premises which is returning the AINs in the **(From) PIN** field. Then click on the button to validate the PIN.

- **The source PIN/NPN was retrieved from the database.**

You are here: [AIN Management](#) / [Report AIN Returns](#)

AIN Return

AINs
Package
AIN Collection

Starting AIN:	<input type="text" value="840003000010411"/>	
Number of AINs Shipped:	<input type="text" value="10"/>	
Ending AIN (calculated):	<input type="text" value="840003000010420"/>	

Event Date: *

(From) PIN: *

(To) NPN:

Destination Info

NPN:	002RNRC
Name:	Barracuda, Ltd.
Street:	148 Bonny Meadow Road
City, State, ZIP:	New Rochelle, NY 10805-3552
Operation Type:	P

Available Actions

If the PIN is valid, the information will be displayed.

Click on the button to report the AIN return.

- **The AIN(s) was/were successfully returned.**

The AIN Return will be recorded.

4.7. Report AIN Transfer

4.7.1. When to Use

When AINs are moved from one premises to another, use the Report AIN Transfer function instead of the Report AIN Shipment function. Shipments can only be made by AIN tag manufacturers, managers, and resellers.

4.7.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4					4		


4.7.3. Performing the Action

Mfr Admin

NPN Admin

Health Official

Scrapie Official



To report a transfer of AINs from one premises to another, click on [Report AIN Transfer](#).

You are here: [AIN Management / Report AIN Transfer](#)

AIN Transfer

AINs Package AIN Collection

Starting AIN: 840003

Number of AINs Shipped:

Ending AIN (calculated):

Event Date: * 12-13-2008

Transferred from (PIN): * Validate Source Number

Transferred to (PIN): * Validate Number

Available Actions

Submit Transfer

The Report AIN Transfer screen will be displayed.

You are here: [AIN Management / Report AIN Transfer](#)

AIN Transfer

AINs Package AIN Collection

Starting AIN: 8400030000010411

Number of AINs Shipped: 10

Ending AIN (calculated): 8400030000010420

Event Date: * 12-13-2008

Transferred from (PIN): * 004BV5H Validate Source Number

Transferred to (PIN): * 006PYLE Validate Number

Available Actions

Submit Transfer

If a series of AINs is being transferred, report the transfer under the AINs tab.

Type the first AIN of the series in the **Starting AIN** field. Type the quantity of AINs in the series in the **Number of AINs Shipped** field.

Type the PIN of the premises *from* which the AINs are being transferred in the [Transferred from \(PIN\)](#) field. Type the PIN of the premises *to* which the AINs are being transferred in the [Transferred to \(PIN\)](#) field.

You are here: [AIN Management](#) / [Report AIN Transfer](#)

The screenshot shows a web application interface for reporting AIN transfers. At the top, there is a breadcrumb trail: "You are here: [AIN Management](#) / [Report AIN Transfer](#)". Below this is a section titled "AIN Transfer" with three tabs: "AINs", "Package", and "AIN Collection". The "Package" tab is selected. The form contains the following fields and buttons:

- Mfr Package Number:** A text input field containing "002RNRC-RFA0001".
- Event Date: *** A date input field containing "01-24-2008" with a calendar icon to its right.
- Transferred from (PIN): *** A text input field containing "004BV5H". To its right is a yellow button labeled "Validate Source Number".
- Transferred to (PIN): *** A text input field containing "006PYLE". To its right is a yellow button labeled "Validate Number".

Below the form is a section titled "Available Actions" containing a single yellow button labeled "Submit Transfer".

If an unbroken package of AINs is being transferred, report the transfer under the Package tab.

Type the package ID in the [Mfr Package Number](#) field.

Type the PIN of the premises *from* which the AINs are being transferred in the [Transferred from \(PIN\)](#) field. Type the PIN of the premises *to* which the AINs are being transferred in the [Transferred to \(PIN\)](#) field.

You are here: [AIN Management](#) / [Report AIN Transfer](#)

AIN Transfer

AINs Package AIN Collection

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Event Date: *

Transferred from (PIN): *

Transferred to (PIN): *

Available Actions

If non-consecutive AINs are being transferred, report the transfer under the AIN Collection tab.

Type the AINs being shipped in the [Non-Consecutive AINs](#) field. Indicate a series of AINs with a hyphen, and separate AINs and series of AINs with a comma.

Alternately, you can upload a file containing the non-consecutive AINs being shipped. Click on the button, select the file containing the AINs being shipped, then click the button. The file should be a text (.txt) file, and the AINs in the file should follow the same rules as for entering AINs manually.

Type the PIN of the premises *from* which the AINs are being transferred in the [Transferred from \(PIN\)](#) field. Type the PIN of the premises *to* which the AINs are being transferred in the [Transferred to \(PIN\)](#) field.

- **The source PIN/NPN was retrieved from the database.**

You are here: [AIN Management](#) / [Report AIN Transfer](#)

AIN Transfer

AINs Package AIN Collection

Starting AIN:	<input type="text" value="840003000010411"/>
Number of AINs Shipped:	<input type="text" value="10"/>
Ending AIN (calculated):	<input type="text" value="840003000010420"/>

Event Date: * 

Transferred from (PIN): *

Transferred to (PIN): *

Premises Transferred From Info

PIN:	004BV5H
Name:	Milburn Drysdale
Street:	518 Crestview Dr
City, State, ZIP:	Beverly Hills, CA 90210-4225
Operation Type:	P

Available Actions

Click on the button to validate the PIN of the premises *from* which the AINs are being transferred. The information for the source premises will be displayed.

- **The destination PIN/NPN was retrieved from the database.**

You are here: [AIN Management](#) / [Report AIN Transfer](#)

AIN Transfer

AINs	Package	AIN Collection
Starting AIN:	840003000010411	
Number of AINs Shipped:	10	
Ending AIN (calculated):	840003000010420	
Event Date: *	12-13-2005 <input type="button" value="Calendar"/>	
Transferred from (PIN): *	004BV5H	<input type="button" value="Validate Source Number"/>
Transferred to (PIN): *	006PYLE	<input type="button" value="Validate Number"/>

Premises Transferred To Info

PIN:	006PYLE
Name:	Andy Taylor
Street:	131 Maple St
City, State, ZIP:	Mayberry, NC 27030-1445
Operation Type:	P

Available Actions

Click on the button to validate the PIN of the premises *to* which the AINs are being transferred. The information for the destination premises will be displayed.

Click on the button to report the transfer of AINs.

- **The AIN(s) was/were successfully transferred.**

The AIN transfer will be recorded.

5. RESOURCE INFO

5.1. Current AIN Holdings

5.1.1. When to Use

Before you can apply AINs to ID tags, create packages of AINs, or ship AINs to a Producer Premises or Nonproducer Participant, you need to know what AINs are in your possession. Current AIN Holdings gives you this information. This includes all AINs which have been allocated to you, whether or not they have been applied to AIN tags, which have not been shipped to another entity.

5.1.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4	4	4		

5.1.3. Performing the Action

Mfr Admin

NPN Admin

Health Official

Scrapie Official

To view which AINs are in your possession, click on [Current AIN Holdings](#).

You are here: [AIN Management](#) / [Current AIN Holdings](#)

Nonproducer Participant Information

NPN: 002RNRC Get Current Holdings

AINs

Start AIN	End AIN	# of AINs
-----------	---------	-----------

The Current AIN Holdings screen will be displayed. Click on the Get Current Holdings button to display a list of AINs currently in your possession.

You are here: [AIN Management](#) / [Current AIN Holdings](#)

Nonproducer Participant Information

NPN: 002RNRC Get Current Holdings

AINs

Start AIN	End AIN	# of AINs
840003000010361	840003000010385	25
840003000010386	840003000010410	25
840003000010411	840003000010460	50
840003000016428	840003000016577	150

A list of all AINs in your possession will be displayed.

5.2. Look Up AIN History

5.2.1. When to Use

Use Look Up AIN History to determine what entity is currently or ever has been in possession of a specific AIN.

5.2.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4	4	4	4	

5.2.3. Performing the Action

Mfr Admin

NPN Admin

Health Official

Scrapie Official

To view the history of an AIN, click on [Lookup AIN History](#).

You are here: [AIN Management / Lookup AIN History](#)

AIN History Search

NPN: 002RNRC

Animal Identification Number:

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event Type

The Lookup AIN History screen will be displayed.

You are here: [AIN Management / Lookup AIN History](#)

AIN History Search

NPN: 002RNRC

Animal Identification Number:

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event Type

Type the AIN you want to track in the [Animal Identification Number](#) field. Be sure to accurately enter the entire 15-digit AIN. Then click on the button.

- **Success! AIN History found.**

You are here: [AIN Management](#) / [Lookup AIN History](#)

AIN History Search

Animal Identification Number:

Primary AIN ID: 840003000010371

Current Premises: 002RNRC

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event
USDA			002RNRC			09-27-2008	Allocated

The shipping history of the entered AIN will be displayed. In this example, the record shows only that the AIN was allocated to the manufacturer. It has not yet been shipped to another entity.

Note: If you are an AIN tag manufacturer, manager, or reseller, you will only be able to view the history of AINs which have been in your possession at some time. If you are a State Health Official, you will only be able to view the history of AINs which have been shipped to a producer premises in your state.

- **Success! AIN History found.**

You are here: [AIN Management](#) / [Lookup AIN History](#)

AIN History Search

Animal Identification Number:

Primary AIN ID: 840003000010371

Current Premises: 002RNRC

Device Name: RFID Tag 101

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event
USDA			002RNRC			09-27-2008	Allocated
002RNRC	Barracuda, Ltd	NY	004SAM7	Endora Farms	CT	10-24-2008	Shipped

If the AIN has been applied to an AIN tag by a manufacturer, the name of the device to which the AIN has been applied will be displayed.

- **Success! AIN History found.**

You are here: [AIN Management / Lookup AIN History](#)

AIN History Search

Animal Identification Number:

Primary AIN ID: 840003000010371
Current Premises: 002RNRC
Disease Program: Scrapie
Scrapie Flock ID: CT25
Scrapie Order: [Get Scrapie Program Order 371](#)
Device Name: RFID Tag 101

AIN History Search Results

Source			Destination			Date & Event Type	
Premises ID	Name	ST	Premises ID	Name	ST	Date	Event
USDA			002RNRC			09-27-2008	Allocated
002RNRC	Barracuda, Ltd	NY	004SAM7	Endora Farms	CT	10-24-2008	Shipped

In cases where there are one or more secondary AIN IDs assigned to an AIN, such as with various disease programs, the Primary AIN ID will be displayed along with all secondary AIN IDs associated with it.

5.3. AIN Event Actions

5.3.1. When to Use

5.3.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4	4		4	

5.3.3. Performing the Action

You are here: AIN Management / AIN Event Actions

AIN Event Action

Source NPN:* Dest PIN/NPN:*

Begin Date:*  End Date:* 

Event Type: 

(* either a Source or Destination NPN is required)

Report

• **4 Results Found.**

You are here: AIN Management / AIN Event Actions

AIN Event Action

Source NPN:* Dest PIN/NPN:*

Begin Date:*  End Date:* 

Event Type: 

(* either a Source or Destination NPN is required)

Report

Date	Event Type	Source	Destination	Details
03-14-2008	Shipped	003RNRC	000LITB	details
04-25-2008	Shipped	003RNRC	000LITB	details
06-07-2008	Shipped	003RNRC	004SAM7	details
08-08-2008	Shipped	003RNRC	000LITB	details

5.4. AIN Event Action Detail

5.4.1. When to Use

5.4.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Ad-min	Mfr User	NPN Ad-min	NPN User	Health Official	Scrapie Official	State Report
4	4		4	4		4	

5.4.3. Performing the Action

- **Success! Event Action Detail Found.**

You are here: [AIN Management](#) / [AIN Event Actions](#) / [AIN Event Action Detail](#)

User Action Information	
Action ID:	155145
User Name:	Ward Cleaver
Service:	createAinShipmentEvent
Action Description:	Create an AIN shipment event
Date:	08-17-2008 10:12:15 CDT
Result:	SUCCESS

AIN Collection	
Number of AINs:	25
AIN IDs:	840003000013579- 840003000013603

User Action Parameter Values	
Parameter Name	Value
Source PIN/NPN	000LITB
Destination PIN/NPN	004BV5H
Destination State	CA
Ain Id	840003000013579
Ain Range	25
Manufacturer Device Id	RFID-7

- **Success! Event Action Detail Found.**

You are here: [AIN Management](#) / [AIN Event Actions](#) / [AIN Event Action Detail](#)

User Action Information

Action ID:	155145
User Name:	Ward Cleaver
Service:	createAinShipmentEvent
Action Description:	Create an AIN shipment event
Date:	08-17-2008 10:12:15 CDT
Result:	SUCCESS

AIN Collection

Number of AINs:	1
AIN IDs:	840003000013579 840003000013603

User Action Parameter Values

Parameter Name	Value
Source PIN/NPN	000LITB
Destination PIN/NPN	004BV5H
Destination State	CA
Ain Id	840003000013579
Manufacturer Device Id	RFID-7

- **Success! Event Action Detail Found.**

You are here: [AIN Management](#) / [AIN Event Actions](#) / [AIN Event Action Detail](#)

User Action Information

Action ID:	163049
User Name:	Darrin Stevens
Service:	createAinProgramShipmentEvent
Action Description:	Create Discease Program Shipment
Date:	06-03-2008 11:22:33 EDT
Result:	WARNING

AIN Collection

Number of AINs:	25
AIN IDs:	CT25 203000101- CT25 203000125

User Action Parameter Values

Parameter Name	Value
Source PIN/NPN	003FKB4
Destination PIN/NPN	004SAM7
WARNING	BROKEN_EVENT
WARNING	NOT_ACTIVE_MANAGER_OR_RESELLER
WARNING	RELATIONSHIP
Disease Program Code	SCRAPIE
Scrapie Customer Id	CT25
Source PIN/NPN	003FKB4
Destination State	CT

5.5. AIN Event Report

5.5.1. When to Use

Whenever you want to determine which AINs have been shipped, allocated, or returned, according to specific criteria, including source or destination entities, date ranges, device types, and AIN range.

Note: You will only be able to obtain a report for AINs which have been in your possession at some time.

5.5.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4	4			

5.5.3. Performing the Action

Mfr Admin

NPN Admin

Health Official

Scrapie Official

To create an AIN Event Report, click on AIN Event Report.

You are here: [AIN Management](#) / [AIN Event Report](#)

AIN Event Report

Begin AIN ID: <input type="text"/>	End AIN ID: <input type="text"/>
Source NPN:* <input type="text"/>	Dest PIN/NPN:* <input type="text"/>
Source ST: <input type="text" value="▼"/>	Dest ST: <input type="text" value="▼"/>
Begin Date:* <input type="text" value=""/>	End Date:* <input type="text" value=""/>
Event Type: <input style="background-color: #e0e0e0; border: 1px solid #ccc;" type="text" value="Shipped"/>	Device Name: <input type="text" value="▼"/>
Flock ID:* <input type="text"/>	
Totals Only: <input type="checkbox"/>	Page Size: <input style="background-color: #e0e0e0; border: 1px solid #ccc;" type="text" value="100"/>

(* either a Source or Destination NPN (or Flock ID) is required)

Report

The AIN Event Report screen will be displayed.

You are here: [AIN Management](#) / [AIN Event Report](#)

AIN Event Report

Begin AIN ID: <input type="text"/>	End AIN ID: <input type="text"/>
Source NPN:* <input type="text" value="002RNRC"/>	Dest PIN/NPN:* <input type="text"/>
Source ST: <input type="text" value="▼"/>	Dest ST: <input type="text" value="▼"/>
Begin Date:* <input type="text" value=""/>	End Date:* <input type="text" value=""/>
Event Type: <input style="background-color: #e0e0e0; border: 1px solid #ccc;" type="text" value="Shipped"/>	Device Name: <input type="text" value="▼"/>
Flock ID:* <input type="text"/>	
Totals Only: <input type="checkbox"/>	Page Size: <input style="background-color: #e0e0e0; border: 1px solid #ccc;" type="text" value="100"/>

(* either a Source or Destination NPN (or Flock ID) is required)

Report

Enter the search criteria for the report you want to generate. As a minimum, either the NPN for the entity which shipped the AIN(s) (**Source NPN**), or the PIN or NPN for the entity which received the AIN(s) (**Dest PIN/NPN**), or the Scrapie **Flock ID** must be entered.

If entering *either* a source *or* destination NPN, it must be your entity's NPN. If entering *both* a source *and* a destination NPN, one of the two must be your entity's NPN.

Click on the button.

You are here: [AIN Management](#) / [AIN Event Report](#)

AIN Event Report

Begin AIN ID:	<input type="text"/>	End AIN ID:	<input type="text"/>
Source NPN:*	<input type="text" value="002RNRC"/>	Dest PIN/NPN:*	<input type="text"/>
Source ST:	<input type="text" value=""/>	Dest ST:	<input type="text" value=""/>
Begin Date:*	<input type="text" value=""/>	End Date:*	<input type="text" value=""/>
Event Type:	<input type="text" value="Shipped"/>	Device Name:	<input type="text" value=""/>
Flock ID:*	<input type="text" value=""/>		
Totals Only:	<input type="checkbox"/>	Page Size:	<input type="text" value="100"/>

(* either a Source or Destination NPN (or Flock ID) is required)

Report

[previous page](#) / [next page](#)

AIN	Date	Source	Destination
840003000010361	07-07-2005	002RNRC	004BV8H
840003000010362	07-07-2005	002RNRC	004BV8H
840003000010363	07-07-2005	002RNRC	004BV8H
840003000010364	07-07-2005	002RNRC	004BV8H
840003000010365	07-07-2005	002RNRC	004BV8H
840003000010366	07-07-2005	002RNRC	004BV8H
840003000010367	07-07-2005	002RNRC	004BV8H
840003000010368	07-07-2005	002RNRC	004BV8H
840003000010369	07-07-2005	002RNRC	004BV8H
840003000010370	07-07-2005	002RNRC	004BV8H
840003000010411	12-13-2005	002RNRC	002G6XQ
840003000010412	12-13-2005	002RNRC	002G6XQ
840003000010413	12-13-2005	002RNRC	002G6XQ
840003000010414	12-13-2005	002RNRC	002G6XQ
840003000010415	12-13-2005	002RNRC	002G6XQ
840003000010416	12-13-2005	002RNRC	002G6XQ
840003000010417	12-13-2005	002RNRC	002G6XQ
840003000010418	12-13-2005	002RNRC	002G6XQ
840003000010419	12-13-2005	002RNRC	002G6XQ
840003000010420	12-13-2005	002RNRC	002G6XQ

[previous page](#) / [next page](#)

The list of AINs which meet the report criteria will be displayed.

To export the report data to a spreadsheet, click on the button.

5.6. State Reports

5.6.1. When to Use

Federal and State Health Officials may generate reports concerning AINs within a state. Currently only one report is available.

5.6.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4					4		4


5.6.3. Performing the Action

Mfr Admin

NPN Admin


Health Official

Scrapie Official



To generate a report, click on [State Reports](#).

You are here: [AIN Management / State Reports](#)



The State Reports screen will be displayed. Click on [PIN Shipment Report](#).

5.7. State Producer Ship Report

5.7.1. When to Use

Federal and State Health Officials may generate a report of which AINs have moved (shipped, returned, transferred) within a state.

5.7.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4					4		4

5.7.3. Performing the Action

You are Here: AIN Management / State Reports / PIN Shipment Report

State PIN Shipment Report

State: *

Start Date: * 

End Date: * 

Destination PIN:

Scrapie Flock ID:

Report

AIN	Event Type	Date	Source NPN	PIN	PIN Name

After you click on the [PIN Shipment Report](#) link, the PIN Shipment Report screen will be displayed. Federal Health Officials may select the state for which they want to generate a report. State Health Officials can only generate a report for their own state.

Type in the beginning and ending dates for the report. Alternately, click on the calendar icon to select the shipping date from the Date Picker.

You may optionally type in a premises PIN to which the AINs were shipped or transferred.

You may optionally type in a Scrapie Flock ID.

When you have entered the report criteria, click on the button.

• 37 Results Found.

You are Here: [AIN Management](#) / [State Reports](#) / [PIN Shipment Report](#)

State PIN Shipment Report

State: *

Start Date: *

End Date: *

Destination PIN:

Scrapie Flock ID:

Report

AIN	Event Type	Date	Source NPN	PIN	PIN Name
840003000010671	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010672	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010673	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010674	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010675	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010676	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010677	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010678	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010679	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010680	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010681	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010682	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010683	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010684	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010685	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010686	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010687	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010688	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010689	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010690	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010691	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010692	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010693	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010694	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010694	Returned	09-29-2008	000LITB	003RNRC	Barracuda, Ltc
840003000010695	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010696	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010697	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010698	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010699	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010700	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010701	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010702	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010703	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010704	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010705	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist
840003000010706	Shipped	09-29-2008	003RNRC	000LITB	Beaver Dist

The report of your search will be displayed.

You are Here: [AIN Management](#) / [State Reports](#) / [PIN Shipment Report](#)

State PIN Shipment Report

State: * 

Start Date: * 

End Date: * 

Destination PIN:

Scrapie Flock ID:

Report

AIN	Event Type	Date	Source NPN	PIN	PIN Name
-----	------------	------	---------------	-----	----------

You may export the report data to an Excel spreadsheet by clicking on the button.

5.8. Find Program Orders


5.8.1. When to Use

Use Find Program Orders to view orders for Scrapie Animal ID Tags placed by a specific submitter, or placed with a specific manufacturer. (Other programs will be added in the future.)

5.8.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4	4				4	

5.8.3. Performing the Action

<i>Mfr Admin</i>	<i>NPN Admin</i>	<i>Health Official</i>	<i>Scrapie Official</i>
			

To locate program orders which have already been created, click on [Find Program Orders](#).

You are here: [AIN Management / Find Program Orders](#)

Related Actions: [New Scrapie Program Order](#)

Find Program Orders

Disease Program:

Manufacturer:*

Device:

Customer ID:*

Begin Date Created:

Begin Date Modified:

Order Id:

Submitter NPN: *

Order Status:

State: *

End Date Created:

End Date Modified:

Page Size:

Orders

Flock/ Person ID	Submitting NPN	Manufacturer NPN	Date Created	Order Size	Status
---------------------	-------------------	---------------------	-----------------	---------------	--------

The Find Program Orders screen will be displayed.

The default selected [Disease Program](#) is Scrapie.

You are here: [AIN Management / Find Program Orders](#)

Related Actions: [New Scrapie Program Order](#)

Find Program Orders

Disease Program: ↖

Manufacturer:* ↖

Device:

Customer ID:*

Begin Date

Created:

Begin Date

Modified:

Order Id:

Submitter

NPN: *

Order

Status:

State: *

End Date

Created:

End Date

Modified:

Page Size:

Orders

Flock/ Person ID	Submitting NPN	Manufacturer NPN	Date Created	Order Size	Status
---------------------	-------------------	---------------------	-----------------	---------------	--------

You can find program orders for a specific submitter or for a specific manufacturer. Either type in the NPN for the submitter whose orders you want to find in the [Submitter NPN](#) field, or select the manufacturer whose orders you want to find from the [Manufacturer](#) drop-down menu.

You can enter additional search criteria for orders.

- [Device](#) – shows orders for a specific Animal ID Tag.
- [Customer ID](#) – shows orders for a specific customer.
- [Order Status](#) – shows orders by status – new, part fulfilled, fulfilled, or cancelled.
- [Begin Date/End Date](#) – shows orders created in a date range.

When you have entered all the search criteria for the program orders you want to find, click on the button.

You are here: AIN Management / Find Program Orders

Find Program Orders

Disease Program:

Manufacturer *

Submitter NPN: *

Device:

Customer ID:

Order Status:

Begin Date:

End Date:

Order Id:

Page Size:

Orders

Flock/ Person ID	Submitting NPN	Manufacturer NPN	Date	Order Size	Status
4091	004SAM7	002G040	11-02-2005	100	OPEN
4091	004SAM7	002G040	11-02-2005	44	OPEN
4091	004SAM7	002G040	11-02-2005	44	FULFILLED
COME01	004SAM7	002G040	11-02-2005	300	OPEN
COME01	004SAM7	002G040	11-02-2005	100	FULFILLED
COME01	004SAM7	002G040	11-02-2005	200	OPEN
COME01	004SAM7	002G040	11-02-2005	100	OPEN
COME01	004SAM7	002G040	11-02-2005	100	OPEN
COME01	004SAM7	002G040	11-02-2005	100	OPEN
COME01	004SAM7	004QSFZ	11-02-2005	300	OPEN
COME01	004SAM7	002G040	11-02-2005	100	OPEN
COME01	004SAM7	002G7JD	11-02-2005	10	OPEN
COME01	004SAM7	002G040	11-02-2005	100	OPEN
COME01	004SAM7	002G040	11-02-2005	100	OPEN
COME01	004SAM7	002G040	11-02-2005	100	OPEN
4091	004SAM7	002G040	11-02-2005	45	OPEN
COME01	004SAM7	002G7JD	11-02-2005	200	OPEN
CA006	004SAM7	002G7JD	10-31-2005	200	FULFILLED
COLR98	004SAM7	002GCNK	10-31-2005	100	FULFILLED
COLR98	004SAM7	002G836	10-31-2005	200	FULFILLED

All program orders which meet your search criteria will be displayed.
 To view an order, click on the [ID](#) link.

- **Success! Scrapie Order Found.**

You are here: [AIN Management](#) / [New Scrapie Program Order](#)

Nonproducer Participant Information

Submitter NPN: 004SAM7

Program Contact Info

Order Status: New

Tag Recipient: * SFCP Participant

Flock/Person ID: * CT25

State: * Connecticut

Let AINM Guess Prem ID:

Destination Information

Contact Type: BRD-MAIL1

Contact Name: Larry Tate

Company: McMahon & Tate

Address: 1164 Morning Glory Drive

City, State, ZIP: Westport, CT 06880-0105

Phone: 203-555-1164

Email Address: NA

National Prem ID: 004SAM7

Program Participation: Participating

Program Order Information

Manufacturer * BARRACUDA, LTD.

Device: * 003RNRC-21

Order Quantity: * 25

Quantity Fulfilled: 0

Due Date:

Tagging Devices:

(non 840) Sequence Start: 203000101

Print Flock ID: False

Product Color:

Remarks (255 characters max):

Available Actions

OPEN orders may be updated or canceled.

AIN Tag Manufacturers can fulfill OPEN and PART FULFILLED orders. (This function is not available to Scrapie Officials.) To process the order, click on the  button.

5.9. Fulfill Scrapie Orders

5.9.1. When to Use

5.9.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4	4				4	

5.9.3. Performing the Action

You are here: [AIN Management](#) / [Edit Scrapie Order](#) / [Fulfill Scrapie Order](#)

Program Order Information

Order Status:	OPEN
Submitter NPN:	004SAM7
Tag Recipient:	SFCP Participant
Flock/Person ID:	CT25
Customer State:	CT
Contact Name:	Larry Tate
Company:	McMahon & Tate
Address:	1164 Morning Glory Drive
City, State, ZIP:	Westport, CT 06880-0105
Phone:	203-555-1164
Manufacturer:	BARPACUDA, LTD.
Device:	003RNRC-21
Order Quantity:	25
Quantity Fulfilled:	0
Tag Sequence Request (e.g. 800010-800050):	

Destination Information

National Prem ID:	
-------------------	--

AIN Shipment Information

AIN ID Prefix:	<input checked="" type="checkbox"/>	CT25
AINs		AIN Collection
Starting AIN:		
Number of AINs Shipped:	25	
Ending AIN (calculated):		

Available Actions

When an AIN Tag Manufacturer creates a new order, the Fulfill Scrapie Order screen will be displayed.

15 characters. A space is added between the Device Prefix and the AIN. Make sure that the AIN ID Prefix plus space plus AIN total not more than 15 characters.

Type in the first number in the AIN series in the Starting AIN field. The Number of AINs Shipped will default to the total number of AINs in the order. If you are shipping fewer than the total number of AIN Tags, type in the number of AIN Tags being shipped in the Number of AINs Shipped field. The Ending AIN field will automatically calculate.

When you have completed all fields, click on the button to fulfill the order.

You are here: [AIN Management](#) / [Edit Scrapie Order](#) / [Fulfill Scrapie Order](#)

Program Order Information

Order Status:	OPEN
Submitter NPN:	004SAM7
Tag Recipient:	<input type="text" value="SFCP Participant"/>
Flock/Person ID:	CT25
Customer State:	CT
Contact Name:	Larry Tate
Company:	McMahon & Tate
Address:	1164 Morning Glory Drive
City, State, ZIP:	Westport, CT 06880-0105
Phone:	203-555-1164
Manufacturer:	<input type="text" value="BARRACUDA, LTD."/>
Device:	<input type="text" value="003RNRC-21"/>
Order Quantity:	25
Quantity Fulfilled:	0
Tag Sequence Request (e.g. 800010-800050):	

Destination Information

National Prem ID:	
-------------------	--

AIN Shipment Information

AIN ID Prefix:

AINs | **AIN Collection**

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Available Actions

Click on the [AIN Collection](#) tab to ship non-consecutive AINs.

Type the AINs being shipped in the [Non-Consecutive AINs](#) field. Indicate a series of AINs with a hyphen, and separate AINs and series of AINs with a comma.

Alternately, you can upload a file containing the non-consecutive AINs being shipped. Click on the button, select the file containing the AINs being shipped, then click the button. The file should be a text (.txt) file, and the AINs in the file should follow the same rules as for entering AINs manually.

When you have completed all fields, click on the button to fulfill the order.

- **Success! Scrapie Order fulfilled.**

You are here: [AIN Management / Edit Scrapie Order](#)

Nonproducer Participant Information	
Submitter NPN:	004SAM7
Program Order Information	
Order Status:	FULFILLED <input type="button" value="Show AINs in Order"/>
Tag Recipient:	SFCP Participant
Flock/Person ID:	CT25
Customer State:	CT
Contact Name:	Larry Tate
Company:	McMahon & Tate
Address:	1164 Morning Glory Drive
City, State, ZIP:	Westport, CT 06880-0105
Phone:	203-555-1164
Email Address:	NA
National Prem ID:	004SAM7
Manufacturer:	BARRACUDA, LTD.
Device:	003RNR-21
Order Quantity:	25
Quantity Fulfilled:	25
Tag Sequence (premises/SFCP tags only):	203000101-203000125
Available Actions	

The Edit Scrapie Order screen will be displayed. Since the order has been fulfilled, no fields are editable, and the [Order Status](#) has been set to FULFILLED.

If the number of AINs entered in the [Number of AINs Shipped](#) field or the [Non-Consecutive AINs](#) field on the previous screens is fewer than the number of AINs in the [Order Quantity](#) field, the number of AINs shipped will be displayed in the [Quantity Fulfilled](#) field and the status will be set to PART_FULFILLED.

To list the AINs which are included in this order, click on the button.

You are here: [AIN Management](#) / [Edit Scrapie Order](#)

Nonproducer Participant Information

Submitter NPN: 004SAM7

Program Order Information

Order Status: FULFILLED

Tag Recipient: SFCP Participant

Flock/Person ID: CT25
 Customer State: CT
 Contact Name: Larry Tate
 Company: McMahon & Tate
 Address: 1164 Morning Glory Drive
 City, State, ZIP: Westport, CT 06880-0105
 Phone: 203-555-1164
 Email Address: NA
 National Prem ID: 004SAM7
 Manufacturer: BARRACUDA, LTD.
 Device: 003RNRC-21
 Order Quantity: 25
 Quantity Fulfilled: 25
 Tag Sequence (premises/SFCP tags only): 203000101-203000125

Ains In Order

CT25 203000101	CT25 203000102	CT25 203000103	CT25 203000104
CT25 203000105	CT25 203000106	CT25 203000107	CT25 203000108
CT25 203000109	CT25 203000110	CT25 203000111	CT25 203000112
CT25 203000113	CT25 203000114	CT25 203000115	CT25 203000116
CT25 203000117	CT25 203000118	CT25 203000119	CT25 203000120
CT25 203000121	CT25 203000122	CT25 203000123	CT25 203000124
CT25 203000125			

Available Actions

The AINs which are included in this order will be displayed.

5.10. Scrapie Summary Report

5.10.1. When to Use

5.10.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4	4				4	

5.10.3. Performing the Action

<i>Mfr Admin</i>	<i>NPN Admin</i>	<i>Health Official</i>	<i>Scrapie Official</i>
------------------	------------------	------------------------	-------------------------



The screenshot shows the Mfr Admin menu with sections: User Info (Rob Petrie), Public Tools (List ID Devices), Action Items (Validate PIN/NPN, Request AIN Allocation, Report AIN Shipment, Manage Relationships, Scrapie Program Actions, New Program Order), Other Tasks (Manage AIN Package, Report AIN Distribution, Fix AIN Broken Events, Report AIN Returns), Resource Info (Current AIN Holdings, Lookup AIN History, AIN Event Actions, AIN Event Report, Find Program Orders, Scrapie Summary Report), and Administration (NPN Details, Help, Logout). The 'Scrapie Summary Report' item is highlighted with a red box.



The screenshot shows the Scrapie Official menu with sections: User Info (Darrin Stevens), Public Tools (List ID Devices), Action Items (Scrapie Program Actions, New Program Order, Ship Program AINs), Other Tasks, Resource Info (Lookup AIN History, AIN Event Actions, Find Program Orders, Scrapie Summary Report), and Administration (Help, Logout). The 'Scrapie Summary Report' item is highlighted with a red box.

You are here: AIN Management / Scrapie Summary Report

Related Actions: [New Scrapie Program Order](#)

Find Program Orders

Month:	<input type="text" value="April"/>	Year:	<input type="text" value="2008"/>
State:	<input type="text"/>	Tag	<input type="text"/>
Customer ID:	<input type="text"/>	Recipient:	<input type="text"/>
Manufacturer:	<input type="text" value="BARRACUDA,LTD."/>	Submitter	<input type="text"/>
		NPN:	<input type="text"/>

Summary

Flock/ Person ID	State	Customer Type	Count
---------------------	-------	---------------	-------

6. ADMINISTRATION

6.1. NPN Details

6.1.1. When to Use

System/Program Admin users may view the NPN Details for any NPN through this screen.

6.1.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.1.3. Performing the Action

Sys/Pgm Admin

The screenshot shows a vertical menu for the Sys/Pgm Admin role. The menu is organized into several sections, each with a blue header and a right-pointing arrow. The sections are: User Info (Alex Stone), Public Tools (List ID Devices), Action Items (Validate PIN/NPN, Request AIN Allocation, Report AIN Shipment, Manage Relationships, Scrapie Program Actions, New Program Order, Ship Program AINs), Other Tasks (Manage AIN Package, Report AIN Distribution, Fix AIN Broken Events, Report AIN Returns, Report AIN Transfer), Resource Info (Current AIN Holdings, Lookup AIN History, AIN Event Actions, AIN Event Report, State Reports, Find Program Orders, Scrapie Summary Report), and Administration (NPN Details, System Administration, Enter Approved Devices, Recall/Invalidate AIN, Allocate non-840 AINs, Help, Logout). The 'Administration' section header and its first item, 'NPN Details', are highlighted with a red rectangular box.

To access NPN information, click on [NPN Details](#).

You are here: [AIN Management](#) / [NPN Details](#)



Nonproducer Participant Information

NPN:

This NPN Details screen will be displayed to Administrators. The user's NPN will populate the NPN field. To view the NPN Details for another NPN, enter the NPN in the NPN field, then click on the button. The appropriate NPN Details screen (Entity Details – section 6.2) will then be displayed.

6.2. NPN Details (Entity Details)

6.2.1. When to Use

To view, add, and edit your NPN locations, contacts, and users, to select which states are serviced by your organization, and to create relationships with other NPNs.

6.2.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.2.3. Performing the Action

<i>Mfr Admin</i>	<i>NPN Admin</i>	<i>Health Official</i>	<i>Scrapie Official</i>
------------------	------------------	------------------------	-------------------------

User Info
Rob Petrie

Public Tools
List ID Devices

Action Items ▲

Validate PIN/NPN
Request AIN Allocation
Report AIN Shipment
Manage Relationships
Scrapie Program Actions
New Program Order

Other Tasks ▲

Manage AIN Package
Report AIN Distribution
Fix AIN Broken Events
Report AIN Returns

Resource Info ▲

Current AIN Holdings
Lookup AIN History
AIN Event Actions
AIN Event Report
Find Program Orders
Scrapie Summary Report

Administration ▲

NPN Details
Help
Logout

User Info
Ward Cleaver

Public Tools
List ID Devices

Action Items ▲

Validate PIN/NPN
Report AIN Shipment
Manage Relationships

Other Tasks ▲

Report AIN Distribution
Fix AIN Broken Events
Report AIN Returns

Resource Info ▲

Current AIN Holdings
Lookup AIN History
AIN Event Actions
AIN Event Report

Administration ▲

NPN Details
Help
Logout

To access NPN information, click on NPN Details.

You are here: [AIN Management / NPN Details](#)

Nonproducer Participant Information

NPN:	000LITB
Name:	WARD CLEAVER
Street:	211 PINE ST
City, State, ZIP:	MAYFIELD, OH 44122-4324
County:	CUYAHOGA
Status:	Enabled

Available Actions

NPN States Serviced	NPN Users
NPN Relationships	NPN Locations

This NPN Details screen will be displayed to AIN tag managers.

You are here: [AIN Management / NPN Details](#)

Nonproducer Participant Information

NPN:	003RNRC
Name:	ROB PETRIE
Street:	148 BONNY MEADOW RD
City, State, ZIP:	NEW ROCHELLE, NY 10805-3201
County:	WESTCHESTER
Number of AINs Shipped:	2050
Manufacturer Name:	BARRACUDA, LTD.
NPN Homepage Url:	http://www.barracudaltd.com
Status:	Enabled

Available Actions

NPN States Serviced	NPN Users
NPN Relationships	NPN Locations
Manufacturer Packages	

This NPN Details screen will be displayed to AIN tag manufacturers. Note the additional information and actions.

You are here: [AIN Management / NPN Details](#)

Nonproducer Participant Information		
NPN:	000LITB	
Name:	WARD CLEAVER	
Street:	211 PINE ST	
City, State, ZIP:	MAYFIELD, OH 44122-4324	
County:	CUYAHOGA	
Status:	Enabled	
Available Actions		
NPN States Serviced	NPN Users	Disable NPN
NPN Relationships	NPN Locations	
Register NPN As Manufacturer		

This NPN Details screen will be displayed to Sys/Pgm Administrators for AIN tag managers.

You are here: [AIN Management / NPN Details](#)

Nonproducer Participant Information		
NPN:	003RNRC	
Name:	ROB PETRIE	
Street:	148 BONNY MEADOW RD	
City, State, ZIP:	NEW ROCHELLE, NY 10805-3201	
County:	WESTCHESTER	
Number of AINs Shipped:	2050	
Manufacturer Name:	BARRACUDA, LTD.	
NPN Homepage Url:	http://www.barracudaltd.com	
Status:	Enabled	
Available Actions		
NPN States Serviced	NPN Users	Disable NPN
NPN Relationships	NPN Locations	
Manufacturer Allocation Parameters	Manufacturer Packages	
Manufacturer Devices		

This NPN Details screen will be displayed to Sys/Pgm Administrators for AIN tag manufacturers.

From the NPN Details screen, you can manage the states serviced by your NPN, the relationships established with other NPNs, and the users and locations for your NPN. Administrators can also register an NPN as a manufacturer and set allocation parameters for a manufacturer.

6.3. NPN States Serviced

6.3.1. When to Use

To select which states are serviced by your organization.

6.3.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.3.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#)

Nonproducer Participant Information

NPN: 000LITB
 Name: WARD CLEAVER
 Street: 211 PINE ST
 City, State, ZIP: MAYFIELD, OH 44122-4324
 County: CUYAHOGA
 Status: Enabled

Available Actions

[NPN States Serviced](#) ← [NPN Users](#)
[NPN Relationships](#) [NPN Locations](#)

On the NPN Details screen, click on [NPN States Serviced](#).

You are here: [AIN Management](#) / [NPN Details](#) / [NPN States Serviced](#)

Nonproducer Participant Information

NPN: 003RNRC
Name: BARRACUDA,LTD.

Available States

<input type="button" value="Select All"/>	<input type="button" value="Clear All"/>	<input type="button" value="Submit"/>
<input type="checkbox"/> ---- <input type="checkbox"/> Alabama <input type="checkbox"/> Alaska <input type="checkbox"/> Arizona <input type="checkbox"/> Arkansas <input type="checkbox"/> California <input type="checkbox"/> Colorado <input type="checkbox"/> Connecticut <input type="checkbox"/> Delaware <input type="checkbox"/> District of Columbia <input type="checkbox"/> Florida <input type="checkbox"/> Georgia <input type="checkbox"/> Guam <input type="checkbox"/> Hawaii <input type="checkbox"/> Idaho <input type="checkbox"/> Illinois <input type="checkbox"/> Indiana <input type="checkbox"/> Iowa <input type="checkbox"/> Kansas <input type="checkbox"/> Kentucky	<input type="checkbox"/> Louisiana <input type="checkbox"/> Maine <input type="checkbox"/> Marshall Islands <input type="checkbox"/> Maryland <input type="checkbox"/> Massachusetts <input type="checkbox"/> Michigan <input type="checkbox"/> Minnesota <input type="checkbox"/> Mississippi <input type="checkbox"/> Missouri <input type="checkbox"/> Montana <input type="checkbox"/> Nebraska <input type="checkbox"/> Nevada <input type="checkbox"/> New Hampshire <input type="checkbox"/> New Jersey <input type="checkbox"/> New Mexico <input type="checkbox"/> New York <input type="checkbox"/> North Carolina <input type="checkbox"/> North Dakota <input type="checkbox"/> Northern Marianna Islands <input type="checkbox"/> Ohio	<input type="checkbox"/> Oklahoma <input type="checkbox"/> Oregon <input type="checkbox"/> Palau <input type="checkbox"/> Pennsylvania <input type="checkbox"/> Puerto Rico <input type="checkbox"/> Rhode Island <input type="checkbox"/> South Carolina <input type="checkbox"/> South Dakota <input type="checkbox"/> Tennessee <input type="checkbox"/> Texas <input type="checkbox"/> US Virgin Islands <input type="checkbox"/> Utah <input type="checkbox"/> Vermont <input type="checkbox"/> Virginia <input type="checkbox"/> Washington <input type="checkbox"/> West Virginia <input type="checkbox"/> Wisconsin <input type="checkbox"/> Wyoming
<input type="button" value="Select All"/>	<input type="button" value="Clear All"/>	<input type="button" value="Submit"/>

The NPN States Service screen will be displayed. Selecting the states serviced by your NPN will enable producers in a particular to find an AIN tag supplier.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN States Serviced](#)

Nonproducer Participant Information

NPN: 003RNRC
Name: BARRACUDA,LTD.

Available States

<input type="button" value="Select All"/>	<input type="button" value="Clear All"/>	<input type="button" value="Submit"/>
<input type="checkbox"/> ---- <input checked="" type="checkbox"/> Alabama <input checked="" type="checkbox"/> Alaska <input checked="" type="checkbox"/> Arizona <input checked="" type="checkbox"/> Arkansas <input checked="" type="checkbox"/> California <input checked="" type="checkbox"/> Colorado <input checked="" type="checkbox"/> Connecticut <input checked="" type="checkbox"/> Delaware <input checked="" type="checkbox"/> District of Columbia <input checked="" type="checkbox"/> Florida <input checked="" type="checkbox"/> Georgia <input checked="" type="checkbox"/> Guam <input checked="" type="checkbox"/> Hawaii <input checked="" type="checkbox"/> Idaho <input checked="" type="checkbox"/> Illinois <input checked="" type="checkbox"/> Indiana <input checked="" type="checkbox"/> Iowa <input checked="" type="checkbox"/> Kansas <input checked="" type="checkbox"/> Kentucky	<input checked="" type="checkbox"/> Louisiana <input checked="" type="checkbox"/> Maine <input checked="" type="checkbox"/> Marshall Islands <input checked="" type="checkbox"/> Maryland <input checked="" type="checkbox"/> Massachusetts <input checked="" type="checkbox"/> Michigan <input checked="" type="checkbox"/> Minnesota <input checked="" type="checkbox"/> Mississippi <input checked="" type="checkbox"/> Missouri <input checked="" type="checkbox"/> Montana <input checked="" type="checkbox"/> Nebraska <input checked="" type="checkbox"/> Nevada <input checked="" type="checkbox"/> New Hampshire <input checked="" type="checkbox"/> New Jersey <input checked="" type="checkbox"/> New Mexico <input checked="" type="checkbox"/> New York <input checked="" type="checkbox"/> North Carolina <input checked="" type="checkbox"/> North Dakota <input checked="" type="checkbox"/> Northern Marianna Islands <input checked="" type="checkbox"/> Ohio	<input checked="" type="checkbox"/> Oklahoma <input checked="" type="checkbox"/> Oregon <input checked="" type="checkbox"/> Palau <input checked="" type="checkbox"/> Pennsylvania <input checked="" type="checkbox"/> Puerto Rico <input checked="" type="checkbox"/> Rhode Island <input checked="" type="checkbox"/> South Carolina <input checked="" type="checkbox"/> South Dakota <input checked="" type="checkbox"/> Tennessee <input checked="" type="checkbox"/> Texas <input checked="" type="checkbox"/> US Virgin Islands <input checked="" type="checkbox"/> Utah <input checked="" type="checkbox"/> Vermont <input checked="" type="checkbox"/> Virginia <input checked="" type="checkbox"/> Washington <input checked="" type="checkbox"/> West Virginia <input checked="" type="checkbox"/> Wisconsin <input checked="" type="checkbox"/> Wyoming
<input type="button" value="Select All"/>	<input type="button" value="Clear All"/>	<input type="button" value="Submit"/>

To select all states, click on the button.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN States Serviced](#)

Nonproducer Participant Information

NPN: 003RNRC

Name: BARRACUDA,LTD.

Available States

<input type="button" value="Select All"/>	<input type="button" value="Clear All"/>	<input type="button" value="Submit"/>
<input type="checkbox"/> ---- <input type="checkbox"/> Alabama <input type="checkbox"/> Alaska <input type="checkbox"/> Arizona <input type="checkbox"/> Arkansas <input type="checkbox"/> California <input type="checkbox"/> Colorado <input checked="" type="checkbox"/> Connecticut <input type="checkbox"/> Delaware <input type="checkbox"/> District of Columbia <input type="checkbox"/> Florida <input type="checkbox"/> Georgia <input type="checkbox"/> Guam <input type="checkbox"/> Hawaii <input type="checkbox"/> Idaho <input type="checkbox"/> Illinois <input type="checkbox"/> Indiana <input type="checkbox"/> Iowa <input type="checkbox"/> Kansas <input type="checkbox"/> Kentucky	<input type="checkbox"/> Louisiana <input type="checkbox"/> Maine <input type="checkbox"/> Marshall Islands <input type="checkbox"/> Maryland <input checked="" type="checkbox"/> Massachusetts <input type="checkbox"/> Michigan <input type="checkbox"/> Minnesota <input type="checkbox"/> Mississippi <input type="checkbox"/> Missouri <input type="checkbox"/> Montana <input type="checkbox"/> Nebraska <input type="checkbox"/> Nevada <input checked="" type="checkbox"/> New Hampshire <input checked="" type="checkbox"/> New Jersey <input type="checkbox"/> New Mexico <input checked="" type="checkbox"/> New York <input type="checkbox"/> North Carolina <input type="checkbox"/> North Dakota <input type="checkbox"/> Northern Marianna Islands <input type="checkbox"/> Ohio	<input type="checkbox"/> Oklahoma <input type="checkbox"/> Oregon <input type="checkbox"/> Palau <input type="checkbox"/> Pennsylvania <input type="checkbox"/> Puerto Rico <input checked="" type="checkbox"/> Rhode Island <input type="checkbox"/> South Carolina <input type="checkbox"/> South Dakota <input type="checkbox"/> Tennessee <input type="checkbox"/> Texas <input type="checkbox"/> US Virgin Islands <input type="checkbox"/> Utah <input checked="" type="checkbox"/> Vermont <input type="checkbox"/> Virginia <input type="checkbox"/> Washington <input type="checkbox"/> West Virginia <input type="checkbox"/> Wisconsin <input type="checkbox"/> Wyoming
<input type="button" value="Select All"/>	<input type="button" value="Clear All"/>	<input type="button" value="Submit"/>

Check the boxes for the states in which you conduct business. Then click on the button.

- **The states serviced by this entity have been saved.**

You are here: [AIN Management](#) / [NPN Details](#)

Nonproducer Participant Information	
NPN:	003RNRC
Name:	ROB PETRIE
Street:	148 BONNY MEADOW RD
City, State, ZIP:	NEW ROCHELLE, NY 10805-3201
County:	WESTCHESTER
Number of AINs Shipped:	2050
Manufacturer Name:	BARRACUDA, LTD.
NPN Homepage Url:	http://www.barracudaltd.com
Status:	Enabled

Available Actions	
NPN States Serviced	NPN Users
NPN Relationships	NPN Locations
Manufacturer Packages	

The selected states serviced by your NPN will be saved.

6.4. NPN Users

6.4.1. When to Use

To view users assigned to your NPN.

6.4.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Ad-min	Mfr User	NPN Ad-min	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.4.3. Performing the Action

You are here: [AIN Management / NPN Details](#)

Nonproducer Participant Information

NPN: 000LITB
 Name: WARD CLEAVER
 Street: 211 PINE ST
 City, State, ZIP: MAYFIELD, OH 44122-4324
 County: CUYAHOGA
 Status: Enabled

Available Actions

NPN States Serviced NPN Users 

NPN Relationships NPN Locations

On the NPN Details screen, click [NPN Users](#).

You are here: [AIN Management / NPN Details / NPN Users /](#)

Nonproducer Participant Information

NPN: 003RNRC
 Name: BARRACUDA, LTD.

Nonproducer Participant Application Users

Name	City	State	Email	
Rob Petrie	NEW ROCHELLE	NY	rob@barracudaltd.com	Enabled
Buddy Sorrell	NEW ROCHELLE	NY	buddy@barracudaltd.com	Enabled

Available Actions

Add User

This NPN Users screen will be displayed to NPN Administrators.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) /

Nonproducer Participant Information

NPN: 003RNRC

Name: BARRACUDA, LTD.

Nonproducer Participant Application Users

Name	City	State	Email		
Rob Petrie	NEW ROCHELLE	NY	rob@barracudaltd.com	disable	delete
Buddy Sorrell	NEW ROCHELLE	NY	buddy@barracudaltd.com	disable	delete

Available Actions

[Add User](#)

This NPN Users screen will be displayed to System Administrators.

To view and/or edit user information, click on the user name.

6.5. User

6.5.1. When to Use

To add and edit users assigned to your NPN.

6.5.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Ad-min	Mfr User	NPN Ad-min	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.5.3. Performing the Action

Add User

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) /

Nonproducer Participant Information

NPN: 003RNRC
 Name: BARRACUDA, LTD.

Nonproducer Participant Application Users

Name	City	State	Email	
Rob Petrie	NEW ROCHELLE	NY	rob@barracudaltd.com	Enabled
Buddy Sorrell	NEW ROCHELLE	NY	buddy@barracudaltd.com	Enabled

Available Actions

[Add User](#)

To add a new user to the NPN, on the NPN Users screen, click [Add User](#).

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [New User](#)

Nonproducer Participant Information	
NPN:	003RNRC
User Information	
Email Address: *	<input type="text"/>
First Name: *	<input type="text"/>
Middle Initial:	<input type="text"/>
Last Name: *	<input type="text"/>
Street: *	148 BONNY MEADOW RD
City: *	NEW ROCHELLE
State: *	New York <input type="button" value="v"/>
ZIP: *	10805 - 3201
(*) indicates a required field	
<input type="button" value="Save User Info"/>	
Credentials For Web Services Login	
Available Actions	

The New User screen will be displayed.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [New User](#)

Nonproducer Participant Information	
NPN:	003RNRC
User Information	
Email Address: *	<input type="text" value="sally@barracudaltd.com"/>
First Name: *	<input type="text" value="Sally"/>
Middle Initial:	<input type="text"/>
Last Name: *	<input type="text" value="Rogers"/>
Street: *	<input type="text" value="148 BONNY MEADOW RD"/>
City: *	<input type="text" value="NEW ROCHELLE"/>
State: *	<input type="text" value="New York"/>
ZIP: *	<input type="text" value="10805"/> - <input type="text" value="3201"/>
(*) indicates a required field	
<input type="button" value="Save User Info"/>	
Credentials For Web Services Login	
Available Actions	

Type the information for the user you wish to add in the appropriate fields. Select the state from the State drop-down menu. Be sure that all required fields are entered.

Make sure that the [Email Address](#) is entered correctly and is a valid address. When the new user is added, an email will be sent to the user giving instructions for logging into the application and supplying a PIN for the initial login.

When you have entered all the necessary information, click on the button to create the new user and add him/her to the user list.

- **Success! The user was created. You can now add Roles or Phone information via the links near the bottom of the page.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Sally Rogers](#)

Nonproducer Participant Information	
NPN:	003RNRC
User Information	
Status:	Enabled
Email Address: *	<input type="text" value="sally@barracudaltd.com"/>
First Name: *	<input type="text" value="Sally"/>
Middle Initial:	<input type="text"/>
Last Name: *	<input type="text" value="Rogers"/>
Street: *	<input type="text" value="148 BONNY MEADOW RD"/>
City: *	<input type="text" value="NEW ROCHELLE"/>
State: *	<input type="text" value="New York"/>
ZIP: *	<input type="text" value="10805"/> - <input type="text" value="3201"/>
(*) indicates a required field	
<input type="button" value="Save User Info"/>	
Credentials For Web Services Login	
Encrypted eAuthId:	
PIN:	287745782
<input type="button" value="Send User Welcome Email"/>	
Available Actions	
User Roles	
User Phones	

If all the required information was entered, the user will be added to the user list. A message will be displayed, showing that the user was successfully added, and the user's name appears in the [You are here:](#) line.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) /

Nonproducer Participant Information

NPN: 003RNRC
 Name: BARRACUDA, LTD.

Nonproducer Participant Application Users

Name	City	State	Email	
Rob Petrie	NEW ROCHELLE	NY	rob@barracudaltd.com	Enabled
Buddy Sorrell	NEW ROCHELLE	NY	buddy@barracudaltd.com	Enabled
Sally Rogers	NEW ROCHELLE	NY	sally@barracudaltd.com	Enabled

Available Actions

[Add User](#)

Click on [NPN Users](#) to return to the user list. The new user's name now appears in the list.

Select User

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) /

Nonproducer Participant Information

NPN: 003RNRC
 Name: BARRACUDA, LTD.

Nonproducer Participant Application Users

Name	City	State	Email	
Rob Petrie	NEW ROCHELLE	NY	rob@barracudaltd.com	Enabled
Buddy Sorrell	NEW ROCHELLE	NY	buddy@barracudaltd.com	Enabled

Available Actions

[Add User](#)

To edit a user assigned to the NPN, on the NPN Users screen, click the [Name](#) link.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Rob Petrie](#)

Nonproducer Participant Information	
NPN:	003RNRC
User Information	
Status:	Enabled
Email Address: *	<input type="text" value="rob@barracudaltd.com"/>
First Name: *	<input type="text" value="Rob"/>
Middle Initial:	<input type="text"/>
Last Name: *	<input type="text" value="Petrie"/>
Street: *	<input type="text" value="148 BONNY MEADOW RD"/>
City: *	<input type="text" value="NEW ROCHELLE"/>
State: *	<input type="text" value="New York"/>
ZIP: *	<input type="text" value="10805"/> - <input type="text" value="3201"/>
(*) indicates a required field	
<input type="button" value="Save User Info"/>	
Credentials For Web Services Login	
Encrypted eAuthId:	BTwoPgbdADo=
PIN:	8574635
<input type="button" value="Send User Welcome Email"/>	
Available Actions	
User Roles	
User Phones	

The User Information screen will be displayed. To edit any of the information, type the corrections in the appropriate fields. Then click on the button.

6.6. User Roles

6.6.1. When to Use

To view and assign roles and permissions for users assigned to your NPN.

6.6.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.6.3. Performing the Action

New User Roles

- **Success! The user was created. You can now add Roles or Phone information via the links near the bottom of the page.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Sally Rogers](#)

Nonproducer Participant Information

NPN: 003RNRC

User Information

Status: Enabled

Email Address: *

First Name: *

Middle Initial:

Last Name: *

Street: *

City: *

State: *

ZIP: * -


(*) indicates a required field

Credentials For Web Services Login

Encrypted eAuthId:

PIN: 287745782

Available Actions

[User Roles](#) 

[User Phones](#)

After a new user has been created (section 6.5), click on [User Roles](#) to set the permissions for the user.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Sally Rogers](#) / [User Roles](#)

User Information	
User Name:	Sally Rogers
NPN:	003RNRC

User Roles	
Role Name	Description
<input type="checkbox"/> System Admin	System Administrator
<input type="checkbox"/> Program Admin	Program Administrator
<input type="checkbox"/> Manufacturer Admin	Manufacturer NPN Administrator
<input type="checkbox"/> Manufacturer User	Manufacturer NPP User
<input type="checkbox"/> NPN Admin	Nonproducer Premises Administrator
<input type="checkbox"/> NPN User	Nonproducer Premises User
<input type="checkbox"/> Email Recipient	Application Email Recipient
<input type="checkbox"/> Natl Health Official	National Health Official
<input type="checkbox"/> Special ST Report	Special State Report User
<input type="checkbox"/> Special Natil Report	Special National Report User
<input type="checkbox"/> ST Health Official	State Health Official
<input type="checkbox"/> Scrapie Official	Scrapie Health Official
<input type="checkbox"/> Legacy Data Load	ability to load legacy data

The User Roles screen will be displayed.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Sally Rogers](#) / [User Roles](#)

User Information	
User Name:	Sally Rogers
NPN:	003RNRC

User Roles	
Role Name	Description
<input type="checkbox"/> System Admin	System Administrator
<input type="checkbox"/> Program Admin	Program Administrator
<input type="checkbox"/> Manufacturer Admin	Manufacturer NPN Administrator
<input type="checkbox"/> Manufacturer User	Manufacturer NPP User
<input checked="" type="checkbox"/> NPN Admin 	Nonproducer Premises Administrator
<input type="checkbox"/> NPN User	Nonproducer Premises User
<input type="checkbox"/> Email Recipient	Application Email Recipient
<input type="checkbox"/> Natl Health Official	National Health Official
<input type="checkbox"/> Special ST Report	Special State Report User
<input type="checkbox"/> Special Natil Report	Special National Report User
<input type="checkbox"/> ST Health Official	State Health Official
<input type="checkbox"/> Scrapie Official	Scrapie Health Official
<input type="checkbox"/> Legacy Data Load	ability to load legacy data

Check the User Role boxes to assign permissions. You will only be able to select User Roles from your own level down. You cannot select User Roles higher than your own. (For example, an NPN Administrator is only able to assign NPN Admin and lower as User Roles.)

When you have made your selections, click on the button to save the assigned roles.

- **The roles were successfully set for the user.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Sally Rogers](#) / [User Roles](#)

User Information

User Name: Sally Rogers

NPN: 003RNRC

User Roles

Role Name	Description
<input type="checkbox"/> System Admin	System Administrator
<input type="checkbox"/> Program Admin	Program Administrator
<input type="checkbox"/> Manufacturer Admin	Manufacturer NPN Administrator
<input type="checkbox"/> Manufacturer User	Manufacturer NPP User
<input checked="" type="checkbox"/> NPN Admin	Nonproducer Premises Administrator
<input type="checkbox"/> NPN User	Nonproducer Premises User
<input type="checkbox"/> Email Recipient	Application Email Recipient
<input type="checkbox"/> Natl Health Official	National Health Official
<input type="checkbox"/> Special ST Report	Special State Report User
<input type="checkbox"/> Special Natil Report	Special National Report User
<input type="checkbox"/> ST Health Official	State Health Official
<input type="checkbox"/> Scrapie Official	Scrapie Health Official
<input type="checkbox"/> Legacy Data Load	ability to load legacy data

A message will be displayed indicating that the User Roles have been assigned to the user.

Existing User Roles

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Rob Petrie](#)

Nonproducer Participant Information

NPN: 003RNRC

User Information

Status: Enabled

Email Address: *

First Name: *

Middle Initial:

Last Name: *

Street: *

City: *

State: *

ZIP: * -

(* indicates a required field)

Credentials For Web Services Login

Encrypted eAuthId: BTwoPgbdADo=

PIN: 8574635

Available Actions

[User Roles](#) 

[User Phones](#)

To view and/or edit the roles and permissions assigned to a user, click on [User Roles](#) on the User Information screen.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Rob Petrie](#) / [User Roles](#)

User Information

User Name: Rob Petrie

NPN: 003RNRC

User Roles

Role Name	Description
<input type="checkbox"/> System Admin	System Administrator
<input type="checkbox"/> Program Admin	Program Administrator
<input checked="" type="checkbox"/> Manufacturer Admin	Manufacturer NPN Administrator
<input type="checkbox"/> Manufacturer User	Manufacturer NPP User
<input type="checkbox"/> NPN Admin	Nonproducer Premises Administrator
<input type="checkbox"/> NPN User	Nonproducer Premises User
<input type="checkbox"/> Email Recipient	Application Email Recipient
<input type="checkbox"/> Natl Health Official	National Health Official
<input type="checkbox"/> Special ST Report	Special State Report User
<input type="checkbox"/> Special Natil Report	Special National Report User
<input type="checkbox"/> ST Health Official	State Health Official
<input type="checkbox"/> Scrapie Official	Scrapie Health Official
<input type="checkbox"/> Legacy Data Load	ability to load legacy data

The User Roles screen will be displayed, indicating which roles are assigned to the selected user. Check or uncheck the User Role boxes to change permissions.

The logged-in user will be able to assign roles up to and including his own level. In this example, the logged-in user is a System Admin. If the logged-in user is assigned a different role, the available user roles will be fewer.

*Note: If you are editing your own permissions, and you select and save a User Role lower than what is currently assigned to you, you will not be able to return to your previously assigned User Role. It will have to be reset by a user with a higher User Role. Therefore, it is strongly advised that you **do not** edit your own User Roles.*

6.7. User Role Permissions

6.7.1. When to Use

6.7.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.7.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Joe Manufacturer](#) / [User Roles](#) / [Manufacturer Admin](#)

Role Information	
User Role:	Manufacturer Admin
Permission Name:	Description:
Manufacturer	Manufacturer Admin Services
Ain Bag	Manufacturer Bag Services
Ain Movement	Ain Movement Services
NPP Relationship	NPP Relationship Services
NPP Info	NPP Information Services
User	Application User Services
Scrapie Create	Scrapie Program Order Create
Scrapie Modify	Scrapie Order Modify
Scrapie Fulfill	Scrapie Order Fulfill

You are here: AIN Management / NPN Details / NPN Users / Gary J. Moore / User Roles / Manufacturer Admin

Role Information

User Role: Manufacturer Admin

Grantable Roles

Permission Name:	Description:
<input checked="" type="checkbox"/> Manufacturer	Manufacturer Admin Services
<input checked="" type="checkbox"/> Ain Bag	Manufacturer Bag Services
<input checked="" type="checkbox"/> Ain Movement	Ain Movement Services
<input checked="" type="checkbox"/> NPP Relationship	NPP Relationship Services
<input checked="" type="checkbox"/> NPP Info	NPP Information Services
<input checked="" type="checkbox"/> User	Application User Services
<input checked="" type="checkbox"/> Scrapie Create	Scrapie Program Order Create
<input checked="" type="checkbox"/> Scrapie Modify	Scrapie Order Modify
<input checked="" type="checkbox"/> Scrapie Fulfill	Scrapie Order Fulfill
<input type="checkbox"/> Public	Services does not require Authorization.
<input type="checkbox"/> Manufacturer ALL	ALL Manufacturer Admin Services
<input type="checkbox"/> Ain Bag ALL	ALL Manufacturer Bag Services
<input type="checkbox"/> AIN Report ALL	ALL AIN Reporting
<input type="checkbox"/> Ship Program AINs	Ship Program Tags
<input type="checkbox"/> ST Rpt Special	Special State Reporting
<input type="checkbox"/> ST Rpt Special ALL	ALL Special State Reporting
<input type="checkbox"/> Ain Exception ALL	ALL Ain Exception Services
<input type="checkbox"/> Ain Movement ALL	ALL Ain Movement Services
<input type="checkbox"/> Allocation	Manufacturer Allocation Limit Services
<input type="checkbox"/> Allocation ALL	All Manufacturer Allocation Limit Services
<input type="checkbox"/> NPP Relationship ALL	ALL NPP Relationship Services
<input type="checkbox"/> NPP Info ALL	ALL NPP Information Services
<input type="checkbox"/> Product ALL	Manufacturer Product Services
<input type="checkbox"/> State Reports	State Reporting Services
<input type="checkbox"/> State Reports ALL	ALL State Reporting Services
<input type="checkbox"/> System ALL	System Services
<input type="checkbox"/> User ALL	ALL Application User Services
<input type="checkbox"/> Scrapie Create ALL	ALL Scrapie Program Order Create
<input type="checkbox"/> Scrapie Modify ALL	ALL Scrapie Order Modify
<input type="checkbox"/> Scrapie Fulfill ALL	ALL Scrapie Order Fulfill

Save Permissions

6.8. Grantable Roles

6.8.1. When to Use

6.8.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.8.3. Performing the Action

You are here: [AIN Management](#) / [System Administration](#) / [LU_ROLE](#) / [Manufacturer Admin](#) / Grantable Roles

User Information

User Role: Manufacturer Admin

Grantble User Roles

Role Name	Description
<input checked="" type="checkbox"/> NPN Admin	Nonproducer Premises Administrator
<input checked="" type="checkbox"/> Manufacturer Admin	Manufacturer NPN Administrator
<input checked="" type="checkbox"/> Manufacturer User	Manufacturer NPP User
<input checked="" type="checkbox"/> Email Recipient	Application Email Recipient
<input checked="" type="checkbox"/> NPN User	Nonproducer Premises User
<input type="checkbox"/> Natl Health Official	National Health Official
<input type="checkbox"/> Legacy Data Load	ability to load legacy data
<input type="checkbox"/> ST Health Official	State Health Official
<input type="checkbox"/> Special ST Report	Special State Report User
<input type="checkbox"/> Program Admin	Program Administrator
<input type="checkbox"/> Special Natl Report	Special National Report User
<input type="checkbox"/> System Admin	System Administrator
<input type="checkbox"/> Scrapie Official	Scrapie Health Official

Set Grantable User Roles

6.9. Permission Information

6.9.1. When to Use

6.9.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.9.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Joe Manufacturer](#) / [User Roles](#) / [Manufacturer Admin](#) / [Manufacturer](#)

Permission Information	
Permission:	Manufacturer
Service Name: requestAinAllocation getAllAllocationsForEntity saveStatesForEntity	Description: Request an allocation of AINs for a manufacturer Get all allocation limits for a manufacturer Add or modify NPP serviced states

6.10. User Phones

6.10.1. When to Use

To view and enter phone numbers for users assigned to your NPN.

6.10.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.10.3. Performing the Action

- **Success! The user was created. You can now add Roles or Phone information via the links near the bottom of the page.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Sally Rogers](#)

Nonproducer Participant Information

NPN: 003RNRC

User Information

Status: Enabled

Email Address: *

First Name: *

Middle Initial:

Last Name: *

Street: *

City: *

State: *

ZIP: * -

(* indicates a required field)


Credentials For Web Services Login

Encrypted eAuthId:

PIN: 287745782

Available Actions

[User Roles](#)

[User Phones](#) 

To view and/or edit the phone numbers assigned to the user, click on [User Phones](#) on the User Information screen. The User Phones screen will be displayed. When a user is set up, by default there are no phone numbers associated with the User Information.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Sally Rogers](#) / [User Phones](#)

User Information

User Name:	Sally Rogers
NPN:	003RNRC

User Phones

Type	Number	Delete
------	--------	--------

Available Actions

[Add Phone](#)

Click on [Add Phone](#) to add a phone number to the User Phones list.

6.11. Phone

6.11.1. When to Use

To add, edit, and delete phone numbers for users assigned to your NPN.

6.11.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.11.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Rob Petrie](#) / [User Phones](#) / [Add Phone](#)

User Information

NPN: 003RNRC

User Name: Rob Petrie

Phone Information

Number: - - x

Type: Work

After you click on the [Add Phone](#) link on the [User Phones](#) screen, the [Add Phone](#) screen will be displayed.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Rob Petrie](#) / [User Phones](#) / [914-555-6762](#)

User Information

NPN: 003RNRC

User Name: Rob Petrie

Phone Information

Number: - - x

Type: Work

Type in the phone number (and extension, if applicable) in the [Number](#) fields.

Work
Work
Home
Fax
Mobile
Work2
Mobile2

Select which type of phone number is being entered from the **Type** drop-down menu. When you have completed entering the phone information, click on the **Save Phone Info** button.

- **Success! The phone number was successfully created/modified.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Rob Petrie](#) / [User Phones](#) / 914-555-6762

User Information

NPN: 003RNRC
User Name: Rob Petrie

Phone Information

Number: 914 - 555 - 6762 x

Type: Work

The Add Phone screen will be updated to show that the new phone number has been added.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) / [Rob Petrie](#) / [User Phones](#)

User Information

User Name: Rob Petrie
NPN: 003RNRC

User Phones

Type	Number	Delete
Work	970-555-2796	delete

Available Actions

[Add Phone](#)

Click on [User Phones](#) to return to the User Phones screen. The phone number has been added to the User Phones list. Additional phone numbers can also be added to the list.

To edit the phone information, click on the phone number link. To remove the phone number from the list, click on [delete](#).



You will be asked to confirm that you want to delete the number. Click on to delete the phone number.

6.12. Disable NPN

6.12.1. When to Use

6.12.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.12.3. Performing the Action

- **The user was successfully disabled.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) /

Nonproducer Participant Information

NPN: 003RNRC

Name: BARRACUDA, LTD.

Nonproducer Participant Application Users

Name	City	State	Email		
Rob Petrie	NEW ROCHELLE	NY	rob@barracudaltd.com	disable	delete
Buddy Sorrell	NEW ROCHELLE	NY	buddy@barracudaltd.com	disable	delete
Sally Rogers	NEW ROCHELLE	NY	sally@barracudaltd.com	enable	delete

Available Actions

Add User

- **The user was successfully enabled.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Users](#) /

Nonproducer Participant Information

NPN: 003RNRC

Name: BARRACUDA, LTD.

Nonproducer Participant Application Users

Name	City	State	Email		
Rob Petrie	NEW ROCHELLE	NY	rob@barracudaltd.com	disable	delete
Buddy Sorrell	NEW ROCHELLE	NY	buddy@barracudaltd.com	disable	delete
Sally Rogers	NEW ROCHELLE	NY	sally@barracudaltd.com	disable	delete

Available Actions

Add User

6.13. NPN Locations

6.13.1. When to Use

To view and edit locations for your NPN.

6.13.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.13.3. Performing the Action

You are here: [AIN Management / NPN Details](#)

Nonproducer Participant Information

NPN: 000LITB
 Name: WARD CLEAVER
 Street: 211 PINE ST
 City, State, ZIP: MAYFIELD, OH 44122-4324
 County: CUYAHOGA
 Status: Enabled

Available Actions

NPN States Served NPN Users

NPN Relationships NPN Locations 

To manage NPN Locations, on the NPN Details screen, click on NPN Locations.

You are here: [AIN Management / NPN Details / NPN Locations](#)

Nonproducer Participant Information

NPN: 003RNRC
 Name: BARRACUDA, LTD.

Locations

Type	Address	City	State	ZIP
Headquarters	EAST 61ST ST	NEW YORK	NY	10021-3021

Available Actions

Add Location

The NPN Locations screen will be displayed. All locations which have been entered for the NPN will be displayed in the Locations list.

6.14. Location

6.14.1. When to Use

To add locations for your NPN.

6.14.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Ad-min	Mfr User	NPN Ad-min	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.14.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#)

Nonproducer Participant Information

NPN: 003RNRC
Name: BARRACUDA, LTD.

Locations

Type	Address	City	State	ZIP
Headquarters	EAST 61ST ST	NEW YORK	NY	10021-3021

Available Actions

[Add Location](#) 

To add a new location to the Locations list, click on [Add Location](#).

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [New Location](#)

Nonproducer Participant Information

NPN: 003RNRC

Location Information

Type:

Street: *

City: *

State:

ZIP: * -

(*) indicates a required field

Available Actions:

The New Location screen will be displayed.

Headquarters ▾
 Headquarters
 Manufacturing
 Shipping
 Warehouse
 Sales
 Finance

Select the location type from the [Type](#) drop-down menu.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / 148 BONNY MEADOW DR

Nonproducer Participant Information

NPN: 003RNRC

Location Information

Type: Sales ▾

Street: * 148 BONNY MEADOW DR

City: * NEW ROCHELLE

State: New York ▾

ZIP: * 10805 - 3201

(*) indicates a required field

Submit

Available Actions:

[Manage Location Contacts](#)

Type in the location information in the appropriate fields. Select the [State](#) from the drop-down menu. Make sure that all required fields are filled in. Then click on the button to save the location information.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#)

Nonproducer Participant Information

NPN: 003RNRC

Name: BARRACUDA, LTD.

Locations

Type	Address	City	State	ZIP
Sales	148 BONNY MEADOW DR	NEW ROCHELLE	NY	10805-3201
Headquarters	EAST 61ST ST	NEW YORK	NY	10021-3021

Available Actions

[Add Location](#)

The new location will be added to the Locations list.

To edit the location information, or to add Contact Information, click on the Address link for the location you want to modify.

6.15. Manage Location Contacts

6.15.1. When to Use

To view and edit contacts for a location for your NPN.

6.15.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.15.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#)

Nonproducer Participant Information

NPN: 003RNRC
Name: BARRACUDA, LTD.

Locations

Type	Address	City	State	ZIP
Sales	148 BONNY MEADOW DR	NEW ROCHELLE	NY	10805-3201
Headquarters	EAST 61ST ST	NEW YORK	NY	10021-3021

Available Actions

[Add Location](#)

On the NPN Locations screen, click on the Address for the location for which you want to manage contacts.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#)

Nonproducer Participant Information

NPN: 003RNRC

Location Information

Type:

Street: *

City: *

State:

ZIP: * -

(*) indicates a required field

Available Actions:

[Manage Location Contacts](#) 

The Location Information screen will be displayed. Click on [Manage Location Contacts](#) to view or add contacts for the location.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#) / [Location Contacts](#)

Location Information

NPN: 003RNRC

Location Type: Sales

Address: 148 BONNY MEADOW DR

Location Contacts

Contact	City	State	Email	Status
---------	------	-------	-------	--------

Available Actions

[Add Contact](#) 

The Location Contacts screen will be displayed, listing all contacts associated with this location. To add a contact, click on [Add Contact](#).

6.16. Contact

6.16.1. When to Use

To add and edit contacts for a location for your NPN.

6.16.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.16.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#) / [Location Contacts](#) / [New Contact](#)

Location Information

NPN: 003RNRC

Location Type: Sales

Address: 148 BONNY MEADOW DR

Contact Information

Type:

First Name: *

Middle Initial:

Last Name: *

Suffix:

Street:*

City: *

State:

ZIP: * -

Email Address: *

Status:

(* indicates a required field)

Available Actions:

Type in the contact information in the appropriate fields. Make sure all required fields are entered.

Primary
 Primary
 User Admin
 Shipper
 Sales
 Financial

Select the contact type from the [Type](#) drop-down menu.

Public
 Public
 Private

Select whether the contact is public or private from the [Status](#) drop-down menu. A Public contact is able to be viewed by other NPNs. A Private contact can only be viewed by a user for this NPN.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#) / [Location Contacts](#) / [Mel Cooley](#)

Location Information

NPN: 003RNRC

Location Type: Sales

Address: 148 BONNY MEADOW DR

Contact Information

Type: Primary

First Name: *

Middle Initial:

Last Name: *

Suffix:

Street: *

City: *

State: New York

ZIP: * -

Email Address: *

Status: Public

(* indicates a required field)

Available Actions:

[Manage Contact Phones](#)

When all contact information has been entered, click on the button to save the information.

- **Success! The Nonproducer Participant Contact was successfully created. Click 'Manage Contact Phones' to configure phone numbers for the contact.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#) / [Location Contacts](#) / [Mel Cooley](#)

Location Information	
NPN:	003RNRC
Location Type:	Sales
Address:	148 BONNY MEADOW DR
Contact Information	
Type:	Primary <input type="button" value="v"/>
First Name: *	Mel
Middle Initial:	
Last Name: *	Cooley
Suffix:	
Street:*	148 BONNY MEADOW DR
City: *	NEW ROCHELLE
State:	New York <input type="button" value="v"/>
ZIP: *	10805 - 3201
Email Address: *	mel@barracudaltd.com
Status:	Public <input type="button" value="v"/>
(*) indicates a required field	
<input type="button" value="Submit"/>	
Available Actions:	
Manage Contact Phones	

A message will be displayed, indicating that the contact has been added.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#) / [Location Contacts](#)

Location Information					
NPN: 003RNRC					
Location Type: Sales					
Address: 148 BONNY MEADOW DR					
Location Contacts					
Contact	City	State	Email	Status	
Mel Cooley	NEW ROCHELLE	NY	mel@barracudaltd.com	Public	
Available Actions					
Add Contact					

The added contact will now appear in the list on the Location Contacts screen.
To edit the contact information, click on the Contact Name link in the list.

6.17. Contact Phones

6.17.1. When to Use

To view, edit, and add phone numbers for contacts for a location for your NPN.

6.17.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4	4		4				

6.17.3. Performing the Action

- **Success! The Nonproducer Participant Contact was successfully created. Click 'Manage Contact Phones' to configure phone numbers for the contact.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#) / [Location Contacts](#) / [Mel Cooley](#)

Location Information

NPN: 003RNRC
 Location Type: Sales
 Address: 148 BONNY MEADOW DR

Contact Information

Type:

First Name: *

Middle Initial:

Last Name: *

Suffix:

Street: *

City: *

State:

ZIP: * -

Email Address: *

Status:

(*) indicates a required field

Available Actions:

[Manage Contact Phones](#) 

To view, add, or edit phone numbers for the contact, click on [Manage Contact Phones](#).

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#) / [Location Contacts](#) / [Mel Cooley](#) / [Manage Contact Phones](#)

Contact Information

NPN: 003RNRC

Location Type: Sales

Address: 148 BONNY MEADOW DR

Contact Name: Mel Cooley

Contact Phones

Type	Number	Delete
------	--------	--------

Available Actions:

[Add Phone](#)

The Manage Contact Phones screen will be displayed, listing all phone numbers entered for the contact. To add a phone number for the contact, click on [Add Phone](#).

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#) / [Location Contacts](#) / [Mel Cooley](#) / [Manage Contact Phones](#) / [Add Phone](#)

Contact Information

Contact Name: Mel Cooley

Phone Information

Number: - - x

Type: Work

The Add Phone screen will be displayed.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#) / [Location Contacts](#) / [Mel Cooley](#) / [Manage Contact Phones](#) / [Add Phone](#)

Contact Information	
Contact Name:	Mel Cooley
Phone Information	
Number:	<input type="text" value="914"/> - <input type="text" value="555"/> - <input type="text" value="6762"/> x <input type="text" value="103"/>
Type:	Work <input type="button" value="v"/>
<input type="button" value="Save Phone Info"/>	

Select the phone type from the **Type** drop-down menu, and enter the phone number in the **Number** field. When all the necessary information has been entered, click on the button to save the phone number for this contact.

- **Success! The phone number was successfully created/modified.**

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#) / [Location Contacts](#) / [Mel Cooley](#) / [Manage Contact Phones](#) / [914-555-6762x103](#)

Contact Information	
Contact Name:	Mel Cooley
Phone Information	
Number:	<input type="text" value="914"/> - <input type="text" value="555"/> - <input type="text" value="6762"/> x <input type="text" value="103"/>
Type:	Work <input type="button" value="v"/>
<input type="button" value="Save Phone Info"/>	

The Add Phone screen will be updated to show that the phone number has been added.

You are here: [AIN Management](#) / [NPN Details](#) / [NPN Locations](#) / [148 BONNY MEADOW DR](#) / [Location Contacts](#) / [Mel Cooley](#) / [Manage Contact Phones](#)

Contact Information		
NPN:	003RNRC	
Location Type:	Sales	
Address:	148 BONNY MEADOW DR	
Contact Name:	Mel Cooley	

Contact Phones		
Type	Number	Delete
Work	914-555-6762x103	delete

Available Actions:
Add Phone

The contact phone number will now be displayed in the Contact Phones list. To edit the phone number information, click on the phone number link in the Contact Phones list.

6.18. Register NPN as Manufacturer

6.18.1. When to Use

6.18.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.18.3. Performing the Action

You are here: AIN Management / NPN Details / Register NPN As Manufacturer

Nonproducer Participant Information

NPN: 002G6HL

Manufacturer Information

Manufacturer Name: *

Home Page URL: *

Create Admin User:

Default AIN Allocation Parameters

Inventory Requirements: *

Bi-weekly Production: *

Register NPN As Manufacturer

You are here: AIN Management / NPN Details / Register NPN As Manufacturer

Nonproducer Participant Information	
NPN:	002G99P
Manufacturer Information	
Manufacturer Name: *	<input type="text"/>
Home Page URL: *	<input type="text" value="http://"/>
Create Admin User:	<input checked="" type="checkbox"/>
Admin User Info	
Email Address: *	<input type="text"/>
First Name: *	<input type="text"/>
Middle Initial:	<input type="text"/>
Last Name: *	<input type="text"/>
Street: *	<input type="text" value="148 BONNY MEADOW DR"/>
City: *	<input type="text" value="NEW ROCHELLE"/>
State: *	<input type="text" value="New York"/> <input type="button" value="v"/>
ZIP: *	<input type="text" value="10805"/>
ZIP:	<input type="text" value="3201"/>
Default AIN Allocation Parameters	
Inventory Requirements: *	<input type="text"/>
Bi-weekly Production: *	<input type="text"/>
<input type="button" value="Register NPN As Manufacturer"/>	

6.19. Manufacturer Allocation Parameters

6.19.1. When to Use

6.19.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.19.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Allocation Parameters](#)

Nonproducer Participant Information

NPN: 002G6HL

Allocation Parameter

Quarter #	Inventory	Bi-Weekly Prod	
Default	5000	1000	delete

Available Actions

[Add Allocation Parameter](#)

6.20. Allocation Parameter

6.20.1. When to Use

6.20.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.20.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [Allocation Parameters](#) / [New Allocation](#)

Nonproducer Participant Information

NPN: 002G6HL

Allocation Parameters

Quarter Num:

Inventory Requirements:

Bi-weekly Production:

You are here: [AIN Management](#) / [NPN Details](#) / [Allocation Parameters](#) / [Default](#)

Nonproducer Participant Information

NPN: 002G6HL

Allocation Parameters

Quarter Num:

Inventory Requirements:

Bi-weekly Production:

6.21. System Administration

6.21.1. When to Use

6.21.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.21.3. Performing the Action

You are here: AIN Management / System Administration

System Admin

- Manage Lookup Values
- User Admin
- User Action Logs
- List Refresh Tool
- AIN Event Actions
- Manage Text Mask
- Manage Application Configuration
- Manual Log Entry

6.22. Manage Lookup Values

6.22.1. When to Use

6.22.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.22.3. Performing the Action

You are here: AIN Management / System Administration / Manage Lookup Values

LookupValue Setup: _____

Table name :

Results _____

Name	Description Type	Sort Order	Disabled	Delete

Available Actions: _____

Add Record

You are here: AIN Management / System Administration / Manage Lookup Values

LookupValue Setup: _____

Table name :

Results _____

Name	Description Type	Species Group	Sort Order	Disabled	Delete
Bison	Buffalo	Bovine	1	N	delete
Cattle	Beef and Dairy	Bovine	2	N	delete
Horses	Equine	Horse	5	N	delete
Sheep and Goat	All Sheep	Goat	5	N	delete
Pigs	PIG	Pig	6	N	delete
Poultry	Chicken	Bird	11	N	delete
Cervid	Deer, Elk, etc.	Deer	75	N	delete

Available Actions: _____

Add Record

6.23. Lookup Value

6.23.1. When to Use

6.23.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.23.3. Performing the Action

You are here: AIN Management / System Administration / LU_SPECIES / New Record

Table Index:
 Table Name: LU_SPECIES

Table Values:

Name:

Description:

Species Group: Bovine

Sort Order:

Status: Enabled

You are here: AIN Management / System Administration / LU_SPECIES / Bison

Table Index:
 Table Name: LU_SPECIES

Table Values:

Name: Bison

Description: Buffalo

Species Group: Bovine

Sort Order: 1

Status: Enabled

6.24. User Admin

6.24.1. When to Use

6.24.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.24.3. Performing the Action

You are here: [AIN Management](#) / [System Administration](#) / [User Admin](#)

Find User Search Criteria

NPN:	<input type="text"/>	User Name:	<input type="text"/>
First Name:	<input type="text"/>	Last Name:	<input type="text"/>
State:	<input type="text"/>	User Role:	<input type="text"/>

Available Actions

Find Users
Draft Email

Report

You are here: [AIN Management](#) / [System Administration](#) / [User Admin](#)

Find User Search Criteria

NPN: User Name:

First Name: Last Name:

State: User Role:

Available Actions

Report

Name	NPN		
Joe Manufacturer	002G040	disable	action log
Rich Baca	002G040	disable	action log
Steve Bengtson	002G040	disable	action log
Ray Cole	002G040	disable	action log
Michael Dalrymple	002G040	disable	action log
Jennifer Dartez	002G040	disable	action log
Joe Health Official	002G040	disable	action log
Deb A. Jenkins	002G040	disable	action log
Mark J. Koeneker	002G040	disable	action log
Joe Manager	002G040	disable	action log
Eddie A. Metro	002G040	disable	action log
Curtis R. Moore	002G040	disable	action log
Arthur C. Nelson	002G040	disable	action log
Dianne Norden	002G040	disable	action log
Gary Ross	002G040	disable	action log
Heather A. Slane	002G040	disable	action log
Linda M. Spadaro	002G040	disable	action log
Diane Sutton	002G040	disable	action log
Joe User	002G040	disable	action log
Steve Weber	002G040	disable	action log

6.25. User Action Logs

6.25.1. When to Use

6.25.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Ad-min	Mfr User	NPN Ad-min	NPN User	Health Official	Scrapie Official	State Report
4							

6.25.3. Performing the Action

You are here: [AIN Management](#) / [System Administration](#) / [User Action Logs](#)

User Action Log Search Criteria

NPN: User Name:

First Name: Last Name:

Begin Date: End Date:

Result:

Service:

Report

You are here: AIN Management / System Administration / User Action Logs

User Action Log Search Criteria

NPN: User Name:

First Name: Last Name:

Begin Date: End Date:

Result:

Service:

Report

NPN	Name	Service	Result	Date
002G040	Joe Manufacturer	Modify a NPP system user	Started	05-01-2008 14:19:04 MDT
002G040	Joe Manufacturer	Verify a NPP or producer premises id	Complete	05-01-2008 14:16:35 MDT
002G040	Joe Manufacturer	Verify a NPP or producer premises id	Complete	05-01-2008 14:16:13 MDT
002G040	Joe Manufacturer	Verify a NPP or producer premises id	Complete	05-01-2008 14:16:04 MDT
002G040	Joe Manufacturer	Modify a NPP system user	Started	05-01-2008 14:15:27 MDT
002G040	Joe Manufacturer	Get a report of AIN events matching the criteria	Error	05-01-2008 10:44:05 MDT
002G040	Joe Manufacturer	Get a report of AIN events matching the criteria	Complete	05-01-2008 10:38:41 MDT
002G040	Joe Manufacturer	Get AIN Event Actions	Error	05-01-2008 10:33:25 MDT
002G040	Joe Manufacturer	Get AIN Event Actions	Error	05-01-2008 10:32:35 MDT
002G040	Joe Manufacturer	Modify a NPP system user	Started	05-01-2008 10:32:04 MDT
002G040	Joe Manufacturer	Get AIN Event Actions	Error	05-01-2008 10:24:43 MDT
002G040	Joe Manufacturer	Modify a NPP system user	Started	05-01-2008 10:10:25 MDT
002G040	Joe Manufacturer	Get collection references for all ains this prem currently holds	Complete	05-01-2008 9:37:35 MDT
002G040	Joe Manufacturer	Modify a NPP system user	Started	05-01-2008 9:36:52 MDT
002G040	Joe Manufacturer	Get collection references for all ains this prem currently holds	Complete	05-01-2008 9:23:34 MDT
002G040	Joe Manufacturer	Modify a NPP system user	Started	05-01-2008 9:23:19 MDT

6.26. User Action Log Parameter

6.26.1. When to Use

6.26.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Ad-min	Mfr User	NPN Ad-min	NPN User	Health Official	Scrapie Official	State Report
4							

6.26.3. Performing the Action

You are here: [AIN Management](#) / [System Administration](#) / [User Action Logs](#) / [User Action Log](#)

User Action Information

Action ID:	163415
User Name:	Joe Manufacturer
Service:	getAinEventReport
Action Description:	Get a report of AIN events matching the criteria
Date:	05-01-2008 10:38:41 MDT
Result:	Complete

User Action Parameter Values

Parameter Name	Value
End Date	09-15-2005
Start Date	09-15-2005

You are here: [AIN Management](#) / [System Administration](#) / [User Action Logs](#) / [User Action Log](#)

User Action Information

Action ID:	163407
User Name:	Joe Manufacturer
Service:	getAinEventActions
Action Description:	Get AIN Event Actions
Date:	05-01-2008 10:24:43 MDT
Result:	Error

User Action Parameter Values

Parameter Name	Value
Exception Source Method Name	authorizePremService(190)
Exception Message	User [Joe Manufacturer] is not authorized to call service [getAinEventActions]. If you feel you have received this error incorrectly, contact your administrator and have them change your user roles.
Exception Source Class Name	UserAuthorizationService
Exception Class Type	NAISServiceAuthorizationException

You are here: [AIN Management](#) / [System Administration](#) / [User Action Logs](#) / [User Action Log](#)

User Action Information

Action ID:	163479
User Name:	Joe Manufacturer
Service:	modifyUserForEntity
Action Description:	Modify a NPP system user
Date:	05-01-2008 14:19:04 MDT
Result:	Started

User Action Parameter Values

Parameter Name	Value
----------------	-------

You are here: [AIN Management](#) / [System Administration](#) / [User Action Logs](#) / [User Action Log](#)

User Action Information	
Action ID:	163362
User Name:	Joe Manufacturer
Service:	getAinsByCurrentPremHolder
Action Description:	Get collection references for all ains this prem currently holds
Date:	05-01-2008 9:23:34 MDT
Result:	Complete

User Action Parameter Values	
Parameter Name	Value
Premises Id	002G040

6.27. List Refresh Tool

6.27.1. When to Use

6.27.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.27.3. Performing the Action

You are here: [AIN Management](#) / [System Administration](#) / [List Refresh Tool](#)

Manage Cached Lists

List Name:

6.28. AIN Event Actions

6.28.1. *When to Use*

6.28.2. *Applicable Roles and Functions*

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.28.3. *Performing the Action*

6.29. Manage Text Mask

6.29.1. When to Use

6.29.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.29.3. Performing the Action

6.30. Test Text Mask

6.30.1. *When to Use*

6.30.2. *Applicable Roles and Functions*

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.30.3. *Performing the Action*

6.31. Manage Application Configuration

6.31.1. When to Use

6.31.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.31.3. Performing the Action

You are here: AIN Management / Application Configuration

Application Configuration

Logging Configuration

Log at [DEBUG] log level

Log at [INFO] log level

Send emails with [INFO]-level logging? (not recommended)

Log at [WARN] log level

Send emails with [WARN]-level logging (recommended)

To whom should logging-related emails be sent? (provide comma-separated email address list)

Maximum logfile size (bytes; e.g. 1000000 = 1 MB)

Number of logfiles to retain (includes active and rolled logs)

View Log File [Application Log File](#)

Mailer Configuration

SMTP host

"From" address for application-sent emails

Have the application send out emails

6.32. Application Log File

6.32.1. When to Use

6.32.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.32.3. Performing the Action

6.33. Manual Log Entry

6.33.1. When to Use

6.33.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.33.3. Performing the Action

You are here: [AIN Management](#) / [Manual Log Entry](#)

Manual Log Entry

Logging Level:

Log Entry:

6.34. Enter Approved Devices

6.34.1. When to Use

6.34.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.34.3. Performing the Action

You are here: AIN Management / NPN Details / Manufacturer Devices

Manufacturer

Manufacturer ID:

Devices

Name	Code	Method	Type	Approval Status	Device Information and Characteristics	Species
Available Actions						
Add Device						

You are here: AIN Management / NPN Details / Manufacturer Devices

Manufacturer

Manufacturer ID:

Devices

Name	Code	Method	Type	Approval Status	Device Information and Characteristics	Species
Bo Peep Plus delete	BCL-1500	RFID	RFID Tag	Approval Pending	Technology: RFID	Sheep and Goat
Available Actions						
Add Device						

6.35. Device

6.35.1. When to Use

6.35.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.35.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Devices](#) / [Add Device](#)

Device Info

Bison
 Cattle
 Horses
 Sheep and Goat
 Pigs
 Poultry
 Cervid

NPN: 002G99P

Device Name: *

Device Code: *

Device Type Name: * Panel Ear Tag

Approval Status: * Approval Pending

Device Characteristics

Key Name	Value

Available Actions

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Devices](#) / [Bo Peep Plus](#)

Device Info

Bison
 Cattle
 Horses
 Sheep and Goat
 Pigs
 Poultry
 Cervid

NPN: 002G99P

Device Name: *

Device Code: *

Device Type Name: * ▼

Approval Status: * ▼

Scrapie Contract Device (check if true):

Device Characteristics

Key Name	Value		
Technology	RFID	edit	delete

- Available Actions**
- Add Device Characteristic
 - Manage Scrapie Customer Eligibility
 - Scrapie Text Mask

6.36. Device Characteristic

6.36.1. When to Use

6.36.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.36.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Devices](#) / [Bo Peep Plus](#) / [Add Characteristic](#)

Device Characteristic Info

Key Name:

Value:

6.37. Manage Scrapie Customer Eligibility

6.37.1. When to Use

6.37.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.37.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Devices](#) / [Bo Peep Plus](#) / [Manage Scrapie Customer Eligibility](#)

Scrapie Customer Types/Subtypes

Scrapie Customer Types/Subtypes:

OFFICIAL - ALL

PREMISES - ALL

CERTIFY - ALL

NON_CERT - ALL

PREMISES - PEND

CERTIFY - LAB

CERTIFY - VET

CERTIFY - FARM

CERTIFY - SLT

CERTIFY - COMP

OFFICIAL - PVET

6.38. Scrapie Text Mask

6.38.1. When to Use

6.38.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.38.3. Performing the Action

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Devices](#) / [Bo Peep Plus](#) / [Scrapie Text Mask](#)

Text Masks

Text Masks:

Text Mask

Text Mask:

Element Type	Element Name	Element Value

You are here: [AIN Management](#) / [NPN Details](#) / [Manufacturer Devices](#) / [Bo Peep Plus](#) / [Scrapie Text Mask](#)

Text Masks

Text Masks:

Text Mask

Text Mask: SFCP Tag Mask

Element Type	Element Name	Element Value
Attribute of an Object (like state code)	Scrapie Flock ID	FlockId
Series of numbers or characters	2 to 5 letters or characters	2-5

6.39. Recall/Invalidate AIN

6.39.1. When to Use

6.39.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.39.3. Performing the Action

You are here: AIN Management / Recall/Invalidate AIN

AIN Management

AINs

AIN Collection

Starting AIN:

Number of AINs Affected:

Ending AIN (calculated):

Event Date: *

Invalidate AIN

Recall AIN

Lost AIN

Stolen AIN

You are here: AIN Management / Recall/Invalidate AIN

AIN Management

- AINs
- AIN Collection**

Non-Consecutive AINs:

Enter AINs separated by commas. Use dashes to indicate sub-ranges of consecutive AINs. For example, 840003000011450,840003000011452, 840003000011454-840003000011459. Notes; "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Event Date: *

Invalidate AIN

Recall AIN

Lost AIN

Stolen AIN

6.40. Allocate Non-840 AINs

6.40.1. When to Use

6.40.2. Applicable Roles and Functions

Sys/Pgm Admin	Mfr Admin	Mfr User	NPN Admin	NPN User	Health Official	Scrapie Official	State Report
4							

6.40.3. Performing the Action

You are here: AIN Management / Non-840 allocation

Non-840 AIN Allocation

Non-840 AINs

Non-840 AINs Collection

Specify the starting non-840 number along with the number shipped. Note that if you can only send a range of numeric non-840 AINs using this tab. If you want to send multiple non-840 numbers containing non-numeric characters, you must use the "Non-840 AINs Collection" tab.

Starting non-840 AIN:

Number of non-840 AINs Requested:

Ending non-840 (calculated):

Manufacturer NPN: *

Allocation Date:

(*) indicates a required field

Allocate Non-840s

You are here: AIN Management / Non-840 allocation

Non-840 AIN Allocation

Non-840 AINs Non-840 AINs Collection

Non-Consecutive non-840 numbers:

Enter non-840 numbers separated by commas. Use dashes to indicate sub-ranges of consecutive non-840 numbers (must be numeric). For example, 444450,444452, 444454-444459. NOTE: "-" and "," are special characters, and are not allowed in the AIN ID. This application will eliminate duplicate AIN references.

Use the following to upload a file containing the list of AINs to be processed (the instructions listed immediately above apply to uploaded files).

Manufacturer NPN: *

Allocation Date: 

(*) indicates a required field